Sonde

Control de salud de accesibilidad

https://www.dsm.city

909

0 1000

Excellent

May 22, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/dsm-city/

7 pages **297** findings **19** critical **54** high **155** medium **69** low **42.4** avg/page

9,158 elements **95** with findings **99%** ECR **3m 13s** total **27.6s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure an element's role supports its ARIA attributes. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure an element's role supports its ARIA attributes. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 3 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+3 more</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure an element's role supports its ARIA attributes. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 3 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+3 more</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+2 more</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 3 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+3 more</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 8 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link">+8 more</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure an element's role supports its ARIA attributes. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL

Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "26" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 26, 2026" data-navlink="" tabindex="0" id="fc-dom-2" class="fc
-daygrid-day-number">26</a>
```

1.79:1 ✗ ACTUAL

26

#bbc2cd *sobre* #ffffff

4.50:1 ✓ SUGERIDO

26

#717782 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE
Current ratio: 1.79:1 (need 4.5:1). Change foreground from #bbc2cd to #717782 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "29" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 29, 2026" data-navlink="" tabindex="0" id="fc-dom-8" class="fc
-daygrid-day-number">29</a>
```

1.79:1 ✗ ACTUAL

29

#bbc2cd *sobre* #ffffff

4.50:1 ✓ SUGERIDO

29

#717782 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE
Current ratio: 1.79:1 (need 4.5:1). Change foreground from #bbc2cd to #717782 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "28"

WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 28, 2026" data-navlink="" tabindex="0" id="fc-dom-6" class="fc
-daygrid-day-number">28</a>
```

1.79:1 ✗ ACTUAL

28

#bbc2cd *sobre* #ffffff

4.50:1 ✓ SUGERIDO

28

#717782 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.79:1 (need 4.5:1). Change foreground from #bbc2cd to #717782 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "27"

WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 27, 2026" data-navlink="" tabindex="0" id="fc-dom-4" class="fc
-daygrid-day-number">27</a>
```

1.79:1 ✗ ACTUAL

27

#bbc2cd *sobre* #ffffff

4.50:1 ✓ SUGERIDO

27

#717782 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.79:1 (need 4.5:1). Change foreground from #bbc2cd to #717782 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "30"

WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 30, 2026" data-navlink="" tabindex="0" id="fc-dom-10" class="f
c-daygrid-day-number">30</a>
```

1.79:1 ✗ ACTUAL

30

#bbc2cd *sobre* #ffffff

4.50:1 ✓ SUGERIDO

30

#717782 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.79:1 (need 4.5:1). Change foreground from #bbc2cd to #717782 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "City Council"

WCAG 1.4.3

Página: /government/index.php WCAG 1.4.3

Elemento:

```
<h3 class="title">City Council</h3>
```

1.00:1 ✗ ACTUAL

#ffffff *sobre* #ffffff

3.03:1 ✓ SUGERIDO

City Council

#959494 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /business/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /business/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /calendar.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /calendar.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /community/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /community/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/index.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /government/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /government/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item5" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item4" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item6" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns4-item1" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground

WCAG 1.4.3

color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 29, 2026" data-navlink="" tabindex="0" id="fc-dom-8" class="fc
-daygrid-day-number">29</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns4-item2" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 26, 2026" data-navlink="" tabindex="0" id="fc-dom-2" class="fc
-daygrid-day-number">26</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground

WCAG 1.4.3

color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 27, 2026" data-navlink="" tabindex="0" id="fc-dom-4" class="fc
-daygrid-day-number">27</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item7" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item3" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item8" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

---

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item5" aria-hidden="true" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

---

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 30, 2026" data-navlink="" tabindex="0" id="fc-dom-10" class="f
c-daygrid-day-number">30</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

---

HIGH

Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page"

WCAG 1.4.3

Página: /business/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ ACTUAL

4.51:1 ✓ SUGERIDO

share this page → share this page

#021d71 *sobre* #ac1a2f | #b6ceff *sobre* #ac1a2f

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1).

HIGH
Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page"
WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ ACTUAL
share this page → share this page
4.51:1 ✓ SUGERIDO

#021d71 *sobre* #ac1a2f | #b6ceff *sobre* #ac1a2f

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1).

HIGH
Insufficient color contrast: 2.82:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(107, 168, 111). Text: "Orange Week Recycling"
WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<div class="fc-event-title fc-sticky">Orange Week Recycling</div>
```

2.82:1 ✗ ACTUAL
Orange Week Recycling → Orange Week Recycling
4.54:1 ✓ SUGERIDO

#ffffff *sobre* #6ba86f | #333232 *sobre* #6ba86f

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.82:1 (need 4.5:1). Change foreground from #ffffff to #333232 (ratio: 4.5:1).

HIGH
Insufficient color contrast: 3.69:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(172, 120, 114). Text: "City Council"
WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a href="#" class="calendar-name-filter" data-calendar-id="5" rel="noreferrer noopen
er">City Council</a>
```

3.69:1 ✗ ACTUAL

City Council

#ffffff *sobre* #ac7872

4.50:1 ✓ SUGERIDO

City Council

#1f1e1e *sobre* #ac7872

PLAN DE CORRECCIÓN SONDE

Current ratio: 3.69:1 (need 4.5:1). Change foreground from #ffffff to #1f1e1e (ratio: 4.5:1). Current ratio: 3.74:1 (need 4.5:1). Change foreground from #ffffff to #1e1d1d (ratio: 4.5:1). Current ratio: 2.82:1 (need 4.5:1). Change foreground from #ffffff to #333232 (ratio: 4.5:1).

HIGH Insufficient color contrast: 2.82:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(107, 168, 111). Text: "7a" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<div class="fc-event-time">7a</div>
```

2.82:1 ✗ ACTUAL

7a

#ffffff *sobre* #6ba86f

4.54:1 ✓ SUGERIDO

7a

#333232 *sobre* #6ba86f

PLAN DE CORRECCIÓN SONDE

Current ratio: 2.82:1 (need 4.5:1). Change foreground from #ffffff to #333232 (ratio: 4.5:1).

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /community/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ ACTUAL

share this page

#021d71 *sobre* #ac1a2f

4.51:1 ✓ SUGERIDO

share this page

#b6ceff *sobre* #ac1a2f

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1).

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /government/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ ACTUAL

share this page

#021d71 *sobre* #ac1a2f

4.51:1 ✓ SUGERIDO

share this page

#b6ceff *sobre* #ac1a2f

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1).

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /services/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ ACTUAL

share this page

#021d71 *sobre* #ac1a2f

4.51:1 ✓ SUGERIDO

share this page

#b6ceff *sobre* #ac1a2f

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1).

HIGH Console error: SyntaxError: Unexpected token ')'

Página: /calendar.php

Fuente: https://www.dsm.city/calendar.php:814 MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Focus jumps backward from "Login" to "Website Feedback" (visual distance: 613px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Website Feedback</button>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Next Slide" to "May 13, 2026" (visual distance: 1216px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>May 13, 2026</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Visit Relocation Information page" (visual distance: 1089px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Visit Relocation Information page</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Police" to "Careers" (visual distance: 404px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Careers</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "April 29, 2026" to "April 27, 2026" (visual distance: 386px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>April 27, 2026</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Visit Relocation Information page" (visual distance: 1089px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /calendar.php WCAG 2.4.3

Elemento:

```
<a>Visit Relocation Information page</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Login" to "Website Feedback" (visual distance: 613px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /calendar.php WCAG 2.4.3

Elemento:

```
<button>Website Feedback</button>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Strategic Efforts" to "share this page" (visual distance: 1216px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/index.php WCAG 2.4.3

Elemento:

```
<button>share this page</button>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /business/index.php

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /community/index.php

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/index.php

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /government/index.php

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /services/index.php

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /business/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /business/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /community/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /community/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /government/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /business/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

PLAN DE CORRECCIÓN SONDE

Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /business/index.php

Elemento:

```
<main id="main">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /community/index.php

Elemento:

```
<main id="main">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /community/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

PLAN DE CORRECCIÓN SONDE

Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /departments/index.php

Elemento:

```
<main id="main">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /departments/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

PLAN DE CORRECCIÓN SONDE

Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /government/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

PLAN DE CORRECCIÓN SONDE

Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /government/index.php

Elemento:

```
<main id="main">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /services/index.php

Elemento:

```
<main id="main">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /services/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

PLAN DE CORRECCIÓN SONDE

Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.ph
p" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/inde
x.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___docu
ments.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Insufficient color contrast: 4.33:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(29, 53, 87). Effective opacity: 0.50. Text: "today"

WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<button type="button" title="This month" disabled="" aria-pressed="false" class="fc-today-button fc-button fc-button-primary">today</button>
```

4.33:1 ✗ ACTUAL

today

#8e9aab *sobre* #1d3557

4.54:1 ✓ SUGERIDO

today

#919eaf *sobre* #1d3557

PLAN DE CORRECCIÓN SONDE

Current ratio: 4.33:1 (need 4.5:1). Change foreground from #8e9aab to #919eaf (ratio: 4.5:1).

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/business/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /business/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel="noreferrer noopener">Data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/business/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /business/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Slide"><i class="right" aria-hidden="true"></i></button>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Doing Business" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/business/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /business/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" rel="noreferrer noopener">
                                                <svg width="219" height="76" viewBox="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 74.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982 61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8023 70.1876 71.5291 68.8429 72.7
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/calendar.php?view=month&month=05&day=01&year=2026. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /calendar.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Slide"><i class="right" aria-hidden="true"></i></button>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Meetings" on https://www.dsm.city/ and "City Council Meetings" on https://www.dsm.city/calendar.php?

WCAG 3.2.4

view=month&month=05&day=01&year=2026. Components with the same function should use consistent names within the same locale.

Página: /calendar.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/meetings/index.php" target="_self" rel="noreferrer noopener">City Council Meetings</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/community/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /community/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel="noreferrer noopener">Data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Living & Visiting" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/community/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /community/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" rel="noreferrer noopener">
                                                <svg width="219" height="76" viewBox="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 74.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982 61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8023 70.1876 71.5291 68.8429 72.7
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/community/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /community/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/departments/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/departments/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Departments" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/departments/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/government/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Your Government" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/government/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/government/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/services/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/services/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Services" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/services/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM "(515) 283-4500" is visually at position 37 but receives focus at position 23 (drift: 14). WCAG 2.4.3

Página: /government/index.php WCAG 2.4.3

Elemento:

```
<a>(515) 283-4500</a>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Broken link: https://www.dsm.city/departments/development_services/economic_development/small_business_assistance.php returned status 404 Not Found after 1 attempts

Página: /business/index.php

Elemento:

```
<a href="https://www.dsm.city/departments/development_services/economic_development/small_business_assistance.php">Small Business Resources</a>
```

MEDIUM Primary content surface "main" is only 1130px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Página: /calendar.php WCAG Sonde responsive contract

Elemento:

```
<main>
```

PLAN DE CORRECCIÓN SONDE
Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM Interactive control "a.calendar-tab-filter" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /calendar.php WCAG 2.5.8

Elemento:

```
<a.calendar-tab-filter>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.calendar-name-filter" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /calendar.php WCAG 2.5.8

Elemento:

```
<a.calendar-name-filter>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /calendar.php WCAG 1.4.12

Elemento:

```
<label for="calendar-search" class="sr-only">Search</label>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/index.php WCAG 2.5.8

Elemento:

```
<a>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.link" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/index.php WCAG 2.5.8

Elemento:

```
<a.link>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.share-btn.floating-share-btn" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/index.php WCAG 2.5.8

Elemento:

```
<button.share-btn.floating-share-btn>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.alert-more" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/index.php WCAG 2.5.8

Elemento:

```
<a.alert-more>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.alert-closebtn" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/index.php WCAG 2.5.8

Elemento:

```
<button.alert-closebtn>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /services/index.php WCAG 1.4.12

Elemento:

```
<section id="slider" class="tiny-slider-wrap has-edit-buttons yes-has-edit-buttons"
aria-label="Page Banner">




                <div class="center-center">
                        <div class="rz-btns-container">

                                        <script langu
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 20px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /services/index.php WCAG 1.4.12

Elemento:

```
<span class="sr-only">share this page</span>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/index.php

Elemento:

```
<h2 class="tile-title" id="page-title0"></h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_app
eals.php">Building Fire Code Board Appeals</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Boa
rd</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/">share on twi
tter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /business/index.php

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php">Building Fire Code Board Appeals</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /business/index.php

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Board</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /business/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /business/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/business/index.php returned status 403 Forbidden after 1 attempts

Página: /business/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/business/inde
x.php">share on twitter</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /calendar.php

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Boa
rd</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /calendar.php

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_app
eals.php">Building Fire Code Board Appeals</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /calendar.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/calendar.php returned status 403 Forbidden after 1 attempts

Página: /calendar.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/calendar.php">
share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /calendar.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /community/index.php

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Boa
rd</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/community/index.php returned status 403 Forbidden after 1 attempts

Página: /community/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/community/inde
x.php">share on twitter</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /community/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /community/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /community/index.php

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php">Building Fire Code Board Appeals</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/departments/index.php returned status 403 Forbidden after 1 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/departments/index.php">share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php">Building Fire Code Board Appeals</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Boa
rd</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /government/index.php

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_app
eals.php">Building Fire Code Board Appeals</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /government/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/index.php returned status 403 Forbidden after 1 attempts

Página: /government/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/ind
ex.php">share on twitter</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /government/index.php

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Boa
rd</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /government/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/406 did not respond within 5000ms after 2 attempts

Página: /services/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/406">Apply</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 2 attempts

Página: /services/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Link timeout: https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_appeals.php did not respond within 5000ms after 2 attempts

Página: /services/index.php

Elemento:

```
<a href="https://www.dsm.city/boards_commissions/building_and_fire_code_board_of_app
eals.php">Building Fire Code Board Appeals</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/services/index.php returned status 403 Forbidden after 1 attempts

Página: /services/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/services/inde
x.php">share on twitter</a>
```

LOW Link timeout: https://www.flydsm.com/about-us/authority-leadership did not respond within 5000ms after 2 attempts

Página: /services/index.php

Elemento:

```
<a href="https://www.flydsm.com/about-us/authority-leadership">Airport Authority Boa
rd</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /business/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /business/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /calendar.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /calendar.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /community/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /community/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /departments/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /departments/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /government/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /government/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /services/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /services/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo