Sonde

Accessibility Health Check

https://fultoncountyga.gov

930



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/fultoncountyga-gov/

10 pages **473** findings **2** critical **54** high **372** medium **45** low **47.3** avg/page
14,591 elements **122** with findings **99.2%** ECR **5m 15s** total **31.5s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Insufficient color contrast: 1.44:1 (required: 4.5:1 for normal text). Foreground: rgb(68, 68, 68), background: rgb(0, 45, 83). Text: "Translate"

WCAG 1.4.3

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.3

Element:

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="https://translate.google.com" target="_blank"><img src="https://www.gstatic.com/images/branding/googlelogo/1x/googlelogo_color_42x16dp.png" width="37px" hei
```

1.44:1 ✗ CURRENT

Translate

#444444 on #002d53

4.51:1 ✓ SUGGESTED

Translate

#939292 on #002d53

SONDE FIX PLAN

Current ratio: 1.44:1 (need 4.5:1). Change foreground from #444444 to #939292 (ratio: 4.5:1). Or change background from #002d53 to #000000.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Calendar WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Calendar WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Jobs WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Jobs WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Maps WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Maps WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /News WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /News WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Payments WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Payments WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Watch-FGTV WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Watch-FGTV WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                    27
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                    04
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                    05
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                26
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                01
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                29
                                            </div>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                30
                                            </div>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                28
                                            </div>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground

WCAG 1.4.3

color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                06
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                03
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.4 (foreground color: #a7a7a7, background color: #ffffff, font size: 28.5pt (38px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /Calendar WCAG 1.4.3

Element:

```
<div class="v-calendar-weekly__day-label">
                                                02
                                            </div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-

minimum

HIGH Page should contain a level-one heading: Fix all of the following: Page must have a level-one heading

Page: /Watch-FGTV

Element:

```
<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
```

SONDE FIX PLAN

Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/ Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH Focus jumps backward from "COURTS" to "INSIDE FULTON COUNTY" (visual distance: 1778px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>INSIDE FULTON COUNTY</button>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "#accordionHelpfulLinks > ul > li:nth-of-type(13) > ul > li:nth-of-type(4) > a" to "SKIP TO MAIN CONTENT" (visual distance: 7159px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>SKIP TO MAIN CONTENT</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Clear All" to "SHOW EVENTS" (visual distance: 1584px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /Calendar WCAG 2.4.3

Element:

```
<button>SHOW EVENTS</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Page requires horizontal scrolling at Modern phone (390px width, 198px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH Page requires horizontal scrolling at Phone SE (320px width, 268px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH Page requires horizontal scrolling at Laptop (1366px width, 466px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: /News WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Calendar

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Jobs

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Maps

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy

header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Payments

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Services

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page should contain a level-one heading: Fix all of the following: Page must have a level-one heading

Page: /Calendar

Element:

```
<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
```

SONDE FIX PLAN
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections

Element:

```
<h4 class="footer__contact-heading">
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopen
er noreferrer">Voter Registratio
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Notary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BKzPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjleiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener
noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Voter Registratio
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Notary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Calendar WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopen
er noreferrer">Voter Registratio
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Not
ary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations
</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Notary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Become a Poll W
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Voter Registratio
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Pas
sports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-Adhuhhypsqgid4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Not
ary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener
noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Pas
sports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Jobs WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopen
er noreferrer">Voter Registratio
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Voter Registratio
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Notary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tertiary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Maps WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Pas
sports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener
noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopen
er noreferrer">Voter Registratio
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Not
ary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /News WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Not
ary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Become a Poll W
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener
noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopen
er noreferrer">Voter Registratio
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Payments WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BKzPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjleiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Become a Poll W
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Voter Registratio
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Notary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tertiary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Services WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BK
zPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjl
eiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Early-Voting-Locations" class="tertiary-menu__link" title="">Early Voting Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Notary" class="tertiary-menu__link" title="">Notary</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 45, 83), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="https://visitor.r20.constantcontact.com/manage/optin?v=001pRmNkNNhb38xsI9BKzPGAT6VX8gu-AdhuhhypsqgiD4L_n71y2QtjvjalpJ0jMH4yHmAnfjHZ4_UY1WVZXtiAPhvFMP23kGALCNjleiUzU0%3D" class="primary-menu__
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Clerk-of-Superior-Court/Passports" class="tertiary-menu__link" title="">Passports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Absentee-Voting" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Absentee Voting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/Voter-Registration" class="tertiary-menu__link" target="_blank" title="" rel="noopener noreferrer">Voter Registratio
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="" class="tertiary-menu__link" title="">Birth Certificate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections/
Become-a-Poll-Worker" class="tertiary-menu__link" target="_blank" title="" rel="noop
ener noreferrer">Become a Poll W
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/195/Marriage-Licenses" class="tertiary-menu
__link external-link" title="">Marriage License</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(80, 80, 80), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Watch-FGTV WCAG 1.4.1

Element:

```
<a href="https://www.fultonprobatega.org/201/Weapons-Carry-Licenses-WCL" class="tert
iary-menu__link external-link" title="">Weapons Carry Licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Fulton County Event Calendar" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Calendar. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Calendar WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Customer Service" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Inside-Fulton-County/Fulton-County-Departments/Customer-Service. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Elections" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Jobs" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Jobs. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Jobs WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Link to Maps Page" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Maps. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Maps WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same textbox functionality is identified as "huY4ttOdc8c6MVgQ-X7giXTxpB0dKC0u6HkZq35Ee-bHlXrBWjCHhFq3yllbKlI8UzlXMpBgxA5YjfpLqCoAULNSavfQFu5-aOX0JawVUw81" on https://fultoncountyga.gov/ and "KaxUPC9D0SvpuqlobkuZMZImswqbDNnsyGjuSuOtPVB-tKEZSThiYKJEPNuyI2axxR7SXI9lDsFuERbEQU213BguBIclp74p7b2THZThLMo1" on https://fultoncountyga.gov/News. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /News WCAG 3.2.4

Element:

```
<input name="__RequestVerificationToken" type="hidden" value="KaxUPC9D0SvpuqlobkuZMZImswqbDNnsyGjuSuOtPVB-tKEZSThiYKJEPNuyI2axxR7SXI9lDsFuERbEQU213BguBIclp74p7b2THZThLMo1">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "News" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/News. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /News WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Payment Gateways" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Payments. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Payments WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Services" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Services WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Watch FGTV" on https://fultoncountyga.gov/ and "skip to main content" on https://fultoncountyga.gov/Watch-FGTV. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Watch-FGTV WCAG 3.2.4

Element:

```
<a class="skip-to-main" href="#main-content">skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

"404-612-4000" is visually at position 70 but receives focus at position 40 (drift: 30).

WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>404-612-4000</a>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "JOBS" is visually at position 4 but receives focus at position 61 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>JOBS</a>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "PROPERTY AND VEHICLES" is visually at position 17 but receives focus at position 74 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>PROPERTY AND VEHICLES</button>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Language Translate Widget" is visually at position 12 but receives focus at position 69 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<select>Language Translate Widget</select>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Languages" is visually at position 74 but receives focus at position 46 (drift: 28). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Languages</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "COMMISSION DISTRICT FINDER" is visually at position 6 but receives focus at position 63 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>COMMISSION DISTRICT FINDER</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "header > div:nth-of-type(1) > div > a" is visually at position 14 but receives focus at position 71 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "WATCH FGTV" is visually at position 11 but receives focus at position 68 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>WATCH FGTV</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "SERVICES" is visually at position 16 but receives focus at position 73 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>SERVICES</button>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "customerservice@fultoncountyga.gov" is visually at position 73 but receives focus at position 41 (drift: 32). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>customerservice@fultoncountyga.gov</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "CUSTOMER SERVICE" is visually at position 10 but receives focus at position 67 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>CUSTOMER SERVICE</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "EMAIL NEWSLETTERS" is visually at position 15 but receives focus at position 72 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>EMAIL NEWSLETTERS</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "NEWS" is visually at position 8 but receives focus at position 65 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>NEWS</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "TRANSLATE" is visually at position 13 but receives focus at position 70 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>TRANSLATE</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "FOLLOW US" is visually at position 2 but receives focus at position 59 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>FOLLOW US</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "MAPS" is visually at position 9 but receives focus at position 66 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>MAPS</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "PAYMENTS" is visually at position 7 but receives focus at position 64 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>PAYMENTS</a>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Open Records Request" is visually at position 75 but receives focus at position 51 (drift: 24). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Open Records Request</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "BUSINESS SERVICES" is visually at position 18 but receives focus at position 75 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>BUSINESS SERVICES</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "ELECTIONS" is visually at position 3 but receives focus at position 60 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>ELECTIONS</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "CALENDAR" is visually at position 5 but receives focus at position 62 (drift: 57). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>CALENDAR</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Emergency Notifications" is visually at position 71 but receives focus at position 45 (drift: 26). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Emergency Notifications</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Broken link: https://fultoncountyga.gov/Inside-Fulton-County/Fulton-County-Departments/-/media/F446AAA8FC844A049E7938935759850B.ashx returned status 404 Not Found after 1 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections

Element:

```
<a href="https://fultoncountyga.gov/Inside-Fulton-County/Fulton-County-Departments/
-/media/F446AAA8FC844A049E7938935759850B.ashx">Click here to view the notice.</a>
```

MEDIUM Interactive control "select.goog-te-combo" is only 19px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<select.goog-te-combo>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 1146px at Tablet (768px width). WCAG Sonde responsive contract

Page: / WCAG Sonde responsive contract

Element:

```
<ul class="tertiary-menu__list">
                                                                                <li
class="tertiary-menu__item">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 1012px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

WCAG Sonde responsive contract

Element:

```
<div class="news-card__tags  ">
                            <span>News</span>
                    </div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 466px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /News WCAG Sonde responsive contract

Element:

```
<div class="news-promo__grid news-promo__grid--mini">
        <div class="news-promo__item">



        <div class="news-card ">

                <div class="news-card__photo news-card__ph
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /News WCAG 1.4.12

Element:

```
<label for="siteSearchBar" class="sr-only">Site Search</label>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 466px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /News WCAG Sonde responsive contract

Element:

```
<div class="news-card ">

                <div class="news-card__photo news-card__photo--image">
<img src="/-/media/Commissioners/Pitts/Threads-of-Heritage_Pitts.jpg?la=en&amp;h=676
&amp;w=1218&amp;has
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 446px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /News WCAG Sonde responsive contract

Element:

```
<img src="/-/media/Commissioners/Pitts/Threads-of-Heritage_Pitts.jpg?la=en&amp;h=676
&amp;w=1218&amp;hash=0AADA7E4AEA7406EB412CA83FDD78850" alt="Fulton County Chairman R
obb Pitts presents Threads of He
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 446px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /News WCAG Sonde responsive contract

Element:

```
<div class="news-card__photo news-card__photo--image">
<img src="/-/media/Commissioners/Pitts/Threads-of-Heritage_Pitts.jpg?la=en&amp;h=676
&amp;w=1218&amp;hash=0AADA7E4AEA7406EB412CA83FDD78850" alt="F
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 320px at Phone SE (320px width). WCAG 1.4.10

Page: /Services WCAG 1.4.10

Element:

```
<li class="secondary-menu__item secondary-menu__item--has-sub">
                                                    <button type="button" cl
ass="secondary-menu__toggle" aria-expanded="false" a
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 320px at Phone SE (320px width). WCAG 1.4.10

Page: /Services WCAG 1.4.10

Element:

```
<ul class="secondary-menu__list">
                                                  <li class="secondary-menu__i
tem secondary-menu__item--has-sub">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 305px at Phone SE (320px width). WCAG 1.4.10

Page: /Services WCAG 1.4.10

Element:

```
<button type="button" class="secondary-menu__toggle" aria-expanded="false" aria-cont
rols="PrimaryMenu-0_SecondaryMenu-0" id="PrimaryBtn-0_SecondaryBtn-0">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 320px at Phone SE (320px width). WCAG 1.4.10

Page: /Services WCAG 1.4.10

Element:

```
<a href="/Services" class="current-page-label">Services</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 320px at Phone SE (320px width). WCAG 1.4.10

Page: /Services WCAG 1.4.10

Element:

```
<button type="button" class="return-to-primary-menu">
                                        <svg version="1.1" xmlns="http://www.w3.
org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" viewB
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 192px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<a href="/Services" class="current-page-label">Services</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "button.return-to-primary-menu" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Watch-FGTV WCAG 2.5.8

Element:

```
<button.return-to-primary-menu>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-card__date">
15 - May                </div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-card__details">
                <div class="news-card__date">
15 - May                </div>
                    <h3 class="news-card__title">Happening in Fulton: Fulton County
Hosts
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-card__description">Fulton County leaders, agriculture supporters, a
nd farmers participated in the State Delegation Farm Tour.</div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 372px at Phone SE (320px width). WCAG 1.4.10

Page: /Watch-FGTV WCAG 1.4.10

Element:

```
<ul class="tertiary-menu__list">
                                                                                <li
class="tertiary-menu__item">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<h3 class="news-card__title">Happening in Fulton: Fulton County Hosts State Delegati
on Farm Tour Highlighting Local Agriculture</h3>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<iframe src="https://www.youtube.com/embed/UXpKebluM18" title="Happening in Fulton:
Fulton County Hosts State Delegation Farm Tour Highlighting Local Agriculture" frame
border="0" allow="accelerometer;
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 257px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-card news-card--video">

                <div class="news-card__photo news-card__photo--video">
<iframe src="https://www.youtube.com/embed/UXpKebluM18" title="Happening in Fulton:
Ful
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 177px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<button type="button" class="secondary-menu__toggle" aria-expanded="false" aria-cont
rols="PrimaryMenu-0_SecondaryMenu-0" id="PrimaryBtn-0_SecondaryBtn-0">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 257px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-promo__grid news-promo__grid--half">
        <div class="news-promo__item">



        <div class="news-card news-card--video">

                <div class="news-card__pho
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 582px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<ul class="tertiary-menu__list">
                                                                        <li
class="tertiary-menu__item">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-card__photo news-card__photo--video">
<iframe src="https://www.youtube.com/embed/UXpKebluM18" title="Happening in Fulton:
Fulton County Hosts State Delegation Farm Tour Highlighting L
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 192px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<li class="secondary-menu__item secondary-menu__item--has-sub">
                                                    <button type="button" cl
ass="secondary-menu__toggle" aria-expanded="false" a
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 77px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /Watch-FGTV WCAG 1.4.12

Element:

```
<h2 id="headerAlerts" class="sr-only">Site Announcements</h2>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 192px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<ul class="secondary-menu__list">
                                                    <li class="secondary-menu__i
tem secondary-menu__item--has-sub">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 73px at Phone SE (320px width). WCAG 1.4.10

Page: /Watch-FGTV WCAG 1.4.10

Element:

```
<path d="M14.2,204.5L200.5,18.2c11.9-11.9,31.1-11.9,42.9,0c11.8,11.8,11.8,31.1,0,42.
9L78.6,226l164.8,164.8 c11.9,11.9,11.9,31.1,0,42.9c-11.8,11.9-31,11.9-42.9,0L14.2,24
7.4c-5.9-5.9-8.9-13.7-8.9-21.4C5
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 213px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<path d="M14.2,204.5L200.5,18.2c11.9-11.9,31.1-11.9,42.9,0c11.8,11.8,11.8,31.1,0,42.
9L78.6,226l164.8,164.8 c11.9,11.9,11.9,31.1,0,42.9c-11.8,11.9-31,11.9-42.9,0L14.2,24
7.4c-5.9-5.9-8.9-13.7-8.9-21.4C5
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 18px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /Watch-FGTV WCAG 1.4.12

Element:

```
<span style="white-space:nowrap"><a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="http
s://translate.google.com" target="_blank"><img src="https://www.gstatic.com/images/b
randing/googlelogo/1x/googlelogo_co
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 237px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<a class="news-card__cta-primary cta-primary" href="/News/2026/05/15/Happening-in-Fu
lton-Fulton-County-Hosts-State-Delegation-Farm-Tour-Highlighting-Local-Agriculture">
                    Read More
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.mobile-utility-nav__link" is only 22px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Watch-FGTV WCAG 2.5.8

Element:

```
<a.mobile-utility-nav__link>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /Watch-FGTV WCAG 1.4.12

Element:

```
<span class="sr-only">Toggle Search</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 73px at Phone SE (320px width). WCAG 1.4.10

Page: /Watch-FGTV WCAG 1.4.10

Element:

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.or
g/1999/xlink" viewBox="0 0 257.6 451.8" xml:space="preserve">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a" is only 22px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Watch-FGTV WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 213px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.or
g/1999/xlink" viewBox="0 0 257.6 451.8" xml:space="preserve">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 192px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<button type="button" class="return-to-primary-menu">
                                        <svg version="1.1" xmlns="http://www.w3.
org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" viewB
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 257px at Laptop (1366px width). WCAG Sonde responsive contract

Page: /Watch-FGTV WCAG Sonde responsive contract

Element:

```
<div class="news-promo__item">



        <div class="news-card news-card--video">

                <div class="news-card__photo news-card__photo--video">
<iframe src="https://www.youtube.
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Missing X-Frame-Options header

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

SONDE FIX PLAN
Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Missing X-Frame-Options header

Page: /News

SONDE FIX PLAN
Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Missing X-Frame-Options header

Page: /Watch-FGTV

SONDE FIX PLAN
Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

LOW Deep focus region: nav "Utility Navigation" has 12 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /Maps WCAG 2.4.1

Element:

```
<nav role="nav">Utility Navigation</nav>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportuni
ties)</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Calendar

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Calendar

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Calendar

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportunities)</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportuni
ties)</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Bo
ard Archives</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Inside-Fulton-County/Fulton-County-Departments/Registration-and-Elections

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportuni
ties)</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Jobs

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportunities)</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Jobs

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Jobs

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Maps

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Maps

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Maps

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportuni
ties)</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /News

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Bo
ard Archives</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /News

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportuni
ties)</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /News

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Payments

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Payments

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Bo
ard Archives</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Payments

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportunities)</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Services

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportunities)</a>
```

LOW Link timeout: https://districtattorneyfultonga.govqa.us/WEBAPP/_rs/SupportHome.aspx did not respond within 5000ms after 2 attempts

Page: /Services

Element:

```
<a href="https://districtattorneyfultonga.govqa.us/WEBAPP/_rs/SupportHome.aspx">Open Records</a>
```

LOW Link timeout: https://fultoncountyga.gov/Inside-Fulton-County/Fulton-County-Departments/Animal-Services/Vaccinations-and-Spaying-or-Neutering did not respond within 5000ms after 2 attempts

Page: /Services

Element:

```
<a href="https://fultoncountyga.gov/Inside-Fulton-County/Fulton-County-Departments/Animal-Services/Vaccinations-and-Spaying-or-Neutering">Vaccinations &amp;amp; Spaying/Neutering</a>
```

LOW Link timeout: https://fultoncountyga.gov/Services#main-content did not respond within 5000ms after 2 attempts

Page: /Services

Element:

```
<a href="https://fultoncountyga.gov/Services#main-content">skip to main content</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Services

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Services

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Link timeout: https://fultoncountyga.gov/Business-Services/Accounts-Payable did not respond within 5000ms after 2 attempts

Page: /Services

Element:

```
<a href="https://fultoncountyga.gov/Business-Services/Accounts-Payable">Accounts Payable</a>
```

LOW Broken link: http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php returned status 404 Not Found after 1 attempts

Page: /Watch-FGTV

Element:

```
<a href="http://bidboard.fultoncountyga.gov/Apps/bidboard/MainSearchPage.php">Bid Board Archives</a>
```

LOW Link timeout: https://www.bidnetdirect.com/georgia/fultoncounty did not respond within 5000ms after 2 attempts

Page: /Watch-FGTV

Element:

```
<a href="https://www.bidnetdirect.com/georgia/fultoncounty">Bid Board (Bid Opportunities)</a>
```

LOW Broken link: https://twitter.com/fultoninfo?lang=en returned status 403 Forbidden after 1 attempts

Page: /Watch-FGTV

Element:

```
<a href="https://twitter.com/fultoninfo?lang=en">Twitter</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /Inside-Fulton-County/Fulton-County-Departments/Customer-Service

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue