Sonde

Control de salud de accesibilidad

https://www.lexingtonky.gov

975



Excellent

May 22, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/lexingtonky-gov/

15 pages **256** findings **0** critical **30** high **187** medium **39** low **17.1** avg/page

5,243 elements **94** with findings **98.2%** ECR **3m 24s** total **13.6s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" name=" " -->
```

PLAN DE CORRECCIÓN SONDE
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Focus jumps backward from "Water Quality" to "Special holiday collections" (visual distance: 1819px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Elemento:

```
<a>Special holiday collections</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Wolf Run Sewer Project" to "What is a watershed" (visual distance: 3166px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Elemento:

```
<h2>What is a watershed</h2>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Wolf Run Sewer Project" to "Volunteer" (visual distance: 2946px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<h2>Volunteer</h2>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "What's being done?" to "Investment in Homeless Response" (visual distance: 449px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 2.4.3

Elemento:

```
<h2>Investment in Homeless Response</h2>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Your LexPD" to "New episodes" (visual distance: 1643px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.4.3

Elemento:

```
<h2>New episodes</h2>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Missing X-Content-Type-Options header

Página: /

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /economic-development

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/public-safety/police/your-lexpd

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/youth-services

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/youth-services/court-appointed-special-advocates

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /living

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /playing

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /working

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /economic-development

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /government

Elemento:

```
<h3 class="text-inherit group-hover:underline mb-0">Dispute resolution</h3>
```

PLAN DE CORRECCIÓN SONDE
Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4>Episode 1 (October 2023)</h4>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4>Episode 1 (February 2025)</h4>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4>Season 3, Episode 1 - Lexington Division of E-911</h4>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4>Episode 11 (October 2024)</h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/youth-services

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/youth-services/court-appointed-special-advocates

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

Elemento:

```
<h3>Services </h3>
```

PLAN DE CORRECCIÓN SONDE
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /living

Elemento:

```
<h3 class="m-0 text-lg lg:text-xl xl:text-2xl">Public Safety</h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /living

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /playing

Elemento:

```
<h3 class="m-0 text-lg lg:text-xl xl:text-2xl">After school programs </h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /playing

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /working

Elemento:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /working

Elemento:

```
<h3 class="m-0 text-lg lg:text-xl xl:text-2xl">Current building codes</h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: / WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Open data" on https://www.lexingtonky.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: / WCAG 3.2.4

Elemento:

```
<a class="basis-2/5 md:basis-auto font-medium hover:underline" href="https://data.le
xingtonky.gov/">Open data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Economic Development" on https://www.lexingtonky.gov/working and "Skip to main content" on https://www.lexingtonky.gov/economic-development. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /economic-development WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/economic-development#ma
in-content">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/economic-development. Components

WCAG 3.2.4

with the same function should use consistent names within the same locale.

Página: /economic-development WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_blank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Public notices" on https://www.lexingtonky.gov/ and "Public meetings and notices" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government WCAG 3.2.4

Elemento:

```
<a aria-label="Public meetings and notices" class=" group flex items-center" href="/government/public-meetings-notices"><div class="w-12 h-20 mr-3 md:mr-6 rounded-full flex items-center justify-start md:justify-center basis-12 shrink-0  group-hover:bg-transparent"><i class="fa-sharp fa-solid fa-people-group text-4xl lg:text-[2.75rem] text-primary-1 group-hover:text-primary-2"></i></div><div><h3 class="text-inherit group-hover:underline mb-0">Public meetings and notices</h3></div></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Legislation" on https://www.lexingtonky.gov/ and "Legislative process and legislation" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government WCAG 3.2.4

Elemento:

```
<a aria-label="Legislative process and legislation" class=" group flex items-center"
href="/government/office-urban-county-council/council-committees/legislative-proces
s"><div class="w-12 h-20 mr-3 md:mr-6 rounded-full flex items-center justify-start m
d:justify-center basis-12 shrink-0  group-hover:bg-transparent"><i class="fa-sharp f
a-solid fa-file-certificate text-4xl lg:text-[2.75rem] text-primary-1 group-hover:te
xt-primary-2"></i></div><div><h3 class="text-inherit group-hover:underline mb-0"
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Government" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government#main-conten
t">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Office of the Urban County Council" on https://www.lexingtonky.gov/ and "Urban County Council office" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government WCAG 3.2.4

Elemento:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-bod
y text-base font-medium text-center border-primary-1 hover:bg-primary-1 hover:text-w
hite order-4 self-start" tabindex="0" aria-label="Urban County Council office" href
="/government/office-urban-county-council">Urban County Council office</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 3.2.4

Elemento:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips and "Twitter" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 3.2.4

Elemento:

```
<a aria-label="Twitter" class="text-lg text-black hover:text-primary-2 flex-none tex
t-center" target="_blank" href="https://twitter.com/LiveGreenLex"><i class="fa-brand
s fa-x-twitter"></i></a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 3.2.4

Elemento:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Wolf Run watershed plan" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed and "Skip to main content" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-waters
hed/wolf-run-watershed-plan#main-content">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 3.2.4

Elemento:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/public-safety/police/your-lexpd. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/public-safety/police/your-lexpd. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 3.2.4

Elemento:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Calendar" on https://www.lexingtonky.gov/ and "All Events" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/youth-services WCAG 3.2.4

Elemento:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-bod
y text-base font-medium text-center border-zinc-300 hover:bg-zinc-300 " tabindex="0"
aria-label="All Events" href="/calendar">All Events</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Open data" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/youth-services WCAG 3.2.4

Elemento:

```
<a class="basis-2/5 md:basis-auto font-medium hover:underline" href="https://data.lexingtonky.gov/">Open data</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/youth-services WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_blank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "News" on https://www.lexingtonky.gov/ and "All News" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/youth-services WCAG 3.2.4

Elemento:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-body text-base font-medium text-center border-zinc-300 hover:bg-zinc-300 " tabindex="0" aria-label="All News" href="/news">All News</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on

MEDIUM https://www.lexingtonky.gov/government/departments-programs/youth-services/court-appointed-special-advocates. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /government/departments-programs/youth-services/court-appointed-special-advocates

WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Court Appointed Special Advocates" on https://www.lexingtonky.gov/government/departments-programs/youth-services and "Skip to main content" on https://www.lexingtonky.gov/government/departments-programs/youth-services/court-appointed-special-advocates. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /government/departments-programs/youth-services/court-appointed-special-advocates

WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/youth-services/court-appointed-special-advocates#main-content">Skip to main
content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/youth-services/juvenile-probation-court-services. WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_blank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Juvenile Probation and Court Services" on https://www.lexingtonky.gov/government/departments-programs/youth-services and "Skip to main content" on https://www.lexingtonky.gov/government/departments-programs/youth-services/juvenile-probation-court-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-programs/youth-services/juvenile-probation-court-services#main-content">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/living. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /living WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "External link: Engage Lexington" on https://www.lexingtonky.gov/living. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /living WCAG 3.2.4

Elemento:

```
<a aria-label="External link: Engage Lexington" class="py-6 px-0 text-center inline-
block rounded group " href="https://engage.lexingtonky.gov/"><i class="fa-sharp fa-s
olid fa-clipboard-check text-primary-1 text-[2.8125rem] md:text-6xl group-hover:text
-primary-2 transform translate-y-0 transition-all duration-300 group-hover:translate
-y-[-12px]"></i><div class="border-t-2 border-grey pt-3.5 md:pt-4 mt-3.5 md:mt-4 fon
t-semibold text-black group-hover:underline underline-offset-4 text-[1.375rem] l
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Living" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/living. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /living WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/living#main-content">Sk
ip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Playing" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/playing. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /playing WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/playing#main-content">S
kip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/playing. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /playing WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Working" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /working WCAG 3.2.4

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/working#main-content">S
kip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Employees" on https://www.lexingtonky.gov/ and "Additional city employee information" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /working WCAG 3.2.4

Elemento:

```
<a aria-label="Additional city employee information" class="py-6 px-0 text-center in
line-block rounded group " href="/lfucg-employees"><i class="fa-sharp fa-solid fa-us
er text-primary-1 text-[2.8125rem] md:text-6xl group-hover:text-primary-2 transform
translate-y-0 transition-all duration-300 group-hover:translate-y-[-12px]"></i><div
class="border-t-2 border-grey pt-3.5 md:pt-4 mt-3.5 md:mt-4 font-semibold text-black
group-hover:underline underline-offset-4 text-[1.375rem] leading-6">Additional
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Apply for a job" on https://www.lexingtonky.gov/ and "Current job openings" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /working WCAG 3.2.4

Elemento:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-bod
y text-base font-medium text-center border-accent-1 text-white hover:bg-white hover:
text-black hover:border-white order-4 self-start" tabindex="0" aria-label="Current j
ob openings" href="/working/current-job-openings">Current job openings</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /working WCAG 3.2.4

Elemento:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM "Live Green's Low-Waste Holiday Gift Guide" is visually at position 28 but receives focus at position 65 (drift: 37). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Elemento:

```
<a>Live Green's Low-Waste Holiday Gift Guide</a>
```

PLAN DE CORRECCIÓN SONDE

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Contact" is visually at position 31 but receives focus at position 67 (drift: 36). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Elemento:

```
<a>Contact</a>
```

PLAN DE CORRECCIÓN SONDE

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Which cart does it go in?" is visually at position 30 but receives focus at position 66 (drift: 36). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Elemento:

```
<a>Which cart does it go in?</a>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Click here to learn more" is visually at position 37 but receives focus at position 82 (drift: 45). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Elemento:

```
<a>Click here to learn more</a>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run map" is visually at position 31 but receives focus at position 80 (drift: 49). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Elemento:

```
<a>Wolf Run map</a>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Volunteers needed for water quality testing" is visually at position 33 but receives focus at position 81 (drift: 48). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Elemento:

```
<h2>Volunteers needed for water quality testing</h2>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix A: Basin Retrofit Datasheets" is visually at position 39 but receives focus at position 84 (drift: 45). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix A: Basin Retrofit Datasheets</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run Watershed Plan" is visually at position 37 but receives focus at position 83 (drift: 46). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Wolf Run Watershed Plan</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run Quality Assurance Project Plan" is visually at position 54 but receives focus at position 91 (drift: 37). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Wolf Run Quality Assurance Project Plan</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix F: Wolf Run Watershed Monitoring Report" is visually at position 51 but receives focus at position 89 (drift: 38). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix F: Wolf Run Watershed Monitoring Report</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run watershed plan" is visually at position 35 but receives focus at position 82 (drift: 47). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<h2>Wolf Run watershed plan</h2>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix B: Karst Hydrograph Characterization Report" is visually at position 42 but receives focus at position 85 (drift: 43). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix B: Karst Hydrograph Characterization Report</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix C: Conductivity Survey" is visually at position 44 but receives focus at position 86 (drift: 42). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix C: Conductivity Survey</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix D: Habitat and Macroinvertebrate Assessment Report" is visually at position 46 but receives focus at position 87 (drift: 41). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix D: Habitat and Macroinvertebrate Assessment Report</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix G: University of Kentucky Stormwater Planning" is visually at position 53 but receives focus at position 90 (drift: 37). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix G: University of Kentucky Stormwater Planning</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Friends of Wolf Run" is visually at position 32 but receives focus at position 81 (drift: 49). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<a>Friends of Wolf Run</a>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix E: Hydrogeomorphic Assessment Report" is visually at position 48 but receives focus at position 88 (drift: 40). WCAG 2.4.3

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Elemento:

```
<button>Appendix E: Hydrogeomorphic Assessment Report</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "#main-content > div:nth-of-type(2) > div:nth-of-type(2) > article > div:nth-of-type(2) > div:nth-of-type(2) > div > div:nth-of-type(2) > article > iframe" is visually at position 35 but receives focus at position 66 (drift: 31). WCAG 2.4.3

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.4.3

Elemento:

```
<iframe></iframe>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Interactive control "#edit-address" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#edit-address>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "input.w-full.mt-0" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<input.w-full.mt-0>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.font-semibold.text-primary-1" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.font-semibold.text-primary-1>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.bg-transparent.border-2" is only 42px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /economic-development WCAG 2.5.8

Elemento:

```
<a.bg-transparent.border-2>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 65px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 1.4.10

Elemento:

```
<html lang="und">
```

PLAN DE CORRECCIÓN SONDE
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM

Interactive control "a.button.button-primary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 2.5.8

Elemento:

```
<a.button.button-primary>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.button.button-secondary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 2.5.8

Elemento:

```
<a.button.button-secondary>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "button.text-xl.text-gray" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.5.8

Elemento:

```
<button.text-xl.text-gray>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Element overflows viewport by 195px at Modern phone (390px width).

WCAG Sonde responsive contract

Página: /government/departments-programs/public-safety/police/your-lexpd

WCAG Sonde responsive contract

Elemento:

```
<img alt="" role="presentation" loading="lazy" width="800" height="800" decoding="as
ync" data-nimg="1" class="w-full h-auto max-w-[28rem] top-5 right-[-50%] md:top-0 m
d:right-auto absolute" style="col
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM

Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.4.12

Elemento:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/public-safety/police/yo
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "a.underline.underline-offset-2" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.5.8

Elemento:

```
<a.underline.underline-offset-2>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.absolute.overflow-hidden" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.5.8

Elemento:

```
<a.absolute.overflow-hidden>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 160px at Phone SE (320px width). WCAG 1.4.10

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.4.10

Elemento:

```
<img alt="" role="presentation" loading="lazy" width="800" height="800" decoding="as
ync" data-nimg="1" class="w-full h-auto max-w-[28rem] top-5 right-[-50%] md:top-0 m
d:right-auto absolute" style="col
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.bg-transparent.border-2" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/departments-programs/youth-services WCAG 2.5.8

Elemento:

```
<a.bg-transparent.border-2>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.bg-transparent.border-2" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/departments-programs/youth-services WCAG 2.5.8

Elemento:

```
<button.bg-transparent.border-2>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.basis-2/5.md:basis-auto" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/departments-programs/youth-services WCAG 2.5.8

Elemento:

```
<a.basis-2/5.md:basis-auto>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.order-1.m-0" is only 16px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/departments-programs/youth-services WCAG 2.5.8

Elemento:

```
<a.order-1.m-0>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /

Elemento:

```
<input type="text" class="w-full mt-0 text-black placeholder:italic" tabindex="0" ar
ia-label="Search" placeholder="Type to Search">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Elemento:

```
<h3> </h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Elemento:

```
<h3> </h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-

labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<h4> </h4>
```

PLAN DE CORRECCIÓN SONDE
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Deep focus region: nav "Sidebar navigation" has 42 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys.

WCAG 2.4.1

Página: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.4.1

Elemento:

```
<nav role="nav">Sidebar navigation</nav>
```

PLAN DE CORRECCIÓN SONDE
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW

Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW

Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /economic-development

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18592583194 did not respond within 5000ms after 8 attempts

Página: /economic-development

Elemento:

```
<a href="fax:+18592583194">(859) 258-3194</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LiveGreenLex returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Elemento:

```
<a href="https://twitter.com/LiveGreenLex"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18592547787 did not respond within 5000ms after 8 attempts

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Elemento:

```
<a href="fax:+18592547787">(859) 254-7787</a>
```

LOW Broken link: https://twitter.com/LiveGreenLex returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Elemento:

```
<a href="https://twitter.com/LiveGreenLex"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://drive.google.com/file/d/1c8fj-PxpBp3e73tvDEexQA1Ki1UvJMDZ/view?usp=sharing returned status 404 Not Found after 1 attempts

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Elemento:

```
<a href="https://drive.google.com/file/d/1c8fj-PxpBp3e73tvDEexQA1Ki1UvJMDZ/view?usp=sharing">Program Performance and Evaluation Committee meeting details</a>
```

LOW Broken link: https://drive.google.com/file/d/1BNNwhrAAp9X0XEzixYEJAHDA9IZBTaY1/view?usp=sharing returned status 404 Not Found after 1 attempts

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Elemento:

```
<a href="https://drive.google.com/file/d/1BNNwhrAAp9X0XEzixYEJAHDA9IZBTaY1/view?usp=sharing">Schedule of Program Performance and Evaluation Committee presentations</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/lexkypolice returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/public-safety/police/your-lexpd

Elemento:

```
<a href="https://twitter.com/lexkypolice"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/youth-services

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/youth-services/court-appointed-special-advocates

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18599715767 did not respond within 5000ms after 8 attempts

Página: /government/departments-programs/youth-services/court-appointed-special-advocates

Elemento:

```
<a href="fax:+18599715767">(859) 971-5767</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18592464346 did not respond within 5000ms after 8 attempts

Página: /government/departments-programs/youth-services/juvenile-probation-court-services

Elemento:

```
<a href="fax:+18592464346">(859) 246-4346</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /living

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /playing

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Página: /working

Elemento:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo