Sonde

Accessibility Health Check

https://www.lexingtonky.gov

975

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/lexingtonky-gov/

15 pages **256** findings **0** critical **30** high **187** medium **39** low **17.1** avg/page
5,243 elements **94** with findings **98.2%** ECR **3m 24s** total **13.6s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name=" " -->
```

SONDE FIX PLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Focus jumps backward from "Water Quality" to "Special holiday collections" (visual distance: 1819px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Element:

```
<a>Special holiday collections</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Wolf Run Sewer Project" to "What is a watershed" (visual distance: 3166px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Element:

```
<h2>What is a watershed</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Wolf Run Sewer Project" to "Volunteer" (visual distance: 2946px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<h2>Volunteer</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "What's being done?" to "Investment in Homeless Response" (visual distance: 449px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 2.4.3

Element:

```
<h2>Investment in Homeless Response</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Your LexPD" to "New episodes" (visual distance: 1643px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.4.3

Element:

```
<h2>New episodes</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Missing X-Content-Type-Options header

Page: /

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /economic-development

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/public-safety/police/your-lexpd

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/youth-services

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/youth-services/court-appointed-special-advocates

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /living

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /playing

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /working

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /economic-development

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government

Element:

```
<h3 class="text-inherit group-hover:underline mb-0">Dispute resolution</h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4>Episode 1 (October 2023)</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4>Episode 1 (February 2025)</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4>Season 3, Episode 1 - Lexington Division of E-911</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4>Episode 11 (October 2024)</h4>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/youth-services

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/youth-services/court-appointed-special-advocates

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

Element:

```
<h3>Services </h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /living

Element:

```
<h3 class="m-0 text-lg lg:text-xl xl:text-2xl">Public Safety</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /living

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /playing

Element:

```
<h3 class="m-0 text-lg lg:text-xl xl:text-2xl">After school programs </h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /playing

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /working

Element:

```
<div class="flex flex-col md:flex-row md:justify-between md:items-center gap-4">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /working

Element:

```
<h3 class="m-0 text-lg lg:text-xl xl:text-2xl">Current building codes</h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Open data" on https://www.lexingtonky.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a class="basis-2/5 md:basis-auto font-medium hover:underline" href="https://data.le
xingtonky.gov/">Open data</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Economic Development" on https://www.lexingtonky.gov/working and "Skip to main content" on https://www.lexingtonky.gov/economic-development. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /economic-development WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/economic-development#ma
in-content">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/economic-development. Components

WCAG 3.2.4

with the same function should use consistent names within the same locale.

Page: /economic-development WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_blank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Public notices" on https://www.lexingtonky.gov/ and "Public meetings and notices" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="Public meetings and notices" class=" group flex items-center" href="/government/public-meetings-notices"><div class="w-12 h-20 mr-3 md:mr-6 rounded-full flex items-center justify-start md:justify-center basis-12 shrink-0  group-hover:bg-transparent"><i class="fa-sharp fa-solid fa-people-group text-4xl lg:text-[2.75rem] text-primary-1 group-hover:text-primary-2"></i></div><div><h3 class="text-inherit group-hover:underline mb-0">Public meetings and notices</h3></div></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Legislation" on https://www.lexingtonky.gov/ and "Legislative process and legislation" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="Legislative process and legislation" class=" group flex items-center"
href="/government/office-urban-county-council/council-committees/legislative-proces
s"><div class="w-12 h-20 mr-3 md:mr-6 rounded-full flex items-center justify-start m
d:justify-center basis-12 shrink-0  group-hover:bg-transparent"><i class="fa-sharp f
a-solid fa-file-certificate text-4xl lg:text-[2.75rem] text-primary-1 group-hover:te
xt-primary-2"></i></div><div><h3 class="text-inherit group-hover:underline mb-0"
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Government" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government#main-conten
t">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Office of the Urban County Council" on https://www.lexingtonky.gov/ and "Urban County Council office" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-bod
y text-base font-medium text-center border-primary-1 hover:bg-primary-1 hover:text-w
hite order-4 self-start" tabindex="0" aria-label="Urban County Council office" href
="/government/office-urban-county-council">Urban County Council office</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 3.2.4

Element:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips and "Twitter" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 3.2.4

Element:

```
<a aria-label="Twitter" class="text-lg text-black hover:text-primary-2 flex-none tex
t-center" target="_blank" href="https://twitter.com/LiveGreenLex"><i class="fa-brand
s fa-x-twitter"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 3.2.4

Element:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Wolf Run watershed plan" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed and "Skip to main content" on https://www.lexingtonky.gov/government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-waters
hed/wolf-run-watershed-plan#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 3.2.4

Element:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/public-safety/police/your-lexpd. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Home" on https://www.lexingtonky.gov/government/departments-programs/public-safety/police/your-lexpd. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 3.2.4

Element:

```
<a class="underline underline-offset-2 hover:text-black" href="/">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Calendar" on https://www.lexingtonky.gov/ and "All Events" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/youth-services WCAG 3.2.4

Element:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-bod
y text-base font-medium text-center border-zinc-300 hover:bg-zinc-300 " tabindex="0"
aria-label="All Events" href="/calendar">All Events</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "Open data" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/youth-services WCAG 3.2.4

Element:

```
<a class="basis-2/5 md:basis-auto font-medium hover:underline" href="https://data.lexingtonky.gov/">Open data</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/youth-services WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_blank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "News" on https://www.lexingtonky.gov/ and "All News" on https://www.lexingtonky.gov/government/departments-programs/youth-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/youth-services WCAG 3.2.4

Element:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-body text-base font-medium text-center border-zinc-300 hover:bg-zinc-300 " tabindex="0" aria-label="All News" href="/news">All News</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on

MEDIUM https://www.lexingtonky.gov/government/departments-programs/youth-services/court-appointed-special-advocates. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /government/departments-programs/youth-services/court-appointed-special-advocates

WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Court Appointed Special Advocates" on https://www.lexingtonky.gov/government/departments-programs/youth-services and "Skip to main content" on https://www.lexingtonky.gov/government/departments-programs/youth-services/court-appointed-special-advocates. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /government/departments-programs/youth-services/court-appointed-special-advocates

WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/youth-services/court-appointed-special-advocates#main-content">Skip to main
content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/government/departments-programs/youth-services/juvenile-probation-court-services. WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Juvenile Probation and Court Services" on https://www.lexingtonky.gov/government/departments-programs/youth-services and "Skip to main content" on https://www.lexingtonky.gov/government/departments-programs/youth-services/juvenile-probation-court-services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/youth-services/juvenile-probation-court-services#main-content">Skip to main
content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/living. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /living WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.lexingtonky.gov/ and "External link: Engage Lexington" on https://www.lexingtonky.gov/living. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /living WCAG 3.2.4

Element:

```
<a aria-label="External link: Engage Lexington" class="py-6 px-0 text-center inline-
block rounded group " href="https://engage.lexingtonky.gov/"><i class="fa-sharp fa-s
olid fa-clipboard-check text-primary-1 text-[2.8125rem] md:text-6xl group-hover:text
-primary-2 transform translate-y-0 transition-all duration-300 group-hover:translate
-y-[-12px]"></i><div class="border-t-2 border-grey pt-3.5 md:pt-4 mt-3.5 md:mt-4 fon
t-semibold text-black group-hover:underline underline-offset-4 text-[1.375rem] l
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Living" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/living. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /living WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/living#main-content">Sk
ip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Playing" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/playing. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /playing WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/playing#main-content">S
kip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/playing. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /playing WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Working" on https://www.lexingtonky.gov/ and "Skip to main content" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /working WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/working#main-content">S
kip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Employees" on https://www.lexingtonky.gov/ and "Additional city employee information" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /working WCAG 3.2.4

Element:

```
<a aria-label="Additional city employee information" class="py-6 px-0 text-center in
line-block rounded group " href="/lfucg-employees"><i class="fa-sharp fa-solid fa-us
er text-primary-1 text-[2.8125rem] md:text-6xl group-hover:text-primary-2 transform
translate-y-0 transition-all duration-300 group-hover:translate-y-[-12px]"></i><div
class="border-t-2 border-grey pt-3.5 md:pt-4 mt-3.5 md:mt-4 font-semibold text-black
group-hover:underline underline-offset-4 text-[1.375rem] leading-6">Additional
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Apply for a job" on https://www.lexingtonky.gov/ and "Current job openings" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /working WCAG 3.2.4

Element:

```
<a class="bg-transparent border-2 py-2 px-2 md:px-4 inline-block rounded-sm font-bod
y text-base font-medium text-center border-accent-1 text-white hover:bg-white hover:
text-black hover:border-white order-4 self-start" tabindex="0" aria-label="Current j
ob openings" href="/working/current-job-openings">Current job openings</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook" on https://www.lexingtonky.gov/ and "X" on https://www.lexingtonky.gov/working. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /working WCAG 3.2.4

Element:

```
<a aria-label="X" class="w-8 h-8 text-white text-xl hover:text-gray-200" target="_bl
ank" href="https://twitter.com/LexingtonKyGov"><i class="fa-brands fa-x-twitter"></i
></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM "Live Green's Low-Waste Holiday Gift Guide" is visually at position 28 but receives focus at position 65 (drift: 37). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Element:

```
<a>Live Green's Low-Waste Holiday Gift Guide</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Contact" is visually at position 31 but receives focus at position 67 (drift: 36). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Element:

```
<a>Contact</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Which cart does it go in?" is visually at position 30 but receives focus at position 66 (drift: 36). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

WCAG 2.4.3

Element:

```
<a>Which cart does it go in?</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Click here to learn more" is visually at position 37 but receives focus at position 82 (drift: 45). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Element:

```
<a>Click here to learn more</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run map" is visually at position 31 but receives focus at position 80 (drift: 49). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Element:

```
<a>Wolf Run map</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Volunteers needed for water quality testing" is visually at position 33 but receives focus at position 81 (drift: 48). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 2.4.3

Element:

```
<h2>Volunteers needed for water quality testing</h2>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix A: Basin Retrofit Datasheets" is visually at position 39 but receives focus at position 84 (drift: 45). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix A: Basin Retrofit Datasheets</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run Watershed Plan" is visually at position 37 but receives focus at position 83 (drift: 46). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Wolf Run Watershed Plan</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run Quality Assurance Project Plan" is visually at position 54 but receives focus at position 91 (drift: 37). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Wolf Run Quality Assurance Project Plan</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix F: Wolf Run Watershed Monitoring Report" is visually at position 51 but receives focus at position 89 (drift: 38). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix F: Wolf Run Watershed Monitoring Report</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Wolf Run watershed plan" is visually at position 35 but receives focus at position 82 (drift: 47). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<h2>Wolf Run watershed plan</h2>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix B: Karst Hydrograph Characterization Report" is visually at position 42 but receives focus at position 85 (drift: 43). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix B: Karst Hydrograph Characterization Report</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix C: Conductivity Survey" is visually at position 44 but receives focus at position 86 (drift: 42). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix C: Conductivity Survey</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix D: Habitat and Macroinvertebrate Assessment Report" is visually at position 46 but receives focus at position 87 (drift: 41). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix D: Habitat and Macroinvertebrate Assessment Report</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix G: University of Kentucky Stormwater Planning" is visually at position 53 but receives focus at position 90 (drift: 37). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix G: University of Kentucky Stormwater Planning</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Friends of Wolf Run" is visually at position 32 but receives focus at position 81 (drift: 49). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<a>Friends of Wolf Run</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Appendix E: Hydrogeomorphic Assessment Report" is visually at position 48 but receives focus at position 88 (drift: 40). WCAG 2.4.3

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

WCAG 2.4.3

Element:

```
<button>Appendix E: Hydrogeomorphic Assessment Report</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "#main-content > div:nth-of-type(2) > div:nth-of-type(2) > article > div:nth-of-type(2) > div:nth-of-type(2) > div > div:nth-of-type(2) > article > iframe" is visually at position 35 but receives focus at position 66 (drift: 31). WCAG 2.4.3

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.4.3

Element:

```
<iframe></iframe>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Interactive control "#edit-address" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#edit-address>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "input.w-full.mt-0" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<input.w-full.mt-0>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.font-semibold.text-primary-1" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.font-semibold.text-primary-1>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.bg-transparent.border-2" is only 42px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /economic-development WCAG 2.5.8

Element:

```
<a.bg-transparent.border-2>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 65px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM

Interactive control "a.button.button-primary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 2.5.8

Element:

```
<a.button.button-primary>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.button.button-secondary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

WCAG 2.5.8

Element:

```
<a.button.button-secondary>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.text-xl.text-gray" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.5.8

Element:

```
<button.text-xl.text-gray>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 195px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /government/departments-programs/public-safety/police/your-lexpd

WCAG Sonde responsive contract

Element:

```
<img alt="" role="presentation" loading="lazy" width="800" height="800" decoding="as
ync" data-nimg="1" class="w-full h-auto max-w-[28rem] top-5 right-[-50%] md:top-0 m
d:right-auto absolute" style="col
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.4.12

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/departments-
programs/public-safety/police/yo
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.underline.underline-offset-2" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.5.8

Element:

```
<a.underline.underline-offset-2>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.absolute.overflow-hidden" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.5.8

Element:

```
<a.absolute.overflow-hidden>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 160px at Phone SE (320px width). WCAG 1.4.10

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 1.4.10

Element:

```
<img alt="" role="presentation" loading="lazy" width="800" height="800" decoding="as
ync" data-nimg="1" class="w-full h-auto max-w-[28rem] top-5 right-[-50%] md:top-0 m
d:right-auto absolute" style="col
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.bg-transparent.border-2" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/youth-services WCAG 2.5.8

Element:

```
<a.bg-transparent.border-2>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.bg-transparent.border-2" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/youth-services WCAG 2.5.8

Element:

```
<button.bg-transparent.border-2>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.basis-2/5.md:basis-auto" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/youth-services WCAG 2.5.8

Element:

```
<a.basis-2/5.md:basis-auto>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.order-1.m-0" is only 16px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/departments-programs/youth-services WCAG 2.5.8

Element:

```
<a.order-1.m-0>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Page: /

Element:

```
<input type="text" class="w-full mt-0 text-black placeholder:italic" tabindex="0" ar
ia-label="Search" placeholder="Type to Search">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Element:

```
<h3> </h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Element:

```
<h3> </h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-

labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<h4> </h4>
```

SONDE FIX PLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Deep focus region: nav "Sidebar navigation" has 42 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys.

WCAG 2.4.1

Page: /government/departments-programs/public-safety/police/your-lexpd WCAG 2.4.1

Element:

```
<nav role="nav">Sidebar navigation</nav>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW

Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW

Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /economic-development

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18592583194 did not respond within 5000ms after 8 attempts

Page: /economic-development

Element:

```
<a href="fax:+18592583194">(859) 258-3194</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LiveGreenLex returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Element:

```
<a href="https://twitter.com/LiveGreenLex"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/environmental-quality-public-works/environmental-services/live-green-lexington/winter-waste-tips

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18592547787 did not respond within 5000ms after 8 attempts

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Element:

```
<a href="fax:+18592547787">(859) 254-7787</a>
```

LOW Broken link: https://twitter.com/LiveGreenLex returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed

Element:

```
<a href="https://twitter.com/LiveGreenLex"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/environmental-quality-public-works/water-quality/watersheds/wolf-run-watershed/wolf-run-watershed-plan

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://drive.google.com/file/d/1c8fj-PxpBp3e73tvDEexQA1Ki1UvJMDZ/view?usp=sharing returned status 404 Not Found after 1 attempts

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Element:

```
<a href="https://drive.google.com/file/d/1c8fj-PxpBp3e73tvDEexQA1Ki1UvJMDZ/view?usp=sharing">Program Performance and Evaluation Committee meeting details</a>
```

LOW Broken link: https://drive.google.com/file/d/1BNNwhrAAp9X0XEzixYEJAHDA9IZBTaY1/view?usp=sharing returned status 404 Not Found after 1 attempts

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Element:

```
<a href="https://drive.google.com/file/d/1BNNwhrAAp9X0XEzixYEJAHDA9IZBTaY1/view?usp=sharing">Schedule of Program Performance and Evaluation Committee presentations</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/housing-advocacy-community-development/office-homelessness-prevention-intervention/whats-being-done

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/lexkypolice returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/public-safety/police/your-lexpd

Element:

```
<a href="https://twitter.com/lexkypolice"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/youth-services

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/youth-services/court-appointed-special-advocates

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18599715767 did not respond within 5000ms after 8 attempts

Page: /government/departments-programs/youth-services/court-appointed-special-advocates

Element:

```
<a href="fax:+18599715767">(859) 971-5767</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Link timeout: fax:+18592464346 did not respond within 5000ms after 8 attempts

Page: /government/departments-programs/youth-services/juvenile-probation-court-services

Element:

```
<a href="fax:+18592464346">(859) 246-4346</a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /living

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /playing

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

LOW Broken link: https://twitter.com/LexingtonKyGov returned status 403 Forbidden after 1 attempts

Page: /working

Element:

```
<a href="https://twitter.com/LexingtonKyGov"></a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue