Sonde

Accessibility Health Check

https://section508.gov

977

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/section508-gov/

17 pages **282** findings **0** critical **18** high **241** medium **23** low **16.6** avg/page
4,541 elements **41** with findings **99.1%** ECR **4m 20s** total **15.3s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 4 (foreground color: #0076d6, background color: #efefef, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<button type="button" class="text-blue" id="toggle-backlog" aria-expanded="false" ar
ia-controls="backlog">
  Show Backlog
</button>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 4.00:1 (need 4.5:1). Change foreground from #0076d6 to #006ec7 (ratio: 4.5:1).

HIGH Missing Content-Security-Policy header

Page: /

SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/

SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/dhs.html

SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/ed.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/fcc.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/fhwa.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/frith-chet.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/gsa.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/haileselassie.html

SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/hhs.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/lovley.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/martin-beth.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/mcgland-denise.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/nasa.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/opm.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/procter.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /contributors/sirk.html

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /contributors/

Element:

```
<p>This site includes content developed in collaboration with other agencies and/or content that is directly contributed by members of the federal IT accessibility comm unity. Our growning list of cont...
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /contributors/

Element:

```
<html lang="en" class="">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /contributors/

Element:

```
<p>We welcome any feedback and suggestions for improvement. We also welcome suggesti
ons for new content and updates to existing content. If you have suggestions, or if
you are interested in contributi...
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /contributors/

Element:

```
<div id="contributor-tab" class="contribs-tab">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/ WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/dhs.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true">Department of Homeland Security<span class="appended-url"> (https://w
ww.section508.gov/contributors/d
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true">Contributors<span class="appended-url"> (https://www.section508.gov/contribu
tors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/contributors/ed.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Education<span class="appended-url"> (https://www.section508.gov/contributors/ed.html)</
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/contributors/fcc.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true">Federal Communications Commission<span class="appended-url"> (http
s://www.section508.gov/contributors
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true">Contributors<span class="appended-url"> (https://www.section508.gov/contribu
tors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/contributors/fhwa.html" class="usa-breadcrumb__link padding-y-1" data-url-
appended="true">Federal Highway Administration<span class="appended-url"> (https://w
ww.section508.gov/contributors/f
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/contributors/frith-chet.html" class="usa-breadcrumb__link" data-url-append
ed="true">Chet Frith<span class="appended-url"> (https://www.section508.gov/contribu
tors/frith-chet.html)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/contributors/gsa.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true">General Services Administration<span class="appended-url"> (https://w
ww.section508.gov/contributors/g
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true">Contributors<span class="appended-url"> (https://www.section508.gov/contribu
tors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="usa-breadcrumb__link" data-url-app
ended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section50
8.gov/contributors/haileselassie
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/hhs.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true">Department of Health and Human Services<span class="appended-url"> (h
ttps://www.section508.gov/contri
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true">Contributors<span class="appended-url"> (https://www.section508.gov/contribu
tors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/contributors/lovley.html" class="text-no-underline text-primary-dark margi
n-left-05" data-url-appended="true">Rebecca Lovley<span class="appended-url"> (http
s://www.section508.gov/contributo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/contributors/lovley.html" class="usa-breadcrumb__link" data-url-appended
="true">Rebecca Lovley<span class="appended-url"> (https://www.section508.gov/contri
butors/lovley.html)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/contributors/martin-beth.html" class="usa-breadcrumb__link" data-url-appen
ded="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contri
butors/martin-beth.html)</span><
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/contributors/martin-beth.html" class="text-no-underline text-primary-dark
margin-left-05" data-url-appended="true">Beth Martin<span class="appended-url"> (htt
ps://www.section508.gov/contribu
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/contributors/mcgland-denise.html" class="usa-breadcrumb__link" data-url-ap
pended="true">Denise McGland<span class="appended-url"> (https://www.section508.gov/
contributors/mcgland-denise.html
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true">Contributors<span class="appended-url"> (https://www.section508.gov/contribu
tors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/contributors/nasa.html" class="usa-breadcrumb__link padding-y-1" data-url-
appended="true">National Aeronautics and Space Administration<span class="appended-u
rl"> (https://www.section508.gov
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true">Contributors<span class="appended-url"> (https://www.section508.gov/contribu
tors/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<s
pan class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/contributors/opm.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true">Office of Personnel Management<span class="appended-url"> (https://ww
w.section508.gov/contributors/op
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="usa-breadcrumb__link" data-url-appended
="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contri
butors/procter.html)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark marg
in-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (http
s://www.section508.gov/contribut
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark marg
in-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (http
s://www.section508.gov/contribut
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a
ppended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="usa-breadcrumb__link" data-url-appended="tr
ue">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/s
irk.html)</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)">My Agency’s 508 PM</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's N
ew!</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Co
ntent Library</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Section508.gov site Contributors" on https://www.section508.gov/ and "Skip to main content" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/dhs.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/dhs.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Department of Homeland Security (DHS)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/dhs.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ed.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Department of Education (ED)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ed.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ed.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Federal Communications Commission (FCC)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fcc.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fcc.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fcc.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Federal Highway Administration (FHWA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fhwa.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fhwa.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fhwa.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/frith-

WCAG 3.2.4

chet.html. Components with the same function should use consistent names within the same locale.

Page: /contributors/frith-chet.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/frith-chet.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Chet Frith" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/frith-chet.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/gsa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/gsa.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "General Services Administration (GSA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/gsa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/gsa.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/sell/acr-vpat-faq/" class="usa-button" aria-label="View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" data-url-appended="true">View Page<span class="appended-url"> (https://www.section508.gov/sell/acr-vpat-faq/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Antonio Haileselassie" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Create an ACR Using a VPAT®" on https://www.section508.gov/ and "View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" on

WCAG 3.2.4

https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/sell/how-to-create-acr-with-vpat/" class="usa-button" aria-label="View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" data-url-appended="true">View Page<span class="appended-url"> (https://www.section508.gov/sell/how-to-create-acr-with-vpat/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Department of Health and Human Services (HHS)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/hhs.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/hhs.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/hhs.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Rebecca Lovley" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Risk Management and Risk Model for Information and Communication Technology (ICT)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Risk Management and Risk Model for Information and Communication Technology (ICT)" on

WCAG 3.2.4

https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a href="/blog/Accessibility-risk-management-and-model/" class="usa-button" aria-lab
el="View Page: Accessibility Risk Management and Risk Model for Information and Comm
unication Technology (ICT)" data-url-appended="true">View Page<span class="appended-
url"> (https://www.section508.gov/blog/Accessibility-risk-management-and-model/)</sp
an></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Tips for Usability Testing with People with Disabilities" on https://www.section508.gov/contributors/ and "View Page: Tips for Usability Testing with People with Disabilities" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a href="/test/usability-testing-with-people-with-disabilities/" class="usa-button"
aria-label="View Page: Tips for Usability Testing with People with Disabilities" dat
a-url-appended="true">View Page<span class="appended-url"> (https://www.section508.g
ov/test/usability-testing-with-people-with-disabilities/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Beth Martin" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/mcgland-denise.html.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /contributors/mcgland-denise.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/mcgland-denise.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Denise McGland" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/mcgland-denise.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/nasa.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/nasa.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "National Aeronautics and Space Administration (NASA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/nasa.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Office of Personnel Management (OPM)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/opm.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/opm.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/opm.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "Accessibility In Procurement I: Pre-Soliciation" on https://www.section508.gov/contributors/ and "View Page:

MEDIUM Accessibility In Procurement I: Pre-Soliciation" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/buy/accessibility-in-procurement-pre-solicitation-1/" class="usa-button" aria-label="View Page: Accessibility In Procurement I: Pre-Soliciation" data-url-appended="true">View Page<span class="appended-url"> (https://www.section508.gov/buy/accessibility-in-procurement-pre-solicitation-1/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Accessibility In Procurement II: Solicitation & Post-Solicitation" on https://www.section508.gov/contributors/ and "View Page: Accessibility In Procurement II: Solicitation & Post-Solicitation" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/buy/accessibility-in-procurement-solicitation-post-2/" class="usa-button" aria-label="View Page: Accessibility In Procurement II: Solicitation &amp;amp; Post-Solicitation" data-url-appended="true">View Page<span class="appended-url"> (https://www.section508.gov/buy/accessibility-in-procurement-solicitation-post-2/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Justen Proctor" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Create an ACR Using a VPAT®" on https://www.section508.gov/ and "View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/sell/how-to-create-acr-with-vpat/" class="usa-button" aria-label="View Pag
e: How to Create an Accessibility Conformance Report Using A Voluntary Product Acces
sibility Template (VPAT®)" data-url-appended="true">View Page<span class="appended-u
rl"> (https://www.section508.gov/sell/how-to-create-acr-with-vpat/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "Betsy Sirk" on https://www.section508.gov/contributors/ and "Skip to main content"

MEDIUM on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/sell/acr-vpat-faq/" class="usa-button" aria-label="View Page: Accessibilit
y Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Ask
ed Questions (FAQ)" data-url-appended="true">View Page<span class="appended-url"> (h
ttps://www.section508.gov/sell/acr-vpat-faq/)</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM Interactive control "#btn-agency" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/ WCAG 2.5.8

Element:

```
<#btn-agency>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#btn-contrib" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/ WCAG 2.5.8

Element:

```
<#btn-contrib>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.usa-skipnav" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/mcgland-denise.html WCAG 2.5.8

Element:

```
<a.usa-skipnav>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.usa-accordion__button.usa-banner__button" is only 14px tall at Tablet. Sonde responsive contract WCAG 2.5.8

enforces `--sonde-target-size-min` (44px) on touch tiers.

Page: /contributors/mcgland-denise.html WCAG 2.5.8

Element:

```
<button.usa-accordion__button.usa-banner__button>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Primary content surface "main" is only 992px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Page: /contributors/mcgland-denise.html WCAG Sonde responsive contract

Element:

```
<main>
```

SONDE FIX PLAN

Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM

Interactive control "a.usa-breadcrumb__link" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/mcgland-denise.html WCAG 2.5.8

Element:

```
<a.usa-breadcrumb__link>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.usa-breadcrumb__link.padding-y-1" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/nasa.html WCAG 2.5.8

Element:

```
<a.usa-breadcrumb__link.padding-y-1>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.usa-button" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/procter.html WCAG 2.5.8

Element:

```
<a.usa-button>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.text-no-underline.text-primary-dark" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/procter.html WCAG 2.5.8

Element:

```
<a.text-no-underline.text-primary-dark>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

LOW Broken link: https://www.ssa.gov/accessibility/andi/help/install.html returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.ssa.gov/accessibility/andi/help/install.html">ANDI (Accessible Name &amp;amp; Description Inspector)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/dhs.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/ed.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www2.ed.gov/about/landing.jhtml returned status 404 Not Found after 1 attempts

Page: /contributors/ed.html

Element:

```
<a href="https://www2.ed.gov/about/landing.jhtml">https://www2.ed.gov/about/ (http
s://www2.ed.gov/about/landing.jhtml)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/fcc.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://highways.dot.gov/about/about-fhwa returned status 403 Forbidden after 1 attempts

Page: /contributors/fhwa.html

Element:

```
<a href="https://highways.dot.gov/about/about-fhwa">https://highways.dot.gov/about/a
bout-fhwa (https://highways.dot.gov/about/about-</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/fhwa.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/frith-chet.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/gsa.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/about-us/organization/federal-acquisition-service/technology-transformation-services returned status 404 Not Found after 1 attempts

Page: /contributors/gsa.html

Element:

```
<a href="https://www.gsa.gov/about-us/organization/federal-acquisition-service/technology-transformation-services">https://www.gsa.gov/about-us/organization/federal-acquisition-service/technology</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/haileselassie.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.hhs.gov/about/index.html returned status 403 Forbidden after 1 attempts

Page: /contributors/hhs.html

Element:

```
<a href="https://www.hhs.gov/about/index.html">https://www.hhs.gov/about/ (https://www.hhs.gov/about/index.html)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/hhs.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/lovley.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/martin-beth.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/mcgland-denise.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/nasa.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.opm.gov/about-us/our-mission-role-history/ returned status 404 Not Found after 1 attempts

Page: /contributors/opm.html

Element:

```
<a href="https://www.opm.gov/about-us/our-mission-role-history/">https://www.opm.go
v/about-us/our-mission-role-history/ (https://www.opm.gov/abou</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/opm.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/procter.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/sirk.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue