Sonde

Accessibility Health Check

https://slco.org

958

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/slco-org/

6 pages	**178** findings	**0** critical	**11** high	**165** medium	**2** low	**29.7** avg/page
4,951 elements	**55** with findings	**98.9%** ECR	**3m 26s** total	**34.3s** per page		

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /arts-culture-science WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /landfill-recycling WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /parks-fitness-recreation WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /report-something WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /reservation-rentals WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Missing X-Content-Type-Options header

Page: /

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /arts-culture-science

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /landfill-recycling

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /parks-fitness-recreation

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /report-something

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /reservation-rentals

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /arts-culture-science WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /landfill-recycling WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /parks-fitness-recreation WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /report-something WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /reservation-rentals WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<picture>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<section class="stack">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="row">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<picture>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<p class="card-text" id="Quicklink-55044">Summer Reading Challenge</p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<p class="card-text" id="Quicklink-72202">Salt Lake County's America 250 Food Drive
</p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<p class="card-text" id="Quicklink-72047">Wheeler Farm Summer Farmer's Market</p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<picture>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<section id="frontBanner">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /reservation-rentals

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /reservation-rentals

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /reservation-rentals

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Arts, Culture & Science" on https://www.saltlakecounty.gov/ and "Skip to main content" on https://www.saltlakecounty.gov/arts-culture-science. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /arts-culture-science WCAG 3.2.4

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Landfill & Recycling" on https://www.saltlakecounty.gov/ and "Skip to main content" on https://www.saltlakecounty.gov/landfill-recycling. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /landfill-recycling WCAG 3.2.4

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Parks, Fitness, & Recreation" on https://www.saltlakecounty.gov/ and "Skip to main content" on https://www.saltlakecounty.gov/parks-fitness-recreation. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /parks-fitness-recreation WCAG 3.2.4

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Older Adults" on https://www.saltlakecounty.gov/ and "Learn more about Aging & Adult Services" on https://www.saltlakecounty.gov/parks-fitness-recreation. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /parks-fitness-recreation WCAG 3.2.4

Element:

```
<a href="/aging-adult-services/" class="btn btn-slco" aria-label="Learn more about A
ging &amp;amp; Adult Services">Learn more</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Report Something" on https://www.saltlakecounty.gov/ and "Skip to main content" on https://www.saltlakecounty.gov/report-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /report-something WCAG 3.2.4

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Reservation & Rentals" on https://www.saltlakecounty.gov/ and "Skip to main content" on https://www.saltlakecounty.gov/reservation-rentals. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /reservation-rentals WCAG 3.2.4

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Older Adults" on https://www.saltlakecounty.gov/ and "Learn more about Aging & Adult Services" on https://www.saltlakecounty.gov/reservation-rentals. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /reservation-rentals WCAG 3.2.4

Element:

```
<a href="/aging-adult-services/" class="btn btn-slco" aria-label="Learn more about Aging &amp; Adult Services">Learn more</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM Element overflows viewport by 11px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<span class="ai-agent-chat-avatar-pulse pulse-1 size-lg" style="background: linear-gradient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 12px at Tablet (768px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<p>Welcome to</p>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 12px at Tablet (768px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<h1>Salt Lake County</h1>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 11px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<span class="ai-agent-chat-avatar-pulse pulse-1 size-lg" style="background: linear-gradient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 7px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<img draggable="false" src="https://slco.jotform.com/agent/0195c9ce88fd7d818393eaf9d0a4eda48f6e/avatar-icon" alt="agent" width="80" height="80">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 24px at Tablet (768px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div class="col-12 text">
                    <p>Welcome to</p>
                    <h1>Salt Lake County</h1>
                </div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 8px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<span class="ai-agent-chat-avatar-pulse pulse-2 size-lg" style="background: linear-gradient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 8px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<span class="ai-agent-chat-avatar-pulse pulse-2 size-lg" style="background: linear-gradient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 7px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<img draggable="false" src="https://slco.jotform.com/agent/0195c9ce88fd7d818393eaf9d0a4eda48f6e/avatar-icon" alt="agent" width="80" height="80">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#contactEmailLink-212" is only 41px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /landfill-recycling WCAG 2.5.8

Element:

```
<#contactEmailLink-212>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 7px at Tablet (768px width). WCAG Sonde responsive contract

Page: /landfill-recycling WCAG Sonde responsive contract

Element:

```
<img draggable="false" src="https://slco.jotform.com/agent/0195c9ce88fd7d818393eaf9d0a4eda48f6e/avatar-icon" alt="agent" width="80" height="80">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#contactEmailLink-2014" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /report-something WCAG 2.5.8

Element:

```
<#contactEmailLink-2014>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#contactEmailLink-260" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /report-something WCAG 2.5.8

Element:

```
<#contactEmailLink-260>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#contactEmailLink-213" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /report-something WCAG 2.5.8

Element:

```
<#contactEmailLink-213>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#contactEmailLink-2015" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /reservation-rentals WCAG 2.5.8

Element:

```
<#contactEmailLink-2015>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.visually-hidden-focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /reservation-rentals WCAG 2.5.8

Element:

```
<a.visually-hidden-focusable>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#contactEmailLink-1175" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /reservation-rentals WCAG 2.5.8

Element:

```
<#contactEmailLink-1175>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 29px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /reservation-rentals WCAG 1.4.12

Element:

```
<span class="visually-hidden">Contact</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "#contactEmailLink-1187" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /reservation-rentals WCAG 2.5.8

Element:

```
<#contactEmailLink-1187>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.navbar-brand" is only 29px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /reservation-rentals WCAG 2.5.8

Element:

```
<a.navbar-brand>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /reservation-rentals WCAG 1.4.12

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "button.navbar-toggler" is only 31px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /reservation-rentals WCAG 2.5.8

Element:

```
<button.navbar-toggler>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Primary content surface "main" is only 880px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. `WCAG Sonde responsive contract`

Page: /reservation-rentals WCAG Sonde responsive contract

Element:

```
<main>
```

SONDE FIX PLAN
Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. `WCAG 1.4.12`

Page: /reservation-rentals WCAG 1.4.12

Element:

```
<div id="ChatbotMsg" role="alert" aria-live="assertive" class="visually-hidden">A ch
at bot has been loaded to the page. To access this chatbot use the region key to nav
igate to the footer and the grap
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW Link timeout: http://slco.to/water did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="http://slco.to/water">2026 Water Conservation: Find Your Local Restrictions
&amp; Resources
            </a>
```

LOW Link timeout: http://slco.to/250 did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="http://slco.to/250">Salt Lake County's America 250 Food Drive</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue