Sonde

Control de salud de accesibilidad

https://ally.com

927



Excellent

April 28, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usfin/ally-com/

3 páginas | **83** hallazgos | **8** critical | **12** high | **60** medium | **3** low | **27.7** prom/página | **1,830** elementos | **54** con hallazgos | **97%** ECR | **3m 33s** total general | **1m 11s** por página

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Ally Bank" WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<p data-testid="RichTextTestId_block_p" class="Text_body-md__aYHxV -mt-0 -mb-xxs -co
lor-gray-white">Ally Bank </p>
```

1.00:1 ✗ ACTUAL → 4.53:1 ✓ SUGERIDO

Ally Bank

#ffffff *sobre* #ffffff → #777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Spending" WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<a class="Link_link__JHJ4m Link_-dark__6RmSy Link_-no-inline__7AGiC Link_-embedded-b
lock___x1B8" data-allytmln="explore-Checking" href="https://www.ally.com/bank/intere
st-checking-account/" target="_s
```

1.00:1 ✗ ACTUAL → 4.53:1 ✓ SUGERIDO

Spending

#ffffff *sobre* #ffffff → #777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "You've got an ally in every corner." WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<strong data-testid="RichTextTestId_mark_bold">You’ve got an ally in every corner.</
strong>
```

1.00:1 ✗ ACTUAL

#ffffff *sobre* #ffffff

→

3.03:1 ✓ SUGERIDO

You’ve got an ally in every co...

#959494 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Bank product Icon"

WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<title>Bank product Icon</title>
```

1.00:1 ✗ ACTUAL

#ffffff *sobre* #ffffff

→

4.53:1 ✓ SUGERIDO

Bank product Icon

#777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /ventures WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /ventures WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Página: /

Elemento:

```
<p class="userConsent__disclaimerText" role="text">
```

PLAN DE CORRECCIÓN SONDE
Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH Console warning: 🚀 _satellite.notify is deprecated. Please use the `_satellite.logger` API.

Página: /

Fuente: https://www.ally.com/_next/static/chunks/5230-99413ba528bff774.js:0 MEDIUM

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 845px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Skip to login</button>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Ally Logo, go to ally.com</a>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally ventures logo" (visual distance: 445px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /ventures WCAG 2.4.3

Elemento:

```
<a>Ally ventures logo</a>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /ventures WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" allytm-click-tagged="true">Help</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="http://www.ally.com/search" target="_self" allytm-click-tagged="true">Search</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investorRelations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-tagged="true">Investor Relations<
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click
-tagged="true">Our Company</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers"
href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="tru
e">Careers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" allytm-click-t
agged="true">About Us</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged="true">Suppliers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media Center</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" allytm-
click-tagged="true">Contact Us</
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-t
agged="true">Investor Relations<
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialIm
pact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-t
agged="true">Social Impact</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerSe
rvices" href="https://www.ally.com/dealer/" target="_self" allytm-click-tagged="tru
e">Dealer Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVent
ures" href="https://www.ally.com/ventures/" target="_self" allytm-click-tagged="tru
e">Ally Ventures</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporat
eFinance" href="https://www.ally.com/corporate-finance/" target="_self" allytm-click
-tagged="true">Corporate Finance
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media
Center</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged
="true">Suppliers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversa
tionally" href="https://www.ally.com/stories/" target="_self" allytm-click-tagged="t
rue">Conversationally</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Top Menu" (present on www.ally.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Página: /ventures WCAG 3.2.3

Elemento:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Top Menu" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inli
ne__GtMVe" data-allytmln="defaul
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Investing &amp; Retirement Menu" data-allytmln="investMenu" allytm-
click-tagged="true">Investing &
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto
</button>
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Accept" inserts 15 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<button class="userConsent__btn" allytmln="Banner - Accept" allytm-click-tagged="tru
e" aria-label="Accept Cookies">Accept</button>
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto
</button>
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inli
ne__GtMVe" data-allytmln="defaul
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: / WCAG 4.1.3

Elemento:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Modelshop" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /ventures WCAG 4.1.3

Elemento:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /ventures WCAG 4.1.3

Elemento:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Learn More" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /ventures WCAG 4.1.3

Elemento:

```
<a class="Modal_dialogTrigger__6C7WP Link_ctaTertiary__Ai4Hu Link_-dark__6RmSy Link_
buttonAsLink__4_bbF" data-allytmln="learnMoreRobKerr" aria-label="learn more rob ker
r" role="button" href="##" allyt
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Car IQ" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /ventures WCAG 4.1.3

Elemento:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="venturesExter
nalLinkInterstitial" href="##" t
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Greenlight" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /ventures WCAG 4.1.3

Elemento:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="venturesExter
nalLinkInterstitial" href="##" t
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Página: /ventures

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Página: /ventures

Elemento:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos Rastrear cambios Nominar un sitio

Reportar un problema de escaneo