Sonde

Control de salud de accesibilidad

https://minnehahacounty.org

910



Excellent

April 28, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/minnehahacounty-org/

9 páginas | **381** hallazgos | **10** critical | **116** high | **206** medium | **49** low |
42.3 prom/página | **4,222** elementos | **185** con hallazgos | **95.6%** ECR |
3m 22s total general | **22.4s** por página

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL

Insufficient color contrast: 1.37:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0.26), background: rgb(220, 220, 220). Text: "View Today"

WCAG 1.4.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.3

Elemento:

```
<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-conta
inedDefault MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-colorDefaul
t Mui-disabled MuiButton-root Mu
```

1.37:1 ✗ ACTUAL

View Today

#bdbdbd *sobre* #dcdcdc

4.50:1 ✓ SUGERIDO

View Today

#626161 *sobre* #dcdcdc

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.37:1 (need 4.5:1). Change foreground from #bdbdbd to #626161 (ratio: 4.5:1). Or change background from #dcdcdc to #ffffff.

CRITICAL

Insufficient color contrast: 1.19:1 (required: 4.5:1 for normal text). Foreground: rgb(34, 34, 34), background: rgb(13, 17, 23). Text: "Search this site"

WCAG 1.4.3

Página: /dept/rd/forms/forms.php WCAG 1.4.3

Elemento:

```
<label for="q" class="visually-hidden">Search this site</label>
```

1.19:1 ✗ ACTUAL

Search this site

#222222 *sobre* #0d1117

4.53:1 ✓ SUGERIDO

Search this site

#7c7c7b *sobre* #0d1117

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.19:1 (need 4.5:1). Change foreground from #222222 to #7c7c7b (ratio: 4.5:1). Or change background from #0d1117 to #000000.

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-269" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-266" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-247" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-274" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-211" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-220" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-221" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-296" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-275" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-286" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-292" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-215" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-271" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-194" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-214" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-236" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-257" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-219 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-246 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-258" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-196" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-212" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-226" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-235" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-264 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-284" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-263" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-259" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-290" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-224" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-228 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-238" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-245" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-255 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-298" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-248" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-281" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-195" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-209" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-293" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-244" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-254" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-289" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-213" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-223" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-294" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-229" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-295" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-283" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-250" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-222" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-230" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-280" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-277" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-299" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-249" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-217" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-197" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-208" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-233" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-241" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-273 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-287" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-297" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-262" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-265" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-193" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-210 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-231" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-237 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-300" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-218" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-227" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-253" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-260" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-278" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-282 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-272" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-285" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-276" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

---

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-267" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-256" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-239" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-240" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-242" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-251" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-268" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-301" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-291 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

PLAN DE CORRECCIÓN SONDE

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-232" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

PLAN DE CORRECCIÓN SONDE

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'style') at Spry.Widget.TabbedPanels.showPanel (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:384:18) at Spry.Widget.TabbedPanels.attachBehaviors (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:398:7) at new Spry.Widget.TabbedPanels (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:75:7) at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:401:11 at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:434:3

Página: /

Fuente: https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:383 MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy

header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Agendas, Minutes & Video</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Choose date" to "Announcement" (visual distance: 414px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 2.4.3

Elemento:

```
<div>Announcement</div>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "For the Record" to "South Dakota Vital Records Request (Birth, Death and Marriag" (visual distance: 425px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /dept/rd/forms/forms.php WCAG 2.4.3

Elemento:

```
<a>South Dakota Vital Records Request (Birth, Death and Marriag</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 2.4.3

Elemento:

```
<a>Agendas, Minutes & Video</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Mortgage Foreclosure Results" (visual distance: 807px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 2.4.3

Elemento:

```
<a>Mortgage Foreclosure Results</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Contact Form" (visual distance: 724px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /dept/so/mostWanted/mostWanted.php WCAG 2.4.3

Elemento:

```
<a>Contact Form</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /residents/mediaReleases/mediaReleases.php WCAG 2.4.3

Elemento:

```
<a>Agendas, Minutes & Video</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /commission/meetingInfo/meetingInfo.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /dept/rd/forms/forms.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /dept/so/divisions/em/history/history.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /dept/so/mostWanted/mostWanted.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /residents/boardsCommissions/boardsCommissions.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /residents/mediaReleases/mediaReleases.php

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div id="mclogo">
        <img src="Images/common/mha_logo_horz_RGBDarkGlow2.png" alt="Minnehaha Count
y Logo">
        </div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div id="seal">
<img src="Images/common/mha_seal_transparent.png" alt="Minnehaha County Official Sea
l"></div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<h1 class="visually-hidden">Minnehaha County, South Dakota Official Website</h1>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Página: /

Elemento:

```
<html lang="en" class=" js ">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal">
</div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<aside aria-label="Filter to events from a specific date range">
```

PLAN DE CORRECCIÓN SONDE

Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM ARIA role should be appropriate for the element: Fix any of the following: ARIA role toolbar is not allowed for given element

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<section class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row MuiGrid2-spacing-xs-1 prmbl-grid clerk-simple-kbfj7k" role="toolbar" aria-label="Filters, Search, and Jump to Today button">
```

PLAN DE CORRECCIÓN SONDE

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-185 prmbl-typogra
phy clerk-simple-1ivutjb" id="eventListRow-undefined-title" aria-label="Event Name">
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<aside aria-label="Navigate to events from a specific date">
```

PLAN DE CORRECCIÓN SONDE

Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div class="prmbl-buttonGroup clerk-simple-15 clerk-simple-20 clerk-simple-16">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Sea
l"></div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<div id="seal">
<img src="../../../../../Images/common/mha_seal_transparent.png" alt="Minnehaha Coun
ty Seal"></div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<div id="seal">
<img src="../../../../../Images/common/mha_seal_transparent.png" alt="Minnehaha Coun
ty Seal"></div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Sea
l"></div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Sea
l"></div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div id="hlink">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal">
</div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<div class="column">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal">
</div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<div id="endLink">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.p
hp">Meeting Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.
php">Jen Bleyenberg</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissio
ns.php">Minnehaha County Boards and Commissions</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.p
hp">Meeting Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color

WCAG 1.4.1

differences may not identify this as a link.

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.
php">Gerald Beninga</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.ph
p">Joe Kippley</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">
Who's Behind Bars</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.
php">Execution of Judgment</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.p
hp">Civil Division Process Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Pris
on Rape Elimination Act Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisi
tation.php">Jail Visitation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.ph
p">Eviction Process</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissio
ns.php">Minnehaha County Boards and Commissions</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.
php">Jen Bleyenberg</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.
php">Gerald Beninga</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissio
ns.php">Minnehaha County Boards and Commissions</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.ph
p">Dean Karsky</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Página: /dept/rd/forms/forms.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Página: /dept/so/divisions/em/history/history.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav#cbp-hrmenu -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav#cbp-hrmenu -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav#cbp-hrmenu -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Página: /dept/so/mostWanted/mostWanted.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav#cbp-hrmenu -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Página: /residents/boardsCommissions/boardsCommissions.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Página: /residents/mediaReleases/mediaReleases.php WCAG 3.2.3

Elemento:

```
<!-- missing: nav -->
```

PLAN DE CORRECCIÓN SONDE
Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "21" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "2" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "6" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "22" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "12" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "24" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "7" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "17" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "14" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "4" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "3" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "16" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "10" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "13" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "15" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "26" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root Mui-selected MuiPickersDay-dayW
ithMargin clerk-simple-54 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gr
idcell" aria-selected="true" tit
```

PLAN DE CORRECCIÓN SONDE

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "20" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "8" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "9" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "27" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "23" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Elemento:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

PLAN DE CORRECCIÓN SONDE
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Content clipped by 8px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Elemento:

```
<div class="MuiCollapse-root" style="min-height: 80px;"><div class="MuiCollapse-wrap
per"><div class="MuiCollapse-wrapperInner"><div class="MuiGrid2-root MuiGrid2-direct
ion-xs-row prmbl-grid clerk-simp
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Elemento:

```
<legend class="clerk-simple-14lo706"><span>Search</span></legend>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 40px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-direction-xs-row prmbl-grid clerk-simple-68 clerk
-simple-124fws5" id="AnnouncementWrapper" role="region" aria-label="Announcement"><p
class="MuiTypography-root MuiTy
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 78px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /dept/rd/forms/forms.php WCAG 1.4.12

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /dept/rd/forms/forms.php WCAG 1.4.12

Elemento:

```
<label for="q" class="visually-hidden">Search this site</label>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Stuck loading state: loading indicator CSS class on persists after page readiness

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div class="clerk-simple-76 prmbl-autocomplete__placeholder clerk-simple-1jqq78o-placeholder" id="react-select-2-placeholder">Type or select an event category to filter...</div>
```

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role region is not allowed for given element

Página: /

Elemento:

```
<main id="importantNotice" role="region" aria-label="Important Notices" tabindex="-1">
```

PLAN DE CORRECCIÓN SONDE

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW Broken link: http://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="http://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: http://www.911metro.org/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="http://www.911metro.org/">Metro Communications</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Applicatio
n.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Bi
rth, Death or Marriage Application</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35
026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio
n</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf returned status 404 Not Found after 1 attempts

Página: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Elemento:

```
<a href="https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf">FAQ link</a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returned status 403 Forbidden after 1 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returned status 403 Forbidden after 1 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Link timeout: https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/ did not respond within 5000ms after 3 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/">Contact Form</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Link timeout: https://www.siouxlandmuseums.com/index.php/home-page/museum-board/ did not respond within 5000ms after 3 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://www.siouxlandmuseums.com/index.php/home-page/museum-board/">Museum Board</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.siouxfalls.gov/government/boards-commissions/library-bd-trustees returned status 403 Forbidden after 1 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://www.siouxfalls.gov/government/boards-commissions/library-bd-trustees">Library Board of Trustees</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /residents/boardsCommissions/boardsCommissions.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio
n</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Applicatio
n.pdf">Conditional Use Permit</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Bi
rth, Death or Marriage Application</a>
```

LOW

Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW

Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos Rastrear cambios Nominar un sitio

Reportar un problema de escaneo