Sonde

Control de salud de accesibilidad

https://slco.org

967



Excellent

April 28, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/slco-org/

13 páginas | **286** hallazgos | **0** critical | **24** high | **257** medium | **5** low |
22.0 prom/página | **11,384** elementos | **55** con hallazgos | **99.5%** ECR |
3m 6s total general | **14.3s** por página

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /animals-pets WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /arts-culture-science WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /assistance-programs-services WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /elected-officials WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /family WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /get-involved WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /landfill-recycling WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /mayor WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /parks-fitness-recreation WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /people-with-disabilities WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /report-something WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /reservation-rentals WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Missing X-Content-Type-Options header

Página: /

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /animals-pets

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /arts-culture-science

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /assistance-programs-services

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-

when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /elected-officials

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /family

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /get-involved

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /landfill-recycling

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /parks-fitness-recreation

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /people-with-disabilities

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /report-something

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Página: /reservation-rentals

PLAN DE CORRECCIÓN SONDE
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /animals-pets WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /arts-culture-science WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /assistance-programs-services WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /elected-officials WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Página: /family WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 4 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Página: /get-involved WCAG 1.3.1

Elemento:

```
<!-- 6 navigation landmarks, 4 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Página: /landfill-recycling WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 4 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Página: /mayor WCAG 1.3.1

Elemento:

```
<!-- 6 navigation landmarks, 4 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /parks-fitness-recreation WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /people-with-disabilities WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /report-something WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /reservation-rentals WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<p class="card-text" id="Quicklink-49512">Free and Low-Cost Family Activities</p>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<p class="card-text" id="Quicklink-66831">Tax Relief Programs</p>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<section id="frontBanner">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<picture>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<picture>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<section class="stack">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div class="row">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /animals-pets

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /animals-pets

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /animals-pets

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /arts-culture-science

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /arts-culture-science

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /arts-culture-science

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /arts-culture-science

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /assistance-programs-services

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /assistance-programs-services

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /assistance-programs-services

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /assistance-programs-services

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /assistance-programs-services

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /elected-officials

Elemento:

```
<div class="row">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /elected-officials

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /elected-officials

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /elected-officials

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /family

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /family

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /family

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /family

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /get-involved

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /get-involved

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /get-involved

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /get-involved

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /get-involved

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /get-involved

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /landfill-recycling

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /landfill-recycling

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /landfill-recycling

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /landfill-recycling

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /mayor

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /mayor

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /mayor

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /mayor

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /mayor

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /parks-fitness-recreation

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /parks-fitness-recreation

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /parks-fitness-recreation

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /parks-fitness-recreation

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /people-with-disabilities

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /people-with-disabilities

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /people-with-disabilities

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /report-something

Elemento:

```
<div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /report-something

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /report-something

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /report-something

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /reservation-rentals

Elemento:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /reservation-rentals

Elemento:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /reservation-rentals

Elemento:

```
<div class="ai-agent-chat-avatar-container">
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /animals-pets WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /arts-culture-science WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /assistance-programs-services WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected-officials WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /family WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /get-involved WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /landfill-recycling WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /mayor WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /parks-fitness-recreation WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /people-with-disabilities WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /report-something WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/report-something/">Report Something</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/aging-adult-services/">Older Adults</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/clerk/marriage/">Marriage</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /reservation-rentals WCAG 1.4.1

Elemento:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Insufficient color contrast: 4.48:1 (required: 4.5:1 for normal text). Foreground: rgb(108, 117, 125), background: rgb(252, 249, 249). Text: "Slide menu left" WCAG 1.4.3

Página: /mayor WCAG 1.4.3

Elemento:

```
<span class="visually-hidden">Slide menu left</span>
```

4.48:1 ✗ ACTUAL

Slide menu left

#6c757d *sobre* #fcf9f9

4.53:1 ✓ SUGERIDO

Slide menu left

#6c747c *sobre* #fcf9f9

PLAN DE CORRECCIÓN SONDE
Current ratio: 4.48:1 (need 4.5:1). Change foreground from #6c757d to #6c747c (ratio: 4.5:1).

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Página: / WCAG 2.4.5

PLAN DE CORRECCIÓN SONDE
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Element overflows viewport by 9px at 320px width. WCAG 1.4.10

Página: /elected-officials WCAG 1.4.10

Elemento:

```
<span class="ai-agent-chat-avatar-pulse pulse-1 size-lg" style="background: linear-g
radient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /elected-officials WCAG 1.4.12

Elemento:

```
<div id="ChatbotMsg" role="alert" aria-live="assertive" class="visually-hidden">A ch
at bot has been loaded to the page. To access this chatbot use the region key to nav
igate to the footer and the grap
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 127px at 320px width. WCAG 1.4.10

Página: /get-involved WCAG 1.4.10

Elemento:

```
<a class="nav-link" href="/get-involved/letters-proclamations/">Letters &amp; Procla
mations</a>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 7px at 320px width. WCAG 1.4.10

Página: /get-involved WCAG 1.4.10

Elemento:

```
<img draggable="false" src="https://slco.jotform.com/agent/0195c9ce88fd7d818393eaf9d0a4eda48f6e/avatar-icon" alt="agent" width="80" height="80">
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /get-involved WCAG 1.4.12

Elemento:

```
<span class="visually-hidden">Slide menu left</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /get-involved WCAG 1.4.12

Elemento:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 147px at 320px width. WCAG 1.4.10

Página: /get-involved WCAG 1.4.10

Elemento:

```
<li class="nav-item am-item" role="menuitem">
                                    <a class="nav-link" href="/get-involved/letters-
proclamations/">Letters &amp; Proclamations</a>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 12px at 320px width. WCAG 1.4.10

Página: /parks-fitness-recreation WCAG 1.4.10

Elemento:

```
<span class="ai-agent-chat-avatar-pulse pulse-2 size-lg" style="background: linear-g
radient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Missing X-Frame-Options header

Página: /mayor

PLAN DE CORRECCIÓN SONDE
Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Deep focus region: aside "Contact Aging & Adult Services " has 13 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Página: /assistance-programs-services WCAG 2.4.1

Elemento:

```
<aside role="aside">Contact Aging & Adult Services
        </aside>
```

PLAN DE CORRECCIÓN SONDE
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: nav "Footer Navigation" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Página: /mayor WCAG 2.4.1

Elemento:

```
<nav role="nav">Footer Navigation</nav>
```

PLAN DE CORRECCIÓN SONDE

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://twitter.com/SLCoMayor returned status 403 Forbidden after 1 attempts

Página: /family

Elemento:

```
<a href="https://twitter.com/SLCoMayor">Twitter for Salt Lake County Mayor</a>
```

LOW Broken link: https://saltlakesearchandrescue.org/psar-events/ returned status 404 Not Found after 1 attempts

Página: /get-involved

Elemento:

```
<a href="https://saltlakesearchandrescue.org/psar-events/">Preventative Search &amp;
Rescue Training</a>
```

LOW Broken link: https://twitter.com/SLCoMayor returned status 403 Forbidden after 1 attempts

Página: /mayor

Elemento:

```
<a href="https://twitter.com/SLCoMayor">Twitter for Salt Lake County Mayor</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos Rastrear cambios Nominar un sitio

Reportar un problema de escaneo