Sonde

Accessibility Health Check

https://slco.org

967

0 1000

Excellent

April 28, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/slco-org/

13 pages | **286** findings | **0** critical | **24** high | **257** medium | **5** low | **22.0** avg/page |
11,384 elements | **55** with findings | **99.5%** ECR | **3m 6s** total | **14.3s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /animals-pets WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /arts-culture-science WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /assistance-programs-services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /elected-officials WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /family WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /get-involved WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /landfill-recycling WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /mayor WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /parks-fitness-recreation WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /people-with-disabilities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /report-something WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /reservation-rentals WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Missing X-Content-Type-Options header

Page: /

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /animals-pets

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /arts-culture-science

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /assistance-programs-services

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-

when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /elected-officials

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /family

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /get-involved

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /landfill-recycling

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /parks-fitness-recreation

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /people-with-disabilities

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /report-something

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /reservation-rentals

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /animals-pets WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /arts-culture-science WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /assistance-programs-services WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /elected-officials WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /family WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 6 "navigation" landmarks but only 4 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /get-involved WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 4 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /landfill-recycling WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 6 "navigation" landmarks but only 4 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /mayor WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 4 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /parks-fitness-recreation WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /people-with-disabilities WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /report-something WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /reservation-rentals WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<p class="card-text" id="Quicklink-49512">Free and Low-Cost Family Activities</p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<p class="card-text" id="Quicklink-66831">Tax Relief Programs</p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<section id="frontBanner">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<picture>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<picture>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<section class="stack">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="row">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /animals-pets

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /animals-pets

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /animals-pets

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /arts-culture-science

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /assistance-programs-services

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /assistance-programs-services

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /assistance-programs-services

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /assistance-programs-services

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /assistance-programs-services

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /elected-officials

Element:

```
<div class="row">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /elected-officials

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /elected-officials

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /elected-officials

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /family

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /family

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /family

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /family

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /get-involved

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /get-involved

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /get-involved

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /get-involved

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /get-involved

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /get-involved

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /landfill-recycling

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /mayor

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /mayor

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /mayor

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /mayor

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /mayor

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /parks-fitness-recreation

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /people-with-disabilities

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /people-with-disabilities

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /people-with-disabilities

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /report-something

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-md-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /reservation-rentals

Element:

```
<aside class="d-none d-lg-flex col-lg-4 flex-column align-items-center align-items-m
d-start align-items-lg-end">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /reservation-rentals

Element:

```
<h2 id="OverviewTitle" class="mainTitle msg">Overview</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /reservation-rentals

Element:

```
<div class="ai-agent-chat-avatar-container">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /animals-pets WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /arts-culture-science WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /assistance-programs-services WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /elected-officials WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /family WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /get-involved WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /landfill-recycling WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /mayor WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /parks-fitness-recreation WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp;amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp;amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /people-with-disabilities WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp;amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp; Science</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /report-something WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/arts-culture-science/">Arts, Culture &amp;amp; Science</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/report-something/">Report Something</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/parks-fitness-recreation/">Parks, Fitness, &amp;amp; Recreation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="https://www.slcolibrary.org/">Libraries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/aging-adult-services/">Older Adults</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/animals-pets/">Animals &amp; Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/reservation-rentals/">Reservation &amp; Rentals</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/family/">Free and Low-Cost Family Activities</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/clerk/marriage/">Marriage</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(40, 37, 37)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /reservation-rentals WCAG 1.4.1

Element:

```
<a href="/landfill-recycling/">Landfill &amp; Recycling</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Insufficient color contrast: 4.48:1 (required: 4.5:1 for normal text). Foreground: rgb(108, 117, 125), background: rgb(252, 249, 249). Text: "Slide menu left" WCAG 1.4.3

Page: /mayor WCAG 1.4.3

Element:

```
<span class="visually-hidden">Slide menu left</span>
```

4.48:1 ✗ CURRENT

Slide menu left

#6c757d on #fcf9f9

→

4.53:1 ✓ SUGGESTED

Slide menu left

#6c747c on #fcf9f9

SONDE FIX PLAN
Current ratio: 4.48:1 (need 4.5:1). Change foreground from #6c757d to #6c747c (ratio: 4.5:1).

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: / WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Element overflows viewport by 9px at 320px width. WCAG 1.4.10

Page: /elected-officials WCAG 1.4.10

Element:

```
<span class="ai-agent-chat-avatar-pulse pulse-1 size-lg" style="background: linear-g
radient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /elected-officials WCAG 1.4.12

Element:

```
<div id="ChatbotMsg" role="alert" aria-live="assertive" class="visually-hidden">A ch
at bot has been loaded to the page. To access this chatbot use the region key to nav
igate to the footer and the grap
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 127px at 320px width. WCAG 1.4.10

Page: /get-involved WCAG 1.4.10

Element:

```
<a class="nav-link" href="/get-involved/letters-proclamations/">Letters &amp; Procla
mations</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 7px at 320px width. WCAG 1.4.10

Page: /get-involved WCAG 1.4.10

Element:

```
<img draggable="false" src="https://slco.jotform.com/agent/0195c9ce88fd7d818393eaf9d0a4eda48f6e/avatar-icon" alt="agent" width="80" height="80">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /get-involved WCAG 1.4.12

Element:

```
<span class="visually-hidden">Slide menu left</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /get-involved WCAG 1.4.12

Element:

```
<a href="#skipto" class="visually-hidden-focusable">Skip to main content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 147px at 320px width. WCAG 1.4.10

Page: /get-involved WCAG 1.4.10

Element:

```
<li class="nav-item am-item" role="menuitem">
                                    <a class="nav-link" href="/get-involved/letters-
proclamations/">Letters &amp; Proclamations</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 12px at 320px width. WCAG 1.4.10

Page: /parks-fitness-recreation WCAG 1.4.10

Element:

```
<span class="ai-agent-chat-avatar-pulse pulse-2 size-lg" style="background: linear-g
radient(rgb(140, 29, 64) 0%, rgb(145, 14, 62) 100%);"></span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Missing X-Frame-Options header

Page: /mayor

SONDE FIX PLAN
Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Deep focus region: aside "Contact Aging & Adult Services " has 13 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /assistance-programs-services WCAG 2.4.1

Element:

```
<aside role="aside">Contact Aging & Adult Services
        </aside>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: nav "Footer Navigation" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /mayor WCAG 2.4.1

Element:

```
<nav role="nav">Footer Navigation</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://twitter.com/SLCoMayor returned status 403 Forbidden after 1 attempts

Page: /family

Element:

```
<a href="https://twitter.com/SLCoMayor">Twitter for Salt Lake County Mayor</a>
```

LOW Broken link: https://saltlakesearchandrescue.org/psar-events/ returned status 404 Not Found after 1 attempts

Page: /get-involved

Element:

```
<a href="https://saltlakesearchandrescue.org/psar-events/">Preventative Search &amp;
Rescue Training</a>
```

LOW Broken link: https://twitter.com/SLCoMayor returned status 403 Forbidden after 1 attempts

Page: /mayor

Element:

```
<a href="https://twitter.com/SLCoMayor">Twitter for Salt Lake County Mayor</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data Track Changes Nominate a Site

Report a Scanning Issue