Sonde

Control de salud de accesibilidad

https://capitalone.com

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	900–1000

971

Excellent

May 26, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.tech/usfin/capitalone-com/

7 pages **114** findings **2** critical **15** high **89** medium **8** low **16.3** avg/page

2,500 elements **97** with findings **96.1%** ECR **3m 7s** total **26.8s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Keyboard trap detected in dialog "Capital One Main Navigation". Focus cycles within 214 elements without escaping. 209 focusable elements in container. WCAG 2.1.2

Página: WCAG 2.1.2

Elemento:

```
<header role="dialog">Capital One Main Navigation</header>
```

CRITICAL Keyboard trap detected in nav "Cars for saleNew cars for saleUsed cars ". Focus cycles within 4 elements without escaping. 17 focusable elements in container. WCAG 2.1.2

Página: /cars/calculator WCAG 2.1.2

Elemento:

```
<nav role="nav">Cars for saleNew cars for saleUsed cars </nav>
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /cars/calculator WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Console warning: OneTag has encountered at least one warning. Please refer to the oneTag documentation on how to enable oneTag debug messages.

Página: /

Fuente: `https://onetms.capitalone.com/ot/ot.js:6` MEDIUM

HIGH Console warning: Newrelic action queued -> setCustomAttribute: app-version 0.1.757 (2 occurrences)

Página: /cars/calculator

Fuente: https://www.capitalone.com/cars/ocb-ui/search-assets/logger.BmHwsxRQ.js:0

MEDIUM

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Page has 2 "contentinfo" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /cars/calculator WCAG 1.3.1

Elemento:

```
<!-- 2 contentinfo landmarks, 0 labeled -->
```

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /cars/calculator WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Página: /

Elemento:

```
<html lang="en">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<img _ngcontent-web-shell...="" alt="FDIC-Insured - Backe..." lang="en-US" src="dat
a:image/png;base6..." class="gds-fdic-sign gds-fd...">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<h1 _ngcontent-web-shell-c1873906676="" tabindex="0" class="main-title visuallyhidde
n ng-star-inserted" aria-label="Explore Capital One’s Banking and Financial Service
s">Explore Capital One’s Banking ...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell-c2667954597="" class="card-overlay">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell-c553998024="" class="grv-shr-lib-row ng-tns-c553998024-0">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-
margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row"><div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-col headline"><h2 _ngcontent-web-shell-c347514875="" class="grv-shr-lib-text_...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell-c347514875="" role="tablist" class="interactive-features-tablist">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell...="" role="tabpanel" class="feature-image active..." id="activeImage0" aria-labelledby="tab0" style="background-image: ur...">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-0" class="grv-shr-lib-text field__label grv-shr-lib-text__body--tiny">Username</label>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<input _ngcontent-web-shell...="" type="text" id="ods-input-0" maxlength="50" name="ods-input-0" aria-label="Username" aria-describedby="us-login-auth-error-..." required="" class="login-username grv-...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-1" class="grv-shr-lib-text field__label grv-shr-lib-text__body--tiny">Password</label>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<input _ngcontent-web-shell...="" type="password" id="ods-input-1" maxlength="64" name="ods-input-1" aria-label="Password" aria-describedby="us-login-auth-error-..." required="" class="login-password ...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<input _ngcontent-web-shell-c2931505271="" type="checkbox" id="rememberMe" name="rem
emberMe" class="rem-checkbox ng-untouched ng-pristine ng-valid" data-initial-value
="">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<label _ngcontent-web-shell-c2931505271="" for="rememberMe" class="grv-shr-lib-text_
_body--tiny">Remember me</label>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div _ngcontent-web-shell-c2931505271="" class="grv-shr-lib-col--sm-2 login-field ng
-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<a _ngcontent-web-shell...="" id="setUpAccess" class="asset-link set-up-ac..." data-
initial-value="Set up online access" href="https://verified.cap..." data-sonde-contr
ast-...="sonde-contrast-state......
```

MEDIUM The skip-link target should exist and be focusable: Fix any of the following: No skip link target

Página: /

Elemento:

```
<a _ngcontent-web-shell-c1855419180="" href="#default-id" class="site-header__skip-n
av"> Skip to main content
</a>
```

MEDIUM Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Página: /cars/calculator

Elemento:

```
<footer class="bg-FsClrBrandPaletteMidnight font-sans text-white">
```

MEDIUM Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Página: /cars/calculator

Elemento:

```
<footer>
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /cars/calculator

Elemento:

```
<nav class="hidden xl:flex order-2">
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="site-L2__tabbable" href="/credit-cards/fair-and-building/" target="_self">
<span class="heading">Credit Building</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="sub-heading-link" href="/credit-cards/fair-and-building/" target="_self" t
abindex="-1"><span class="sub-heading">Credit Level: Fair to Rebuilding</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="site-L2__tabbable" href="/credit-cards/cash-back/" target="_self"><span cl
ass="heading">Cash Back Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="sub-heading-link" href="/credit-cards/cash-back/" target="_self" tabindex
="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="site-L2__tabbable" href="/credit-cards/travel-and-miles/" target="_self"><
span class="heading">Travel Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="sub-heading-link" href="/credit-cards/travel-and-miles/" target="_self" ta
bindex="-1"><span class="sub-heading">Credit Level: Excellent to Good</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences WCAG 1.4.1

may not identify this as a link.

Página: / WCAG 1.4.1

Elemento:

```
<a class="site-L2__tabbable" href="/credit-cards/students/" target="_self"><span cla
ss="heading">Student Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="sub-heading-link" href="/credit-cards/students/" target="_self" tabindex
="-1"><span class="sub-heading">Credit Level: Fair</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="site-L2__tabbable" href="/small-business/credit-cards/" target="_self"><sp
an class="heading">Business Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="sub-heading-link" href="/small-business/credit-cards/" target="_self" tabi
ndex="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

MEDIUM The same link functionality is identified as "Car Research & Reviews" on https://www.capitalone.com/ and "All articles" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /cars/calculator WCAG 3.2.4

Elemento:

```
<a data-hk="s0000414212" href="/cars/learn" data-analytics-tag-key="BASE_HEADER_VIEW
_ALL_ARTICLES" data-analytics-track-on="click" class="block focus:bg-FsClrBgBase1Hov
er hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmphNonePress py-2 rounded-[8px]
px-2 text-FsFontSize0_875x" data-testid="view-all-articles-button" data-analytics-ha
s-listener="true">All articles</a>
```

MEDIUM

The same link functionality is identified as "Shop for a Car" on https://www.capitalone.com/ and "Capital One Auto Navigator homepage" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /cars/calculator WCAG 3.2.4

Elemento:

```
<a href="/cars" class="w-40" title="Auto Navigator homepage" aria-label="Capital One
Auto Navigator homepage" data-analytics-track-on="click" data-testid="link-to-auto-n
avigator-homepage"><svg data-hk="s000030" width="165" height="26" viewBox="0 0 165 2
6" fill="none" xmlns="http://www.w3.org/2000/svg"><path d="M83.7483 21.157L83.4624 1
8.781H79.6513L78.4347 21.157H77.1089L82.1912 11.593H83.7067L85.0456 21.157H83.7483ZM
80.1531 17.7983H83.335L82.7345 12.7706L80.1531 17.7983Z" fill="#013D5B" shape-r
```

MEDIUM

The same link functionality is identified as "Car Dealers Near You" on https://www.capitalone.com/ and "Car dealers" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /cars/calculator WCAG 3.2.4

Elemento:

```
<a data-hk="s0000410212" href="/cars/dealers-near/" data-analytics-tag-key="BASE_HEA
DER_FIND_MY_DEALER" data-analytics-track-on="click" class="block focus:bg-FsClrBgBas
e1Hover hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmphNonePress py-2 rounded-
[8px] px-2 text-FsFontSize0_875x" data-testid="car-dealers-dropdown-desktop" data-an
alytics-has-listener="true">Car dealers</a>
```

MEDIUM

The same link functionality is identified as "Car Financing Resources" on https://www.capitalone.com/ and "Managing your money" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /cars/calculator WCAG 3.2.4

Elemento:

```
<a data-hk="s0000411211" href="/cars/learn/managing-your-money-wisely" data-analytic
s-tag-key="BASE_HEADER_MANAGING_YOUR_MONEY" data-analytics-track-on="click" class="b
lock focus:bg-FsClrBgBase1Hover hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmph
NonePress py-2 rounded-[8px] px-2 text-FsFontSize0_875x" data-testid="managing-your-
money-dropdown" data-analytics-has-listener="true">Managing your money</a>
```

MEDIUM

The same link functionality is identified as "Pre-Qualify for an Auto Loan" on https://www.capitalone.com/ and "Get pre-qualified" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /cars/calculator WCAG 3.2.4

Elemento:

```
<a data-hk="s00004112210" data-analytics-tag-key="BASE_HEADER_FINANCE_GET_PREQUALIFI
ED" data-analytics-track-on="click" data-testid="financing-get-prequalified-button"
class="flex xl:h-8 h-12 w-full xl:text-FsFontSize0_875x text-FsFontSize1x text-FsClr
ContentInteract xl:bg-FsClrBgInteractEmphHigh xl:text-FsClrWhite1000 outline-offset-
4 rounded-[8px] items-center justify-center px-4 py-[6px] font-FsFontWeightSemibold
leading-FsTypeLabelLineHeightSmall border-solid border border-FsClrContentIntera
```

MEDIUM

Navigation region "Credit Cards" is present on https://www.capitalone.com/ but missing on https://www.capitalone.com/cars/calculator. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /cars/calculator WCAG 3.2.3

Elemento:

```
<!-- missing: nav#card-menu-container -->
```

MEDIUM

Navigation "Cars for saleNew cars for saleUsed cars for saleCar dealersAll cars for saleFinancingCar payment calculatorManaging your moneyGetting a good dealAuto refinanceGet pre-qualifiedSell my carCar valueCar researchEV hubHow Auto Navigator worksAll articles" changes relative order between https://www.capitalone.com/ and https://www.capitalone.com/cars/calculator. Shared links appear as [Car dealers, Managing your money, Get pre-qualified, Car value, All articles] vs baseline [/cars/prequalify/, /cars/prequalify/, /cars/prequalify/, /cars/my-garage, /cars/my-garage, /cars/my-garage, Car Research & Reviews, Car Financing Resources, Car Dealers Near You, Car Dealers Near You].

WCAG 3.2.3

Página: /cars/calculator WCAG 3.2.3

Elemento:

```
<nav aria-label="Cars for saleNew cars for saleUsed cars for saleCar dealersAll cars for saleFinancingCar payment calculatorManaging your moneyGetting a good dealAuto refinanceGet pre-qualifiedSell my carCar valueCar researchEV hubHow Auto Navigator worksAll articles"><!-- site-set order mismatch --></nav>
```

MEDIUM Primary content surface "homepage-smart-banner" is only 0px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<homepage-smart-banner>
```

MEDIUM Element overflows viewport by 265px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobileAnimation mobile-feature-image" id="mobileActiveImage1" aria-label="" style="background-image: url(&amp;quot;https://ecm.capitalone.com
```

MEDIUM Element overflows viewport by 273px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div style="position: relative;"><span></span></div>
```

MEDIUM Element overflows viewport by 273px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div _ngcontent-web-shell-c347514875="" tabindex="0" class="mobile-feature ng-star-inserted" index="1"><bre-cms-edit-button _ngcontent-web-shell-c347514875="" class="ng-star-inserted"><div style="posi
```

MEDIUM Element overflows viewport by 265px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-she
ll-c347514875="" role="tabpanel" class="mobileAnimation mobile-feature-image" id="mo
bileActiveImage1" aria-label=""
```

MEDIUM Element overflows viewport by 265px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image-container"><div _ngconte
nt-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-shell-c347514875
="" role="tabpanel" class="mobil
```

MEDIUM Element overflows viewport by 226px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<p _ngcontent-web-shell-c347514875="" class="feature-description">Explore and redeem
your Capital One credit card rewards.</p>
```

MEDIUM Element overflows viewport by 273px at Modern phone (390px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<p _ngcontent-web-shell-c347514875="" class="feature-headline" aria-label="Redeem yo
ur rewards."> Redeem your rewards </p>
```

MEDIUM Element overflows viewport by 216px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobileAnimation mobil
e-feature-image" id="mobileActiveImage1" aria-label="" style="background-image: url
(&amp;quot;https://ecm.capitalone.com
```

MEDIUM Element overflows viewport by 224px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<div style="position: relative;"><span></span></div>
```

MEDIUM Element overflows viewport by 224px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<div _ngcontent-web-shell-c347514875="" tabindex="0" class="mobile-feature ng-star-inserted" index="1"><bre-cms-edit-button _ngcontent-web-shell-c347514875="" class="ng-star-inserted"><div style="posi
```

MEDIUM Element overflows viewport by 216px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobileAnimation mobile-feature-image" id="mobileActiveImage1" aria-label=""
```

MEDIUM Element overflows viewport by 216px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image-container"><div _ngcontent-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobil
```

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<p _ngcontent-web-shell-c347514875="" class="feature-description">Explore and redeem your Capital One credit card rewards.</p>
```

MEDIUM Element overflows viewport by 224px at Phone SE (320px width). WCAG 1.4.10

Página: WCAG 1.4.10

Elemento:

```
<p _ngcontent-web-shell-c347514875="" class="feature-headline" aria-label="Redeem yo
ur rewards."> Redeem your rewards </p>
```

MEDIUM Interactive control "#unav-l1-logo" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#unav-l1-logo>
```

MEDIUM Interactive control "a.grv-shr-lib-button--text-directional-right.grv-shr-lib-text--normal" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.grv-shr-lib-button--text-directional-right.grv-shr-lib-text--normal>
```

MEDIUM Interactive control "a.grv-shr-lib-card__link--expand.featured-card__link" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.grv-shr-lib-card__link--expand.featured-card__link>
```

MEDIUM Interactive control "a.tile-content-button.grv-shr-lib-button--text-directional-right" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.tile-content-button.grv-shr-lib-button--text-directional-right>
```

MEDIUM Page requires horizontal scrolling at Tablet (768px width, 15px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<html lang="und">
```

MEDIUM Interactive control "#forgotUnpw" is only 15px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#forgotUnpw>
```

MEDIUM Interactive control "#noAcctSubmit" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#noAcctSubmit>
```

MEDIUM Interactive control "#ods-input-0" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#ods-input-0>
```

MEDIUM Interactive control "#ods-input-1" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#ods-input-1>
```

MEDIUM Interactive control "#rememberMe" is only 14px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#rememberMe>
```

MEDIUM Interactive control "#setUpAccess" is only 18px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<#setUpAccess>
```

MEDIUM Interactive control "a.remember-info" is only 15px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.remember-info>
```

MEDIUM Content clipped by 335px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: WCAG 1.4.12

Elemento:

```
<h1 _ngcontent-web-shell-c1873906676="" tabindex="0" class="main-title visuallyhidde
n ng-star-inserted" aria-label="Explore Capital One’s Banking and Financial Service
s">Explore Capital One’s Banking
```

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 21px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Página: /cars/calculator WCAG 1.4.10

Elemento:

```
<html lang="und">
```

MEDIUM Interactive control "#estimatedAPR" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /cars/calculator WCAG 2.5.8

Elemento:

```
<#estimatedAPR>
```

MEDIUM Interactive control "#loanAmount" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /cars/calculator WCAG 2.5.8

Elemento:

```
<#loanAmount>
```

MEDIUM Interactive control "a.group.flex" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /cars/calculator WCAG 2.5.8

Elemento:

```
<a.group.flex>
```

MEDIUM Interactive control "a.underline.text-FsClrBgInteractEmphMedium" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /cars/calculator WCAG 2.5.8

Elemento:

```
<a.underline.text-FsClrBgInteractEmphMedium>
```

MEDIUM Interactive control "a.w-40" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /cars/calculator WCAG 2.5.8

Elemento:

```
<a.w-40>
```

MEDIUM Interactive control "button.cursor-pointer" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /cars/calculator WCAG 2.5.8

Elemento:

```
<button.cursor-pointer>
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Página: /cars/calculator

Elemento:

```
<button data-hk="s5000020010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Página: /cars/calculator

Elemento:

```
<button data-hk="s5000021010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Página: /cars/calculator

Elemento:

```
<button data-hk="s5000022010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

LOW Broken link: https://verified.capitalone.com/auth/signin returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://verified.capitalone.com/auth/signin">Sign In</a>
```

LOW Broken link: https://verified.capitalone.com/enroll/pii returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://verified.capitalone.com/enroll/pii">Activate Your Account</a>
```

LOW Broken link: https://verified.capitalone.com/sign-in-help/ returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://verified.capitalone.com/sign-in-help/">Forgot username or password?
</a>
```

LOW Broken link: https://www.x.com/askcapitalone returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.x.com/askcapitalone">Reach @AskCapitalOne</a>
```

LOW Broken link: https://x.com/capitalone/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://x.com/capitalone/">X</a>
```

LOW Link timeout: unsafe:javascript:void(0); did not respond within 5000ms after 8 attempts

Página: /

Elemento:

```
<a href="unsafe:javascript:void(0);">Benefits &amp; Tools</a>
```

LOW Unreachable link: https://smart.link/qpqs440wc5g68?cp_0=c1lp&cp_1=card_menu_control&cp_2=header&cp_4=usa&creative_id=card_header_control (Unknown error) after 2 attempts

Página: /

Elemento:

```
<a href="https://smart.link/qpqs440wc5g68?cp_0=c1lp&amp;cp_1=card_menu_control&amp;cp_2=header&amp;cp_4=usa&amp;creative_id=card_header_control">Capital One Shopping</a>
```

LOW Link timeout: https://www.capitalone.com/cars/learn/getting-a-good-deal/simpleinterest-car-loans-what-you-need-to-know/2509 did not respond within

5000ms after 2 attempts

Página: /cars/calculator

Elemento:

```
<a href="https://www.capitalone.com/cars/learn/getting-a-good-deal/simpleinterest-car-loans-what-you-need-to-know/2509">simple interest</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Publicamos la metodología e invitamos a la opinión pública porque la accesibilidad es demasiado importante para tomar decisiones a puerta cerrada.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo