Sonde

Accessibility Health Check

https://wellsfargo.com

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	953 / 1000

Excellent

May 26, 2026

Provided free by Sonde

https://daylight.sonde.tech/usfin/wellsfargo-com/

5 pages **160** findings **0** critical **20** high **119** medium **21** low **32** avg/page

4,575 elements **120** with findings **97.4%** ECR **3m 25s** total **41.0s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at WCAG 2.5.8

least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

Page: / WCAG 2.5.8

Element:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y" data-so
nde-contrast-state-id="sonde-contrast-state-21" data-sonde-contrast-state-owned="tru
e">Sign on with a passkey</a>
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/" data-sonde-con
trast-state-id="sonde-contrast-state-22" data-sonde-contrast-state-owned="true">Forg
ot username or password?</a>
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon" data-sonde-contrast-state-id="sonde-cont
rast-state-23" data-sonde-contrast-state-owned="true">Privacy, Cookies, and Legal</a
>
```

HIGH Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /atm/

Element:

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
```

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation] WCAG 1.3.1

Page: /atm/ WCAG 1.3.1

Element:

```
<ul>
```

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="true" role="button">
```

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y" data-so
nde-contrast-state-id="sonde-contrast-state-20" data-sonde-contrast-state-owned="tru
e">Sign on with a passkey</a>
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/" data-sonde-con
trast-state-id="sonde-contrast-state-21" data-sonde-contrast-state-owned="true">
                Forgot username or ...
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon" data-sonde-contrast-state-id="sonde-cont
rast-state-22" data-sonde-contrast-state-owned="true">
                Privacy, Cookies, and Legal
            </a>
```

HIGH Page requires horizontal scrolling at Phone SE (320px width, 698px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /atm/ WCAG 1.4.10

Element:

```
<html lang="und">
```

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /biz/

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /about/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /atm/ WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /auto-loans/ WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /biz/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /atm/

Element:

```
<div class="c20" role="complementary">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="title">
                        <h1 class="c11" id="skip" tabindex="-1">
                                Wells Fargo ATM Banking
                        </h1>


                        <div class="headerLocation">




                        </div>

                </div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<li>
                                        <a href="#" class="printLink" data-sonde-con
trast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="true">


                                                Print
                                        </a>
                                </li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div class="c52noLink" id="NID1_5_3_1_2_2">Share</div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<a class="c52fb facebook c28aL..." href="/exit/social?site=fa..." target="_blank" re
l="noopener noreferrer" data-mrkt-tracking-i...="3b21794e-c658-46f4-9..." aria-label
="Share this page on F..." id="N...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<a class="c52twitter twitter c..." href="/exit/social?site=tw..." target="_blank" re
l="noopener noreferrer" data-mrkt-tracking-i...="415a27d6-dd26-4063-8..." aria-label
="Share this page on T..." id="N...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="contentTop">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="contentBody">
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/locator/" data-sonde-contrast-state-id="sonde-contrast-state-1" data-sonde
-contrast-state-owned="true">ATMs/Locations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">Help</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es" data-sonde-contrast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">E
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Zelle<sup>®</sup>?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/checking/" class="" data-sonde-contrast-state-id="sonde-contrast-state-6"
data-sonde-contrast-state-owned="true">Checking</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/savings-cds/" class="" data-sonde-contrast-state-id="sonde-contrast-state-
7" data-sonde-contrast-state-owned="true">Savings &amp; CDs</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://creditcards.wellsfargo.com/?sub_channel=WEB&amp;vendor_code=WF&amp;
linkLoc=FNMC&amp;lang=en" data-platform="creditCardsWF" data-sonde-contrast-state-id
="sonde-contrast-state-8" data-s
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color

WCAG 1.4.1

differences may not identify this as a link.

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/locator/" data-sonde-contrast-state-id="sonde-contrast-state-1" data-sonde
-contrast-state-owned="true">ATMs/Locations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false" data-sonde-
contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">He
lp</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es" data-sonde-contrast-state-id="sonde-contrast-state-3" data-son
de-contrast-state-owned="true">E
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/investor-relations/" data-sonde-contrast-state-id="sonde-contrast-state-1
1" data-sonde-contrast-state-owned="true">Investor Relations </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/about/corporate/governance/" data-sonde-contrast-state-id="sonde-contrast-
state-12" data-sonde-contrast-state-owned="true">Leadership &amp;amp; Governance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/about/diversity/" data-sonde-contrast-state-id="sonde-contrast-state-13" d
ata-sonde-contrast-state-owned="true">Inclusion &amp; Accessibility</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/help/" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-co
ntrast-state-owned="true">Customer Service</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/locator/" data-sonde-contrast-state-id="sonde-contrast-state-3" data-sonde
-contrast-state-owned="true">ATMs/Locations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/spanish/" id="langPrefToggle" class="spTogglePersonal" xml:lang="es" name
="langPrefToggle" lang="es" data-sonde-contrast-state-id="sonde-contrast-state-4" da
ta-sonde-contrast-state-owned="tr
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/investing-wealth/" class="tabNavLink" id="tabInvestingWealth" name="tabInv
estingWealth" data-sonde-contrast-state-id="sonde-contrast-state-7" data-sonde-contr
ast-state-owned="true">Investing
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/biz/" class="tabNavLink" id="tabNavSmallBusiness" name="tabNavSmallBusines
s" data-sonde-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-o
wned="true">Business</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/com/" class="tabNavLink" id="tabNavCommercial" name="tabNavCommercial" dat
a-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contrast-state-owned
="true">Commercial Banking</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/cib/" class="tabNavLink" id="tabNavCorporateBanking" name="tabNavCorporate
Banking" data-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-
state-owned="true">Corporate &am
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(90, 93, 98), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/" data-sonde-contrast-state-id="sonde-contrast-state-11" data-sonde-contra
st-state-owned="true">Personal</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a class="ShareLink c52linkedin" href="http://www.linkedin.com/shareArticle?mini=true&amp;ro=false&amp;url=https%3A%2F%2Fwww.wellsfargo.com%2Fatm%2F&amp;summary=ATM%20Banking%20-%20Wells%20Fargo&amp;t
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a class="ShareLink c52email" href="mailto:?body=Hi%2C%0A%0AI%20thought%20you'd%20be%20interested%20in%20this%20page%20I%20found%20on%20wellsfargo.com%3A%20%0A%0AWells%20Fargo%20ATM%20Banking%0AWells%
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/locator/" data-sonde-contrast-state-id="sonde-contrast-state-1" data-sonde-contrast-state-owned="true">ATMs/Locations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">Help</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es" data-sonde-contrast-state-id="sonde-contrast-state-3" data-son
de-contrast-state-owned="true">E
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service and FAQs</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="https://sites.wf.com/fargo/" enrollmentid="5208">Meet Fargo</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/locator/" data-sonde-contrast-state-id="sonde-contrast-state-1" data-sonde
-contrast-state-owned="true">ATMs/Locations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">He lp </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang PrefToggle" lang="es" data-sonde-contrast-state-id="sonde-contrast-state-3" data-son de-contrast-state-owned="true">E
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/wires-faqs/">How do I set up a wire transfer?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/checking-savings/deposits-faqs/#whenwillmydepositbecreditedtomyaccoun t">When will my deposit be credited to my account?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/activity-faqs/#whyaremyavailableandpostedbalancesdiffe rent">Why are my available balance and posted balances different?</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/help/faqs/">See more FAQs</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/checking/" data-sonde-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="true">Checking</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/savings/" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contrast-state-owned="true">Savings &amp;amp; CDs</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/business-credit/credit-cards/" data-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned="true">Credit Cards</a>
```

MEDIUM The same link functionality is identified as "About Wells Fargo" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/about/. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /about/ WCAG 3.2.4

Element:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

MEDIUM

Navigation "Privacy, Cookies, Security & Legal Do Not Sell or Share My Personal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap Home About Wells Fargo Careers Inclusion and Accessibility" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/about/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, About Wells Fargo, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, About Wells Fargo, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Page: /about/ WCAG 3.2.3

Element:

```
<nav aria-label="Privacy, Cookies, Security &amp;amp; Legal Do Not Sell or Share My Pers
onal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap
Home About Wells Fargo Careers Inclusion and Accessibility"><!-- site-set order mism
atch --></nav>
```

MEDIUM

The same link functionality is identified as "Customer service and FAQs" on https://www.wellsfargo.com/ and "Customer Service" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a href="/help/" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-co
ntrast-state-owned="true">Customer Service</a>
```

MEDIUM

The same button functionality is identified as " Search" on https://www.wellsfargo.com/ and "Search Opens a dialog." on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<button id="nxgSearchButton" data-sonde-contrast-state-id="sonde-contrast-state-5" d
ata-sonde-contrast-state-owned="true">
                                                                    <span class="nxgSear
chText">Search</span> 
                                                                    <span class="nxgVisu
allyHidden" id="nxgSearchDescription">Opens a dialog.</span>
                                                                    <span class="nxgSear
chIcon"></span>
                                                            </button>
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.wellsfargo.com/ and "selected Personal" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a id="tabNavPersonal" class="tabNavLink" href="/" name="tabNavPersonal" data-sonde-
contrast-state-id="sonde-contrast-state-6" data-sonde-contrast-state-owned="true"> <
span class="hidden">selected</span> Personal </a>
```

MEDIUM

The same link functionality is identified as "ATMs/Locations" on https://www.wellsfargo.com/ and "Find an ATM" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a href="/locator/" class="c93" data-cid="tcm:182-173115-16" data-ctid="tcm:223-1584
49-32" data-presentation="4" id="NID1_6_1_1_1_2_1_1_1" data-sonde-contrast-state-id
="sonde-contrast-state-15" data-sonde-contrast-state-owned="true">Find an ATM </a>
```

MEDIUM

The same link functionality is identified as "Español" on https://www.wellsfargo.com/ and "Continúe" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a href="/es/" class="c7 utilitybtn" id="popupContinue" name="popupContinue">Continú
e</a>
```

MEDIUM

Navigation region "Header Navigation" is present on https://www.wellsfargo.com/ but missing on https://www.wellsfargo.com/atm/. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /atm/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Header Navigation"] -->
```

MEDIUM

Navigation "corporate, legal, security" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/atm/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Page: /atm/ WCAG 3.2.3

Element:

```
<nav aria-label="corporate, legal, security"><!-- site-set order mismatch --></nav>
```

MEDIUM

The same link functionality is identified as "Auto Loans" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Vehicle financing New and used vehicle financing through your dealer" on https://www.wellsfargo.com/ and "Let's go to auto loan financing" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a class="ps-btn-text" data-cid="tcm:84-341936-16" data-ctid="tcm:91-223644-32" data
-presentation="4" aria-label="Let's go to auto loan financing " type="component
link" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-341463" href="/a
uto-loans/vehicle-financing-101/">Let's go &gt;</a>
```

MEDIUM

The same link functionality is identified as "Other ways to make a payment" on https://www.wellsfargo.com/ and "Get the details about auto loan payment options" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a class="ps-btn-text" data-cid="tcm:84-341937-16" data-ctid="tcm:91-223644-32" data
-presentation="4" aria-label="Get the details about auto loan payment options" type
="componentlink" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-34146
6" href="/auto-loans/make-payments/">Get the details &gt;</a>
```

MEDIUM

The same link functionality is identified as "Education & Tools" on https://www.wellsfargo.com/ and "Learn more about" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a aria-label="Learn more about " financial="" health"="" at="" wells="" fargo"="" t
ype="componentlink" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-24
8129" href="/financial-health/">Learn more</a>
```

MEDIUM

Navigation "Privacy, Cookies, Security & Legal Do Not Sell or Share My Personal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap Home About Wells Fargo Careers Inclusion and Accessibility" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/auto-loans/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, About Wells Fargo, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, About Wells Fargo, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Page: /auto-loans/ WCAG 3.2.3

Element:

```
<nav aria-label="Privacy, Cookies, Security &amp;amp; Legal Do Not Sell or Share My Pers
onal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap
Home About Wells Fargo Careers Inclusion and Accessibility"><!-- site-set order mism
atch --></nav>
```

MEDIUM

The same link functionality is identified as "Business" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

MEDIUM

The same textbox functionality is identified as "905" on https://www.wellsfargo.com/ and "944" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akEventChallengeComplete" id="akEventChallengeComplete" v
alue="944" autocomplete="off" readonly="">
```

MEDIUM

The same textbox functionality is identified as "Cons" on https://www.wellsfargo.com/ and "BIZ" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="LOB" value="BIZ">
```

MEDIUM

The same textbox functionality is identified as "cob" on https://www.wellsfargo.com/ and "biz" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input id="origin" name="origin" type="hidden" value="biz">
```

MEDIUM

The same textbox functionality is identified as "NDX:%pYI uKbBRam4)JJ'n"7!4y@;@G<u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`_<NwV+o)IVy?{7#.m5*@2`e_WIO7s7LcYfhUmD4U NJ.THXTov{GH+4)z2by)|ALg=9pwMo[EN63Ln'51bYJ\SS#"9.hwMg"AYf@= rT?o(m]M&JRa{{`l4\TvTG[| [4>/s`zFl}c0l%Tr'C{Ha:GqJ'sx0r0;ll<dr@o1`M;wh>6n(k9T#Y f,9hm(g-1ZwY3B?dzZcO/9c4;R)`$"CkDv}Z-[SqQ4p]%l-9oA3X0E+fPYM0),|W}/+ (ra_ h:q+Ql2V"QwW(a/S[sTt*^4i<7BN=j8t16oJEE6!c0KSj('a's'#+&j]`C;p$>c&5 <)]#M(<xYueQtm^K24l*"q#*b}G;uL;x9| <`*YYIW:$YMNV9huW$mO^lX>uNd5E(s=+49uS\pLsBf@+h=r9%jC>$O? 74^h%%iw;b`!g+oG=^&Fl,zOg?Fa\])G2;u_QGn[pE`MT7tH= (5h9S2q.*y0g*3fxT 5WdSNcyNbK+a}" on https://www.wellsfargo.com/ and "NDX:%pYI uKbBRam4)JJ'n"7!4y@;@G<u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x? 72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`}=HzZ92pYdW? c%8fBk@^2Q1WdEhlZD;W'P?]={-y-JTx.1T_.%3eyMPWW%>Y.B-{=[P[hoP`>60Lqa@q2D1/|.5s9D? V`g1.#5]Ji\d/(+v'zJ5LR]8ozLE&h 13ow'\16fX?It l|]w!M$O6Z (KJCYVkrUGq,Y:1hc[ #P"mzC$RdL|+0QEs,E @`gzO[j$oBL"--cfI8fJvI4`eOYRDp`GsESmP4l^|i@=lx<X`U"v6YcwTdVb}%B#*d+#czI+P:.b 9OwH?(}WI\"ty!1{@;yUqF`f@6)e:|6o9|UAm%nN$n}+Z_N%kV<o-uyc%n UweE"8EL\TtUd93h{QscTV_hG 7Ed-cl:".!Js,sSRvu*[1tKg&&:rDnYh]w^-i]s10o[R?b^BrHmP!t$!r{o3j2<A5g$[`NY$l#&GEd8v+a}4-Y`f\AEv5"y87L$Kq!YO7VnT!t0d"j/m_"w(oB:q'Xli=}59%v%?WUqfR]g? olOL`-ncVRJ;9oUszV!" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input name="nds-pmd" type="hidden" value="NDX:%pYI uKbBRam4)JJ'n&amp;quot;7!4y@;@G&amp;lt;u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`}=HzZ92pYdW? c%8fBk@^2Q1WdEhlZD;W'P?]={-y-JTx.1T_.%3eyMPWW%&amp;gt;Y.B-{=[P[hoP`&amp;gt;60Lqa@q2D1/|.5s9D?V`g1.#5]Ji\d/(+v'zJ5LR]8ozLE&amp;amp;h 13ow'\16fX?It l|]w!M$O6Z (KJCYVkrUGq,Y:1hc[ #P&amp;quot;mzC$RdL|+0QEs,E @`gzO[j$oBL&amp;quot;--cfI8fJvI4`eOYRDp`GsESmP4l^|i@=lx&amp;lt;X`U&amp;quot;v6YcwTdVb}%B#*d+#czI+P:.b9OwH?(}WI\&amp;quot;ty!1{@;yUqF`f@6)e
```

The same textbox functionality is identified as "26118b30c8448d7a6.6388626102|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=41|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=http

MEDIUM

s%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" on https://www.wellsfargo.com/ and "95918b30cac5490f3.1996587602|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=35|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akst" id="akst" value="95918b30cac5490f3.1996587602|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=35|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" autocomplete="off" readonly="">
```

MEDIUM

The same textbox functionality is identified as "141" on https://www.wellsfargo.com/ and "381" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akIframeLoaded" id="akIframeLoaded" value="381" autocomplete="off" readonly="">
```

MEDIUM

The same textbox functionality is identified as "563" on https://www.wellsfargo.com/ and "796" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akEventChallengeLoaded" id="akEventChallengeLoaded" value="796" autocomplete="off" readonly="">
```

MEDIUM

The same textbox functionality is identified as "905" on https://www.wellsfargo.com/ and "944" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akEventChallengeSuppressed" id="akEventChallengeSuppresse
d" value="944" autocomplete="off" readonly="">
```

MEDIUM Broken link: https://www.wellsfargo.com/investor-relations/ returned status 404 Not Found after 2 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargo.com/investor-relations/">Investor Relations</a>
```

MEDIUM Interactive control "#langPrefToggle" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#langPrefToggle>
```

MEDIUM Interactive control "#nxgSearchButton" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#nxgSearchButton>
```

MEDIUM Interactive control "#tabInvestingWealth" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabInvestingWealth>
```

MEDIUM Interactive control "#tabNavCommercial" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabNavCommercial>
```

MEDIUM

Interactive control "#tabNavPersonal" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabNavPersonal>
```

MEDIUM

Interactive control "#tabNavSmallBusiness" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabNavSmallBusiness>
```

MEDIUM

Interactive control "a.signIn" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<a.signIn>
```

MEDIUM

Element overflows viewport by 202px at Tablet (768px width).

WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div id="masthead" class="html5header c1 nxg">
                        <div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomed
```

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div id="shell" class="t8" data-pid="tcm:222-14699-64" data-ptid="tcm:222-170471-12
8" data-lightbox-print="false">



                <a href="#skip" class="hidden">Skip to content</a>
```

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div id="topSearch">

                                                <ul>

                                                        <li role="presentation">



                <a href="https://connect.secure.wellsfargo.com/auth/login/present?or
igin=cob&amp;LOB=CONS" class="sign
```

MEDIUM Element overflows viewport by 34px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<body>



                <div id="shell" class="t8" data-pid="tcm:222-14699-64" data-ptid="tc
m:222-170471-128" data-lightbox-print="false">



                <a href="#skip" class="hidden">Skip to content</a>
```

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomedia.com/assets/images/css/template/homepage/homepage-horz-logo.svg" alt="Wells
Fargo Ho
```

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomedia.com/assets/images/css/template/homepage/homepag
```

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<header role="banner">
                <div id="masthead" class="html5header c1 nxg">
                        <div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="ht
```

MEDIUM Element overflows viewport by 34px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<li role="presentation"><a href="/locator/">ATMs/Locations</a></li>
```

MEDIUM Element overflows viewport by 97px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<ul>

                                                <li role="presentation">



                <a href="https://connect.secure.wellsfargo.com/auth/login/present?or
igin=cob&amp;LOB=CONS" class="signIn"> <img alt="Secure" src="https://www
```

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="hidden" id="c52_socialshare">Share this page</span>
```

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<a href="#skip" class="hidden">Skip to content</a>
```

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="hidden">selected</span>
```

MEDIUM Content clipped by 143px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="jaws_hidden">Share this page on Facebook, opens a dialog</span>
```

MEDIUM Interactive control "#ps-dynamic-footnote-link0" is only 13px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<#ps-dynamic-footnote-link0>
```

MEDIUM Interactive control "#ps-dynamic-footnote-link1" is only 13px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<#ps-dynamic-footnote-link1>
```

MEDIUM Interactive control "#ps-dynamic-footnote-link2" is only 14px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<#ps-dynamic-footnote-link2>
```

MEDIUM Interactive control "a" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a>
```

MEDIUM Interactive control "a.ps-btn-primary" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a.ps-btn-primary>
```

MEDIUM Interactive control "a.ps-btn-text" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a.ps-btn-text>
```

MEDIUM Interactive control "a.ps-sign-on-text" is only 39px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a.ps-sign-on-text>
```

MEDIUM

Primary content surface "main" is only 1400px wide at Ultrawide (3440px viewport). Sonde responsive contract expects ≥ 1548px on this tier.

WCAG Sonde responsive contract

Page: /auto-loans/ WCAG Sonde responsive contract

Element:

```
<main>
```

MEDIUM

Interactive control "a" is only 29px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a>
```

MEDIUM

Interactive control "a.c7" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a.c7>
```

MEDIUM

Interactive control "a.ps-btn-secondary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a.ps-btn-secondary>
```

MEDIUM

Content clipped by 459px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /biz/ WCAG 1.4.12

Element:

```
<h1 class="hidden" id="skip">Wells Fargo business online banking login &amp; busines
s services</h1>
```

LOW Deep focus region: navigation "corporate, legal, security" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /atm/ WCAG 2.4.1

Element:

```
<nav role="navigation">corporate, legal, security</nav>
```

LOW Deep focus region: navigation "Privacy, Cookies, Security & Legal " has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /auto-loans/ WCAG 2.4.1

Element:

```
<nav role="navigation">Privacy, Cookies, Security & Legal

</nav>
```

LOW Broken link: https://www.twitter.com/wellsfargo/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.twitter.com/wellsfargo/">Continue</a>
```

LOW Broken link: https://newsroom.wf.com/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/">Newsroom</a>
```

LOW Broken link: https://newsroom.wf.com/English/home/default.aspx returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/home/default.aspx">Learn more</a>
```

LOW Broken link: https://newsroom.wf.com/English/news-releases/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/news-releases/">Press Releases</a>
```

LOW Broken link: https://newsroom.wf.com/English/press-room/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/press-room/">Media resources</a>
```

LOW Broken link: https://www.wellsfargojobs.com/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/">Search jobs</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/">Join us</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/diversity/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/diversity/">Job seekers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/early-careers/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/early-careers/">Early careers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/frequently-asked-questions returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/frequently-asked-questions">FAQs</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/inclusion/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/inclusion/">Inclusion</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/">Benefits</
a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/resources/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/resources/">Hiring resources</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/well-life returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/well-life">Well Life</a>
```

LOW Link timeout: https://www-us.computershare.com/Investor/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://www-us.computershare.com/Investor/">Computershare Trust Co.</a>
```

LOW Broken link: https://www.businesstrack.com/ returned status 403 Forbidden after 1 attempts

Page: /biz/

Element:

```
<a href="https://www.businesstrack.com/">Continue</a>
```

LOW Missing Referrer-Policy header

Page: /about/

LOW Missing Referrer-Policy header

Page: /atm/

LOW Missing Referrer-Policy header

Page: /auto-loans/

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We publish the methodology and invite public feedback because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue