Sonde

Control de salud de accesibilidad

https://www.dsm.city

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	**916** 900–1000

Excellent

May 26, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.tech/usgov/dsm-city/

7 pages **250** findings **17** critical **52** high **147** medium **34** low **35.7** avg/page

9,159 elements **106** with findings **98.8%** ECR **3m 10s** total **27.2s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-23" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-27" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-61" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-28" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 8 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-33" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 3 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-35" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-39" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-43" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 2 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-46" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 3 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-53" data-sonde-contrast-s...
```

CRITICAL Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-expanded="false" WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<a tabindex="0" title="Show 3 more events" aria-expanded="false" aria-controls="" cl
ass="fc-daygrid-more-link fc-more-link" data-sonde-contrast-state-id="sonde-contrast
-state-60" data-sonde-contrast-s...
```

CRITICAL Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "30" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 30, 2026" data-navlink="" tabindex="0" id="fc-dom-10" class="f
c-daygrid-day-number" data-sonde-contrast-state-id="sonde-contrast-state-25" data-so
nde-contrast-state-owned="true">
```

CRITICAL Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "26" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 26, 2026" data-navlink="" tabindex="0" id="fc-dom-2" class="fc
-daygrid-day-number" data-sonde-contrast-state-id="sonde-contrast-state-20" data-son
de-contrast-state-owned="true">2
```

CRITICAL Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "27" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 27, 2026" data-navlink="" tabindex="0" id="fc-dom-4" class="fc
-daygrid-day-number" data-sonde-contrast-state-id="sonde-contrast-state-21" data-son
de-contrast-state-owned="true">2
```

CRITICAL Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "28" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 28, 2026" data-navlink="" tabindex="0" id="fc-dom-6" class="fc
-daygrid-day-number" data-sonde-contrast-state-id="sonde-contrast-state-22" data-son
de-contrast-state-owned="true">2
```

CRITICAL Insufficient color contrast: 1.79:1 (required: 4.5:1 for normal text). Foreground: rgb(29, 53, 87), background: rgb(255, 255, 255). Effective opacity: 0.30. Text: "29" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a title="Go to April 29, 2026" data-navlink="" tabindex="0" id="fc-dom-8" class="fc
-daygrid-day-number" data-sonde-contrast-state-id="sonde-contrast-state-24" data-son
de-contrast-state-owned="true">2
```

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "About DSM" WCAG 1.4.3

Página: /community/index.php WCAG 1.4.3

Elemento:

```
<h3 class="title">About DSM</h3>
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /business/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /business/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /calendar.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /calendar.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /community/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /community/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /government/index.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /government/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /government/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/index.php WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item5" aria-hidden="true" tabindex="-1">
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item6" aria-hidden="true" tabindex="-1">
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item7" aria-hidden="true" tabindex="-1">
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item8" aria-hidden="true" tabindex="-1">
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item3" aria-hidden="true" tabindex="-1">
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item4" aria-hidden="true" tabindex="-1">
```

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item5" aria-hidden="true" tabindex="-1">
```

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns4-item1" aria-hidden="true" tabindex="-1">
```

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<li class="tiny-item tns-item" id="tns4-item2" aria-hidden="true" tabindex="-1">
```

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 27, 2026" data-navlink="" tabindex="0" id="fc-dom-4" class="fc
-daygrid-day-number">27</a>
```

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 29, 2026" data-navlink="" tabindex="0" id="fc-dom-8" class="fc
-daygrid-day-number">29</a>
```

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground

WCAG 1.4.3

color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 30, 2026" data-navlink="" tabindex="0" id="fc-dom-10" class="f
c-daygrid-day-number">30</a>
```

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<a title="Go to April 26, 2026" data-navlink="" tabindex="0" id="fc-dom-2" class="fc
-daygrid-day-number">26</a>
```

HIGH

Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page"

WCAG 1.4.3

Página: /business/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

HIGH

Insufficient color contrast: 3.69:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(172, 120, 114). Text: "City Council"

WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<a href="#" class="calendar-name-filter" data-calendar-id="5" rel="noreferrer noopen
er" data-sonde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state
-owned="true">City Council</a>
```

HIGH

Insufficient color contrast: 2.82:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(107, 168, 111). Text: "7a"

WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<div class="fc-event-time">7a</div>
```

HIGH Insufficient color contrast: 2.82:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(107, 168, 111). Text: "Orange Week Recycling" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<div class="fc-event-title fc-sticky">Orange Week Recycling</div>
```

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /community/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /government/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

HIGH Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

Página: /services/index.php WCAG 1.4.3

Elemento:

```
<span class="sr-only">share this page</span>
```

HIGH Console error: SyntaxError: Unexpected token ')'

Página: /calendar.php

Fuente: https://www.dsm.city/calendar.php:814 MEDIUM

HIGH Focus jumps backward from "Login" to "Website Feedback" (visual distance: 613px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Website Feedback</button>
```

HIGH Focus jumps backward from "Police" to "Careers" (visual distance: 404px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Careers</a>
```

HIGH Focus jumps backward from "Next Slide" to "May 22, 2026" (visual distance: 1216px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>May 22, 2026</a>
```

HIGH Focus jumps backward from "May 13, 2026" to "May 05, 2026" (visual distance: 386px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>May 05, 2026</a>
```

HIGH Focus jumps backward from "Accessibility Menu" to "Visit Relocation Information page" (visual distance: 1083px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Visit Relocation Information page</a>
```

HIGH Focus jumps backward from "Login" to "Website Feedback" (visual distance: 613px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /calendar.php WCAG 2.4.3

Elemento:

```
<button>Website Feedback</button>
```

HIGH Focus jumps backward from "Accessibility Menu" to "Visit Relocation Information page" (visual distance: 1083px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /calendar.php WCAG 2.4.3

Elemento:

```
<a>Visit Relocation Information page</a>
```

HIGH Focus jumps backward from "Strategic Efforts" to "share this page" (visual distance: 1208px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /government/index.php WCAG 2.4.3

Elemento:

```
<button>share this page</button>
```

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /business/index.php

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /community/index.php

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/index.php

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /government/index.php

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /services/index.php

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /business/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /business/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /calendar.php WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /community/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /community/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /government/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/index.php WCAG 1.3.1

Elemento:

```
<!-- 2 main landmarks, 0 labeled -->
```

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /business/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /business/index.php

Elemento:

```
<main id="main">
```

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /community/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /community/index.php

Elemento:

```
<main id="main">
```

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /departments/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /departments/index.php

Elemento:

```
<main id="main">
```

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /government/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /government/index.php

Elemento:

```
<main id="main">
```

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

Página: /services/index.php

Elemento:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

Página: /services/index.php

Elemento:

```
<main id="main">
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php"
target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportat
ion/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/inde
x.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php"
target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.p
hp" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___docu
ments.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_u
rban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban
Design</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php"
target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.ph
p" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php"
target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.p
hp" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___docu
ments.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /calendar.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_u
rban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban
Design</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php"
target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.ph
p" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_n
ew" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php"
target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportat
ion/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /community/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php"
target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.ph
p" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_n
ew" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php"
target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php"
target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportat
ion/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</
a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/inde
x.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php"
target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.p
hp" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /government/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.p
hp" target="_self" rel="noreferrer noopener">Facilities</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___docu
ments.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/index.php WCAG 1.4.1

Elemento:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_u
rban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban
Design</a>
```

MEDIUM Insufficient color contrast: 4.33:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(29, 53, 87). Effective opacity: 0.50. Text: "today" WCAG 1.4.3

Página: /calendar.php WCAG 1.4.3

Elemento:

```
<button type="button" title="This month" disabled="" aria-pressed="false" class="fc-
today-button fc-button fc-button-primary">today</button>
```

MEDIUM The same link functionality is identified as "Doing Business" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/business/index.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /business/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/business/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /business/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/business/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /business/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

MEDIUM

The same link functionality is identified as "Meetings" on https://www.dsm.city/ and "City Council Meetings" on https://www.dsm.city/calendar.php?view=month&month=05&day=01&year=2026. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /calendar.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="government/city_council/meetings/index.php"
target="_self" rel="noreferrer noopener">City Council Meetings</a>
```

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/calendar.php?view=month&month=05&day=01&year=2026. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /calendar.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

MEDIUM

The same link functionality is identified as "Living & Visiting" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/community/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /community/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/community/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /community/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/community/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /community/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

MEDIUM

The same link functionality is identified as "City Departments" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/departments/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/departments/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/departments/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

The same link functionality is identified as "Your Government" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage"

MEDIUM on https://www.dsm.city/government/index.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /government/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

MEDIUM The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/government/index.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /government/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

MEDIUM The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/government/index.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /government/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

MEDIUM The same link functionality is identified as "City Services" on https://www.dsm.city/ and "City of Des Moines Iowa Logo Homepage" on https://www.dsm.city/services/index.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /services/index.php WCAG 3.2.4

Elemento:

```
<a href="./index.php" id="logo" aria-label="City of Des Moines Iowa Logo Homepage" r
el="noreferrer noopener">
                                                <svg width="219" height="76" viewBox
="0 0 219 76" fill="none" xmlns="http://www.w3.org/2000/svg" alt="City of Des Moines
logo in full color">
                                                <path d="M68.8429 72.7829C67.4982 7
4.0368 65.8449 74.6637 63.8775 74.6637H60.3781V60.536H63.8775C65.8449 60.536 67.4982
61.1575 68.8429 62.4058C70.1876 63.6541 70.8544 65.3864 70.8544 67.6026C70.8599 69.8
023 70.1876 71.5291 68.8429 72.7
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.dsm.city/ and "Data" on https://www.dsm.city/services/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/index.php WCAG 3.2.4

Elemento:

```
<a class="menuA level2 menuHidden" href="https://data.dsm.city/" target="_new" rel
="noreferrer noopener">Data</a>
```

MEDIUM

The same button functionality is identified as "Previous Slide" on https://www.dsm.city/ and "Next Slide" on https://www.dsm.city/services/index.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/index.php WCAG 3.2.4

Elemento:

```
<button type="button" data-controls="next" aria-controls="tns1" aria-label="Next Sli
de"><i class="right" aria-hidden="true"></i></button>
```

MEDIUM

"(515) 283-4500" is visually at position 37 but receives focus at position 23 (drift: 14).

WCAG 2.4.3

Página: /government/index.php WCAG 2.4.3

Elemento:

```
<a>(515) 283-4500</a>
```

MEDIUM

Broken link: https://www.dsm.city/departments/development_services/economic_development/small_business_assistance.php returned status 404 Not Found after 1 attempts

Página: /business/index.php

Elemento:

```
<a href="https://www.dsm.city/departments/development_services/economic_development/
small_business_assistance.php">Small Business Resources</a>
```

MEDIUM Element overflows viewport by 298px at Desktop (1920px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item7" aria-hidden="true" tabindex="-1">


                            <
```

MEDIUM Element overflows viewport by 528px at Desktop (1920px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item8" aria-hidden="true" tabindex="-1">


                            <a href="./departments/development_servic
```

MEDIUM Element overflows viewport by 805px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<ul class="tiny-carousel  tns-slider tns-carousel tns-subpixel tns-calc tns-horizont
al" data-tiny-items="6" id="tns2" style="transition-duration: 0s; transform: transla
te3d(0%, 0px, 0px);">
```

MEDIUM Element overflows viewport by 115px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item5" aria-hidden="true" tabindex="-1">


                            <a href="./departments/human_resources/ca
```

MEDIUM Element overflows viewport by 345px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns2-item6" aria-hidden="true" tabindex="-1">


                                <a href="./departments/public_works/stree
```

MEDIUM Element overflows viewport by 105px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<a href="./departments/human_resources/careers/index.php" class="qlinkBx" rel="noref
errer noopener">
```

MEDIUM Element overflows viewport by 26px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div class="qIco"><span class="ico" style="background-image:url('set_site_up/qlinks/
qlink1.png?t=202508221049120');"></span></div>
```

MEDIUM Element overflows viewport by 32px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<h2 class="title" style="height: 43.1875px;">Careers</h2>
```

MEDIUM Element overflows viewport by 26px at Laptop (1366px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<span class="ico" style="background-image:url('set_site_up/qlinks/qlink1.png?t=20250
8221049120');"></span>
```

MEDIUM Element overflows viewport by 453px at Large monitor (2560px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<ul class="tiny-carousel  tns-slider tns-carousel tns-subpixel tns-calc tns-horizont
al" data-tiny-items="5" id="tns3" style="transition-duration: 0s; transform: transla
te3d(0%, 0px, 0px);">
```

MEDIUM Element overflows viewport by 66px at Large monitor (2560px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item4" aria-hidden="true" tabindex="-1">


                        <a href="news_detail_T21_R550.php" class="newsPill" rel="
```

MEDIUM Element overflows viewport by 51px at Large monitor (2560px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<a href="news_detail_T21_R550.php" class="newsPill" rel="noreferrer noopener">
```

MEDIUM Element overflows viewport by 51px at Large monitor (2560px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div class="newsImg" style="background-image:url('Images/News/2026/04%20-%20April/RC
RC%20News%20Image.png?t=202604291757060');"></div>
```

MEDIUM Interactive control "a.button.viewCal" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.button.viewCal>
```

MEDIUM Element overflows viewport by 897px at TV / wall display (3840px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div class="vidBx" style="background-image:url('Images/News/2025/12/City%20Source%20
Press%20Release_360x315.jpg?t=202512021701430');">

                  <a class="plyBtn" href="./"
```

MEDIUM Element overflows viewport by 12px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns3-item5" aria-hidden="true" tabindex="-1">


                        <a href="news_detail_T21_R544.php" class="newsPill" rel="
```

MEDIUM Element overflows viewport by 1098px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<ul class="tiny-carousel  tns-slider tns-carousel tns-subpixel tns-calc tns-horizont
al" data-tiny-items="5" id="tns4" style="transition-duration: 0s; transform: transla
te3d(0%, 0px, 0px);">
```

MEDIUM Element overflows viewport by 1097px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<li class="tiny-item tns-item" id="tns4-item2" aria-hidden="true" tabindex="-1">

              <div class="spotInner">

                <div class="spotInfo">
                  <h3 class="title">Read
```

MEDIUM Element overflows viewport by 238px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<a href="https://indd.adobe.com/view/f228a2a8-8b8d-4bc5-aca7-8658a69384e1" class="bu
tton" target="_blank" rel="noopener noreferrer">

                  Read the Winter 2025 Edition <
```

MEDIUM Element overflows viewport by 397px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div class="spotInfo">
                  <h3 class="title">Read City Source</h3>
                  <div class="txt"><p>Timely information for residents, visitors, an
d community members who live, work,
```

MEDIUM Element overflows viewport by 1097px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div class="spotInner">

                <div class="spotInfo">
                  <h3 class="title">Read City Source</h3>
                  <div class="txt"><p>Timely information for residents, visito
```

MEDIUM Element overflows viewport by 397px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<div class="txt"><p>Timely information for residents, visitors, and community member
s who live, work, and play in the City of Des Moines. Updated each quarter with impo
rtant dates and events, municipa
```

MEDIUM Element overflows viewport by 397px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<h3 class="title">Read City Source</h3>
```

MEDIUM Element overflows viewport by 397px at Ultrawide (3440px width). WCAG Sonde responsive contract

Página: WCAG Sonde responsive contract

Elemento:

```
<p>Timely information for residents, visitors, and community members who live, work,
and play in the City of Des Moines. Updated each quarter with important dates and ev
ents, municipal service informa
```

MEDIUM Primary content surface "main" is only 1130px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Página: /calendar.php WCAG Sonde responsive contract

Elemento:

```
<main>
```

MEDIUM Interactive control "a.calendar-name-filter" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /calendar.php WCAG 2.5.8

Elemento:

```
<a.calendar-name-filter>
```

MEDIUM Interactive control "a.calendar-tab-filter" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /calendar.php WCAG 2.5.8

Elemento:

```
<a.calendar-tab-filter>
```

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /calendar.php WCAG 1.4.12

Elemento:

```
<label for="calendar-search" class="sr-only">Search</label>
```

MEDIUM Interactive control "a" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/index.php WCAG 2.5.8

Elemento:

```
<a>
```

MEDIUM Interactive control "a.alert-more" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/index.php WCAG 2.5.8

Elemento:

```
<a.alert-more>
```

MEDIUM Interactive control "a.link" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/index.php WCAG 2.5.8

Elemento:

```
<a.link>
```

MEDIUM Interactive control "button.alert-closebtn" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /government/index.php WCAG 2.5.8

Elemento:

```
<button.alert-closebtn>
```

MEDIUM

Interactive control "button.share-btn.floating-share-btn" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /government/index.php WCAG 2.5.8

Elemento:

```
<button.share-btn.floating-share-btn>
```

MEDIUM

Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /government/index.php WCAG 1.4.12

Elemento:

```
<section id="slider" class="tiny-slider-wrap has-edit-buttons yes-has-edit-buttons"
aria-label="Page Banner">




                <div class="center-center">
                        <div class="rz-btns-container">

                                        <script langu
```

MEDIUM

Content clipped by 20px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /government/index.php WCAG 1.4.12

Elemento:

```
<span class="sr-only">share this page</span>
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /government/index.php

Elemento:

```
<h2 class="tile-title" id="page-title0"></h2>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/">share on twi
tter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /business/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/business/index.php returned status 403 Forbidden after 1 attempts

Página: /business/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/business/inde
x.php">share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /business/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /calendar.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/calendar.php returned status 403 Forbidden after 1 attempts

Página: /calendar.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/calendar.php">
share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /calendar.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /community/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/community/index.php returned status 403 Forbidden after 1

attempts

Página: /community/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/community/index.php">share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /community/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/departments/index.php returned status 403 Forbidden after 1 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/departments/index.php">share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /departments/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /government/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/index.php returned status 403 Forbidden after 1 attempts

Página: /government/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/ind
ex.php">share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /government/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

Página: /services/index.php

Elemento:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog
</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/services/index.php returned status 403 Forbidden after 1 attempts

Página: /services/index.php

Elemento:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/services/inde
x.php">share on twitter</a>
```

LOW Link timeout: https://desmoines.rja.revize.com/forms/401 did not respond within 5000ms after 2 attempts

Página: /services/index.php

Elemento:

```
<a href="https://desmoines.rja.revize.com/forms/401">Request to Speak</a>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /business/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /business/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /calendar.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /calendar.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /community/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /community/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /departments/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /departments/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /government/index.php

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /government/index.php

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Publicamos la metodología e invitamos a la opinión pública porque la accesibilidad es demasiado importante para tomar decisiones a puerta cerrada.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo