Sonde

Control de salud de accesibilidad

https://mecknc.gov

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	952 – 1000

Excellent

May 26, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.tech/usgov/mecknc-gov/

5 pages **143** findings **0** critical **25** high **112** medium **6** low **28.6** avg/page

4,318 elements **70** with findings **98.4%** ECR **3m 14s** total **38.8s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /About WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /Accessibility-Toolbar WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /Departments WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /Need-a-Speaker WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute WCAG 1.1.1

does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: / WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH

[role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH

Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Página: /

Elemento:

```
<div class="reciteme-button" tabindex="1">
```

HIGH

[role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /About WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH

Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Página: /About

Elemento:

```
<div class="reciteme-button" tabindex="1">
```

[role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute

HIGH does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /Accessibility-Toolbar WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /Accessibility-Toolbar WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /Accessibility-Toolbar WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Página: /Accessibility-Toolbar

Elemento:

```
<div class="reciteme-button" tabindex="1">
```

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /Departments WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Página: /Departments

Elemento:

```
<div class="reciteme-button" tabindex="1">
```

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /Need-a-Speaker WCAG 1.1.1

Elemento:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Página: /Need-a-Speaker

Elemento:

```
<div class="reciteme-button" tabindex="1">
```

HIGH Focus jumps backward from "(link is external)" to "#edit-submit-search" (visual distance: 579px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<input></input>
```

HIGH Focus jumps backward from "HHS Services" to "Accessibility Toolbar" (visual distance: 1058px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Accessibility Toolbar</a>
```

HIGH Missing X-Content-Type-Options header

Página: /

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /About

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /Accessibility-Toolbar

HIGH Missing X-Content-Type-Options header

Página: /Departments

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /Need-a-Speaker

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /About WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /About WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /Accessibility-Toolbar WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /Accessibility-Toolbar WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /Departments WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /Departments WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /Need-a-Speaker WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /Need-a-Speaker WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /

Elemento:

```
<h6 class="meckco-latest-news--item-title   ">Child Development – Community Policing Celebrates 30 Years in Mecklenburg County </h6>
```

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /About

Elemento:

```
<h3 class=" meckco-heading-3  meckco-highlight primary-color-teal ">Mecklenburg Board of County Commissioners Community Vision</h3>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /About WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color

WCAG 1.4.1

differences may not identify this as a link.

Página: /Accessibility-Toolbar WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Departments WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /Need-a-Speaker WCAG 1.4.1

Elemento:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

MEDIUM The same link functionality is identified as "Skip to main content" on https://www.mecknc.gov/ and "Mecklenburg County home" on https://www.mecknc.gov/About. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /About WCAG 3.2.4

Elemento:

```
<a href="https://www.mecknc.gov/" class="meckco-logo" title="Homepage" aria-label="M
ecklenburg County home"><img src="/themes/custom/meck/images/mecknc_logo_seal.svg" a
lt="Mecklenburg county logo"></a>
```

MEDIUM The same link functionality is identified as "Pay Taxes and Fees" on https://www.mecknc.gov/ and "Business Taxes and Fees" on https://www.mecknc.gov/About. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /About WCAG 3.2.4

Elemento:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Business Taxes and Fees  </a>
```

MEDIUM

The same link functionality is identified as "Use the Accessibility Toolbar" on https://www.mecknc.gov/ and "Skip to main content" on https://www.mecknc.gov/Accessibility-Toolbar. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Accessibility-Toolbar WCAG 3.2.4

Elemento:

```
<a href="#main-content" class="visually-hidden focusable">
      Skip to main content
    </a>
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.mecknc.gov/ and "Mecklenburg County home" on https://www.mecknc.gov/Accessibility-Toolbar. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Accessibility-Toolbar WCAG 3.2.4

Elemento:

```
<a href="https://www.mecknc.gov/" class="meckco-logo" title="Homepage" aria-label="M
ecklenburg County home"><img src="/themes/custom/meck/images/mecknc_logo_seal.svg" a
lt="Mecklenburg county logo"></a>
```

MEDIUM

The same link functionality is identified as "Browse by Department Listing" on https://www.mecknc.gov/ and "Skip to main content" on https://www.mecknc.gov/Departments. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Departments WCAG 3.2.4

Elemento:

```
<a href="#main-content" class="visually-hidden focusable">
      Skip to main content
    </a>
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.mecknc.gov/ and "Mecklenburg County home" on https://www.mecknc.gov/Departments. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Departments WCAG 3.2.4

Elemento:

```
<a href="https://www.mecknc.gov/" class="meckco-logo" title="Homepage" aria-label="M
ecklenburg County home"><img src="/themes/custom/meck/images/mecknc_logo_seal.svg" a
lt="Mecklenburg county logo"></a>
```

MEDIUM

The same link functionality is identified as "Request a Speaker" on https://www.mecknc.gov/ and "Skip to main content" on https://www.mecknc.gov/Need-a-Speaker. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Need-a-Speaker WCAG 3.2.4

Elemento:

```
<a href="#main-content" class="visually-hidden focusable">
      Skip to main content
    </a>
```

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.mecknc.gov/ and "Mecklenburg County home" on https://www.mecknc.gov/Need-a-Speaker. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Need-a-Speaker WCAG 3.2.4

Elemento:

```
<a href="https://www.mecknc.gov/" class="meckco-logo" title="Homepage" aria-label="M
ecklenburg County home"><img src="/themes/custom/meck/images/mecknc_logo_seal.svg" a
lt="Mecklenburg county logo"></a>
```

MEDIUM

The same button functionality is identified as "Maximize Survey" on https://www.mecknc.gov/ and "SURVEYS" on https://www.mecknc.gov/Need-a-Speaker. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /Need-a-Speaker WCAG 3.2.4

Elemento:

```
<div class="minimized-survey" id="minimized-survey" role="button" tabindex="0" aria-
labelledby="survey-text"><div id="vwo-logo" style="background-image: url(&quot;http
s://dev.visualwebsiteoptimizer.com/static/1.0/images/vwo@2x-b43053a17cd2085b18873573
95a6c436br.png&quot;);"></div><div class="vwo-survey-maximize">
        <svg class="vwo-survey-minimize-icon" style="display: none;" xmlns="http://w
ww.w3.org/2000/svg" width="12" height="6" viewBox="0 0 12 6" role="img" aria-labelle
dby="vwo-survey-c
```

MEDIUM "Select Language" is visually at position 8 but receives focus at position 22 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<select>Select Language</select>
```

MEDIUM "Mecklenburg County home" is visually at position 3 but receives focus at position 17 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Mecklenburg County home</a>
```

MEDIUM "Facebook" is visually at position 15 but receives focus at position 8 (drift: 7). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Facebook</a>
```

MEDIUM "Twitter - X" is visually at position 16 but receives focus at position 9 (drift: 7). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Twitter - X</a>
```

MEDIUM "YouTube" is visually at position 17 but receives focus at position 10 (drift: 7). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>YouTube</a>
```

MEDIUM "LinkedIn" is visually at position 18 but receives focus at position 11 (drift: 7). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>LinkedIn</a>
```

MEDIUM "Instagram" is visually at position 19 but receives focus at position 12 (drift: 7). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Instagram</a>
```

MEDIUM "#edit-keyword" is visually at position 9 but receives focus at position 23 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<input></input>
```

MEDIUM "Privacy and Legal Notices" is visually at position 21 but receives focus at position 1 (drift: 20). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Privacy and Legal Notices</a>
```

MEDIUM "Department Directory" is visually at position 23 but receives focus at position 2 (drift: 21). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Department Directory</a>
```

MEDIUM "HHS Services" is visually at position 22 but receives focus at position 3 (drift: 19). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>HHS Services</a>
```

MEDIUM "CharMeck 311" is visually at position 13 but receives focus at position 5 (drift: 8). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>CharMeck 311</a>
```

MEDIUM "Residents" is visually at position 4 but receives focus at position 18 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Residents</button>
```

MEDIUM "Businesses" is visually at position 5 but receives focus at position 19 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Businesses</button>
```

MEDIUM "Government" is visually at position 6 but receives focus at position 20 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Government</button>
```

MEDIUM "Public Notices" is visually at position 7 but receives focus at position 21 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Public Notices</a>
```

MEDIUM "Employee Access" is visually at position 20 but receives focus at position 13 (drift: 7). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Employee Access</a>
```

MEDIUM "Here's how you know" is visually at position 2 but receives focus at position 16 (drift: 14). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Here's how you know</button>
```

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 5481px). Explicit tabIndex detected. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Skip to main content</a>
```

MEDIUM "div:nth-of-type(4)" is visually at position 12 but receives focus at position 1 (drift: 11). WCAG 2.4.3

Página: /About WCAG 2.4.3

Elemento:

```
<div></div>
```

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1311px). Explicit tabIndex detected. WCAG 2.4.3

Página: /About WCAG 2.4.3

Elemento:

```
<a>Skip to main content</a>
```

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1311px). Explicit tabIndex detected. WCAG 2.4.3

Página: /Accessibility-Toolbar WCAG 2.4.3

Elemento:

```
<a>Skip to main content</a>
```

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1311px). Explicit tabIndex detected. WCAG 2.4.3

Página: /Departments WCAG 2.4.3

Elemento:

```
<a>Skip to main content</a>
```

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1311px). Explicit tabIndex detected. WCAG 2.4.3

Página: /Need-a-Speaker WCAG 2.4.3

Elemento:

```
<a>Skip to main content</a>
```

MEDIUM Interactive control "button.usa-search-btn-mobile" is only 10px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<button.usa-search-btn-mobile>
```

MEDIUM Interactive control "button.meckco-show-more-button.collapsed" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<button.meckco-show-more-button.collapsed>
```

MEDIUM Interactive control "a.usa-link" is only 18px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a.usa-link>
```

MEDIUM Content clipped by 6px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: / WCAG 1.4.12

Elemento:

```
<div class="image-text--image"><div><div><img src="/sites/g/files/otddlp126/files/st
yles/568x414/public/acquiadam/2022-08/mc-img-www-hero-woman-using-computer.png?h=927
04f59&amp;itok=yXyANMl8" alt="Af
```

MEDIUM Page requires horizontal scrolling at Modern phone (390px width, 12px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Página: /Accessibility-Toolbar WCAG Sonde responsive contract

Elemento:

```
<html lang="und">
```

MEDIUM Element overflows viewport by 31px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /Accessibility-Toolbar WCAG Sonde responsive contract

Elemento:

```
<li class="usa-breadcrumb__list-item usa-current" aria-current="page">
                                    Using The Accessibility Toolbar
                                </li>
```

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 16px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Página: /Accessibility-Toolbar WCAG 1.4.10

Elemento:

```
<html lang="und">
```

MEDIUM Element overflows viewport by 97px at Phone SE (320px width). WCAG 1.4.10

Página: /Accessibility-Toolbar WCAG 1.4.10

Elemento:

```
<li class="usa-breadcrumb__list-item usa-current" aria-current="page">
                                    Using The Accessibility Toolbar
                                </li>
```

MEDIUM Interactive control "a.ext" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<a.ext>
```

MEDIUM Interactive control "a.meckco-social-media-links-item-link" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<a.meckco-social-media-links-item-link>
```

MEDIUM Interactive control "a.usa-link.usa-breadcrumb__link" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<a.usa-link.usa-breadcrumb__link>
```

MEDIUM Interactive control "a.visually-hidden.focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<a.visually-hidden.focusable>
```

MEDIUM Interactive control "button.usa-accordion__button.usa-banner__button" is only 16px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<button.usa-accordion__button.usa-banner__button>
```

MEDIUM Interactive control "button.usa-menu-btn" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<button.usa-menu-btn>
```

MEDIUM Interactive control "a.usa-link" is only 22px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /Accessibility-Toolbar WCAG 2.5.8

Elemento:

```
<a.usa-link>
```

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /Accessibility-Toolbar WCAG 1.4.12

Elemento:

```
<a href="#main-content" class="visually-hidden focusable">
      Skip to main content
    </a>
```

MEDIUM Content clipped by 25px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /Accessibility-Toolbar WCAG 1.4.12

Elemento:

```
<label for="edit-search-api-fulltext" class="visually-hidden">Search</label>
```

LOW Deep focus region: nav "Footer navigation" has 15 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Página: /Accessibility-Toolbar WCAG 2.4.1

Elemento:

```
<nav role="nav">Footer navigation</nav>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

Página: /About

Elemento:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

Página: /Accessibility-Toolbar

Elemento:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

Página: /Departments

Elemento:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

Página: /Need-a-Speaker

Elemento:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Publicamos la metodología e invitamos a la opinión pública porque la accesibilidad es demasiado importante para tomar decisiones a puerta cerrada.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo