Sonde

Control de salud de accesibilidad

https://minnehahacounty.org

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	900–1000

909

Excellent

May 26, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.tech/usgov/minnehahacounty-org/

7 pages **313** findings **0** critical **123** high **145** medium **45** low **44.7** avg/page

4,850 elements **183** with findings **96.2%** ECR **3m 26s** total **29.5s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.3.1

Elemento:

```
<!-- a11y: role="heading" -->
```

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-201" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-236" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-238" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-240" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-242" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-244" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-488" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-256" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-258" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-260 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-262" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-203" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-264" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-266" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-268" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-270" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-498" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-282" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-284" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-286 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-288" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-290" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-205" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-292" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-294" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-296" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-508" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-308" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-310" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-312 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-314" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-316" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-318" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-207" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-320" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-322" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-518" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-334" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-336" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-338 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-340" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-342" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-344" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-346" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-209" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-348" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-528" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-360" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-362" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-364 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-366" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-368" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-370" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-372" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-374" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-478" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-538" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-386" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-388" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-390 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-392" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-394" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-396" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-398" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-400" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-548" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1

attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-230" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-412" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-414" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-416 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-418" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-420" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-422" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-424" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-426" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-558" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-438" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-232" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-440" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-442 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-444" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-446" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-448" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-450" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-452" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-568" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-464" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-466" role="progressbar"><span aria-live="polite" aria-busy="true"><span
class="react-loading-skeleton" s...
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-234 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Elemento:

```
<span class="prmbl-skeletonLoader clerk-simple-makeStyles-root-198 clerk-simple-make
Styles-root-468 clerk-simple-makeStyles-loading-227" role="progressbar">
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Página: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-1pi8xg4-MuiGrid2-root" id="eventListRow-undefined-datetime" aria-label="u
ndefined event on undefined, und...
```

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'style') at Spry.Widget.TabbedPanels.showPanel (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:384:18) at Spry.Widget.TabbedPanels.attachBehaviors (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:398:7) at new Spry.Widget.TabbedPanels (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:75:7) at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:401:11 at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:434:3

Página: /

Fuente: https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:383 MEDIUM

HIGH Console error: ReferenceError: cbpHorizontalMenu is not defined at HTMLDocument.<anonymous> (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php:632:5) at c (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:7857) at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:8658) at b.ready (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:3266) at HTMLDocument.H (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:695)

Página: /commission/meetingInfo/meetingInfo.php

Fuente: https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php:631 MEDIUM

HIGH Console error: ReferenceError: cbpHorizontalMenu is not defined at HTMLDocument.<anonymous> (https://minnehahacounty.gov/dept/rd/forms/forms.php:638:5) at c (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:7857) at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:8658) at b.ready

(https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:3266) at HTMLDocument.H (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:695)

Página: /dept/rd/forms/forms.php

Fuente: `https://minnehahacounty.gov/dept/rd/forms/forms.php:637` MEDIUM

HIGH

Console error: ReferenceError: cbpHorizontalMenu is not defined at HTMLDocument.<anonymous> (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php:558:5) at c (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:7857) at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:8658) at b.ready (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:3266) at HTMLDocument.H (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:695)

Página: /dept/so/divisions/em/history/history.php

Fuente: `https://minnehahacounty.gov/dept/so/divisions/em/history/history.php:557` MEDIUM

HIGH

Console error: ReferenceError: cbpHorizontalMenu is not defined at HTMLDocument.<anonymous> (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php:513:5) at c (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:7857) at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:8658) at b.ready (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:3266) at HTMLDocument.H (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:695)

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Fuente:

`https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php:512`

MEDIUM

HIGH

Console error: ReferenceError: cbpHorizontalMenu is not defined at HTMLDocument.<anonymous> (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php:688:5) at c (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:7857) at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:8658) at b.ready (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:3266) at HTMLDocument.H (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:695)

Página: /dept/so/mostWanted/mostWanted.php

Fuente: `https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php:687` MEDIUM

HIGH

Console error: ReferenceError: cbpHorizontalMenu is not defined at HTMLDocument. <anonymous> (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php:756:5) at c (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:7857) at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:8658) at b.ready (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:3266) at HTMLDocument.H (https://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js:3:695)

Página: /residents/mediaReleases/mediaReleases.php

Fuente: `https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php:755`

MEDIUM

HIGH

Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Agendas, Minutes & Video</a>
```

HIGH

Focus jumps backward from "Choose date" to "Announcement" (visual distance: 414px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 2.4.3

Elemento:

```
<div>Announcement</div>
```

HIGH

Focus jumps backward from "For the Record" to "South Dakota Vital Records Request (Birth, Death and Marriag" (visual distance: 425px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /dept/rd/forms/forms.php WCAG 2.4.3

Elemento:

```
<a>South Dakota Vital Records Request (Birth, Death and Marriag</a>
```

HIGH

Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Mortgage Foreclosure Results" (visual distance: 807px). No WCAG 2.4.3

explicit tabIndex — likely a DOM order issue.

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 2.4.3

Elemento:

```
<a>Mortgage Foreclosure Results</a>
```

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Contact Form" (visual distance: 724px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /dept/so/mostWanted/mostWanted.php WCAG 2.4.3

Elemento:

```
<a>Contact Form</a>
```

HIGH Page requires horizontal scrolling at Tablet (768px width, 1073px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Página: /residents/mediaReleases/mediaReleases.php WCAG Sonde responsive contract

Elemento:

```
<html lang="und">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<h1 class="visually-hidden">Minnehaha County, South Dakota Official Website</h1>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://www.minnehahacounty.gov" data-sonde-contrast-state-id="sonde-co
ntrast-state-1" data-sonde-contrast-state-owned="true">Home</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">About Us</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf" data-sonde-contrast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">Campus Map</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php" data-sonde-contrast-state-id="sonde-contrast-state-4" data-sonde-contrast-state-owned="true">Contact</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div id="seal">
<img src="Images/common/mha_seal_transparent.png" alt="Minnehaha County Official Seal"></div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div id="mclogo">
        <img src="Images/common/mha_logo_horz_RGBDarkGlow2.png" alt="Minnehaha County Logo">
        </div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /

Elemento:

```
<div id="endLink">
```

MEDIUM ARIA role should be appropriate for the element: Fix any of the following: ARIA role toolbar is not allowed for given element

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<section class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row MuiGrid2-spacing-xs-1 prmbl-grid clerk-simple-epc5a7-MuiGrid2-root" role="toolbar" aria-label="Filters, Search, and Jump to T...
```

MEDIUM Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedTextColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventListRow-undefined-title">
```

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<aside aria-label="Navigate to events from a specific date">
```

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<aside aria-label="Filter to events from a specific date range">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov" data-sonde-contrast-state-id="sonde-co
ntrast-state-1" data-sonde-contrast-state-owned="true">Home</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php" data-sonde-contrast-st
ate-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">About Us</a>
</li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf" data-sonde-con
trast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">Campu
s Map</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php" data-sonde-contras
t-state-id="sonde-contrast-state-4" data-sonde-contrast-state-owned="true">Contact</
a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal">
</div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div class="column">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div class="prmbl-buttonGroup clerk-simple-makeStyles-btnGroup-17 clerk-simple-makeS
tyles-rightButtons-22 clerk-simple-makeStyles-root-18">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div id="endLink">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov" data-sonde-contrast-state-id="sonde-co
ntrast-state-1" data-sonde-contrast-state-owned="true">Home</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">About Us</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf" data-sonde-contrast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">Campus Map</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php" data-sonde-contrast-state-id="sonde-contrast-state-4" data-sonde-contrast-state-owned="true">Contact</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<div class="column">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/rd/forms/forms.php

Elemento:

```
<div id="endLink">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov" data-sonde-contrast-state-id="sonde-contrast-state-1" data-sonde-contrast-state-owned="true">Home</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">About Us</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf" data-sonde-contrast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">Campus Map</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php" data-sonde-contrast-state-id="sonde-contrast-state-4" data-sonde-contrast-state-owned="true">Contact</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<div id="seal">
<img src="../../../../../Images/common/mha_seal_transparent.png" alt="Minnehaha Coun
ty Seal"></div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<div class="column">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<div id="endLink">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov" data-sonde-contrast-state-id="sonde-co
ntrast-state-1" data-sonde-contrast-state-owned="true">Home</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php" data-sonde-contrast-st
ate-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">About Us</a>
</li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf" data-sonde-con
trast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">Campu
s Map</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php" data-sonde-contras
t-state-id="sonde-contrast-state-4" data-sonde-contrast-state-owned="true">Contact</
a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Sea
l"></div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<div class="column">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<div id="endLink">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div id="hlink">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Sea
l"></div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div class="column">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<div id="endLink">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov" data-sonde-contrast-state-id="sonde-co
ntrast-state-1" data-sonde-contrast-state-owned="true">Home</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php" data-sonde-contrast-state-id="sonde-contrast-state-2" data-sonde-contrast-state-owned="true">About Us</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf" data-sonde-contrast-state-id="sonde-contrast-state-3" data-sonde-contrast-state-owned="true">Campus Map</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php" data-sonde-contrast-state-id="sonde-contrast-state-4" data-sonde-contrast-state-owned="true">Contact</a></li>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal">
</div>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<div class="column">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<div id="endLink">
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color

WCAG 1.4.1

differences may not identify this as a link.

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/co/co.php">Commission Office</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.
php">Gerald Beninga</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.
php">Jen Bleyenberg</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.ph
p">Cole Heisey</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.ph
p">Dean Karsky</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.ph
p">Joe Kippley</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissio
ns.php">Minnehaha County Boards and Commissions</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.p
hp">Meeting Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/co/co.php">Commission Office</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.ph
p">Dean Karsky</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.ph
p">Joe Kippley</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissio
ns.php">Minnehaha County Boards and Commissions</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.p
hp">Meeting Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/co/co.php">Commission Office</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.ph
p">Cole Heisey</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.ph
p">Dean Karsky</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/rd/forms/forms.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.ph
p">Joe Kippley</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInf
ormation.php">Jail Division Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisi
tation.php">Jail Visitation</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Pris
on Rape Elimination Act Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuideboo
k.pdf">Jail Inmate Guidebook</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitorin
g/electronicMonitoring.php">Electronic Monitoring</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">
Who's Behind Bars</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.p
hp">Civil Division Process Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.
php">Execution of Judgment</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.ph
p">Eviction Process</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Ci
vil Forms</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInf
ormation.php">Jail Division Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">
Who's Behind Bars</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.p
hp">Civil Division Process Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.
php">Execution of Judgment</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.ph
p">Eviction Process</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Ci
vil Forms</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitorin
g/electronicMonitoring.php">Electronic Monitoring</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">
Who's Behind Bars</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.p
hp">Civil Division Process Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.
php">Execution of Judgment</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.ph
p">Eviction Process</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color WCAG 1.4.1

differences may not identify this as a link.

Página: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/co/co.php">Commission Office</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Elemento:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

MEDIUM The same link functionality is identified as "Meeting Information" on https://minnehahacounty.gov/ and "Skip to main content" on https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /commission/meetingInfo/meetingInfo.php WCAG 3.2.4

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

MEDIUM Navigation "Main" changes relative order between https://minnehahacounty.gov/ and https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php. Shared links appear as [Minnehaha County Boards and Commissions, Assessed Values, Forms, Renew Motor Vehicle Registration, Minnehaha County Boards and Commissions, Minnehaha County Boards and Commissions, Application for Absentee Ballot, Voter Registration, Assessed Values, Renew Motor Vehicle Registration, Assessed Values, Voter Registration] vs baseline [Voter Registration, Absentee Voting, Register of Deeds Forms, Assessed Values, Vehicle Registration Renewal, App for County Board Vacancies]. WCAG 3.2.3

Página: /commission/meetingInfo/meetingInfo.php WCAG 3.2.3

Elemento:

```
<nav aria-label="Main"><!-- site-set order mismatch --></nav>
```

MEDIUM

The same link functionality is identified as "Forms" on https://minnehahacounty.gov/ and "Skip to main content" on https://minnehahacounty.gov/dept/rd/forms/forms.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /dept/rd/forms/forms.php WCAG 3.2.4

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

MEDIUM

Navigation "Main" changes relative order between https://minnehahacounty.gov/ and https://minnehahacounty.gov/dept/rd/forms/forms.php. Shared links appear as [Minnehaha County Boards and Commissions, Meeting Information, Meeting Information, Assessed Values, Meeting Information, Renew Motor Vehicle Registration, Minnehaha County Boards and Commissions, Minnehaha County Boards and Commissions, Application for Absentee Ballot, Voter Registration, Assessed Values, Renew Motor Vehicle Registration, Assessed Values, Meeting Information, Meeting Information, Voter Registration] vs baseline [Voter Registration, Planning Commission, Absentee Voting, Assessed Values, Vehicle Registration Renewal, App for County Board Vacancies].

WCAG 3.2.3

Página: /dept/rd/forms/forms.php WCAG 3.2.3

Elemento:

```
<nav aria-label="Main"><!-- site-set order mismatch --></nav>
```

MEDIUM

The same link functionality is identified as "Emergency Management History" on https://minnehahacounty.gov/ and "Skip to main content" on https://minnehahacounty.gov/dept/so/divisions/em/history/history.php. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /dept/so/divisions/em/history/history.php WCAG 3.2.4

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

MEDIUM

Navigation "Main" changes relative order between https://minnehahacounty.gov/ and https://minnehahacounty.gov/dept/so/divisions/em/history/history.php

WCAG 3.2.3

. Shared links appear as [Who's Behind Bars, Civil Division Process Information, Emergency Management] vs baseline [Civil Process, Emergency Management, Who's Behind Bars, Who's Behind Bars].

Página: /dept/so/divisions/em/history/history.php WCAG 3.2.3

Elemento:

```
<nav aria-label="Main"><!-- site-set order mismatch --></nav>
```

MEDIUM The same link functionality is identified as "Mortgage Foreclosures" on https://minnehahacounty.gov/ and "Skip to main content" on https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 3.2.4

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

MEDIUM Navigation "Main" changes relative order between https://minnehahacounty.gov/ and https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php. Shared links appear as [Who's Behind Bars, Civil Division Process Information, Emergency Management] vs baseline [Civil Process, Emergency Management, Who's Behind Bars, Who's Behind Bars]. WCAG 3.2.3

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 3.2.3

Elemento:

```
<nav aria-label="Main"><!-- site-set order mismatch --></nav>
```

MEDIUM The same link functionality is identified as "Most Wanted List" on https://minnehahacounty.gov/ and "Skip to main content" on https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /dept/so/mostWanted/mostWanted.php WCAG 3.2.4

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

Navigation "Main" changes relative order between https://minnehahacounty.gov/ and

MEDIUM https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php. Shared links appear as [Who's Behind Bars, Civil Division Process Information, Emergency Management] vs baseline [Civil Process, Emergency Management, Who's Behind Bars, Who's Behind Bars]. WCAG 3.2.3

Página: /dept/so/mostWanted/mostWanted.php WCAG 3.2.3

Elemento:

```
<nav aria-label="Main"><!-- site-set order mismatch --></nav>
```

MEDIUM The same link functionality is identified as "County Media Releases" on https://minnehahacounty.gov/ and "Skip to main content" on https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /residents/mediaReleases/mediaReleases.php WCAG 3.2.4

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

MEDIUM Navigation "Main" changes relative order between https://minnehahacounty.gov/ and https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php. Shared links appear as [Minnehaha County Boards and Commissions, Meeting Information, Meeting Information, Assessed Values, Meeting Information, Forms, Renew Motor Vehicle Registration, Minnehaha County Boards and Commissions, Minnehaha County Boards and Commissions, Application for Absentee Ballot, Voter Registration, Assessed Values, Renew Motor Vehicle Registration, Assessed Values, Meeting Information, Meeting Information, Voter Registration] vs baseline [Voter Registration, Planning Commission, Absentee Voting, Register of Deeds Forms, Assessed Values, Vehicle Registration Renewal, App for County Board Vacancies]. WCAG 3.2.3

Página: /residents/mediaReleases/mediaReleases.php WCAG 3.2.3

Elemento:

```
<nav aria-label="Main"><!-- site-set order mismatch --></nav>
```

MEDIUM Content clipped by 40px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Elemento:

```
<div class="MuiGrid2-root MuiGrid2-direction-xs-row prmbl-grid clerk-simple-makeStyl
es-announcementTextWrapper-70 clerk-simple-27y2fm-MuiGrid2-root" id="AnnouncementWra
pper" role="region" aria-label="
```

MEDIUM Content clipped by 8px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Elemento:

```
<div class="MuiCollapse-root" style="min-height: 80px;"><div class="MuiCollapse-wrap
per"><div class="MuiCollapse-wrapperInner"><div class="MuiGrid2-root MuiGrid2-direct
ion-xs-row prmbl-grid clerk-simp
```

MEDIUM Primary content surface "main" is only 805px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Página: /residents/mediaReleases/mediaReleases.php WCAG Sonde responsive contract

Elemento:

```
<main>
```

MEDIUM Interactive control "#search-input" is only 38px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /residents/mediaReleases/mediaReleases.php WCAG 2.5.8

Elemento:

```
<#search-input>
```

MEDIUM Interactive control "a.skip-main" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /residents/mediaReleases/mediaReleases.php WCAG 2.5.8

Elemento:

```
<a.skip-main>
```

MEDIUM Element overflows viewport by 307px at Tablet (768px width). WCAG Sonde responsive contract

Página: /residents/mediaReleases/mediaReleases.php WCAG Sonde responsive contract

Elemento:

```
<div id="header">

<div id="hlink">
<ul>
        <li><a href="https://www.minnehahacounty.gov">Home</a></li>
        <li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></
li>
```

MEDIUM Element overflows viewport by 307px at Tablet (768px width). WCAG Sonde responsive contract

Página: /residents/mediaReleases/mediaReleases.php WCAG Sonde responsive contract

Elemento:

```
<div id="headerBackground">

<div id="header">

<div id="hlink">
<ul>
        <li><a href="https://www.minnehahacounty.gov">Home</a></li>
        <li><a href="https://www.minnehahacounty.gov/about/abo
```

MEDIUM Element overflows viewport by 68px at Tablet (768px width). WCAG Sonde responsive contract

Página: /residents/mediaReleases/mediaReleases.php WCAG Sonde responsive contract

Elemento:

```
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal">
```

MEDIUM Interactive control "button.custom-search-button" is only 30px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /residents/mediaReleases/mediaReleases.php WCAG 2.5.8

Elemento:

```
<button.custom-search-button>
```

MEDIUM Content clipped by 78px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /residents/mediaReleases/mediaReleases.php WCAG 1.4.12

Elemento:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

MEDIUM Stuck loading state: loading indicator CSS class on persists after page readiness

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<div class="clerk-simple-makeStyles-dropdownInputWrapper-78 prmbl-autocomplete__placeholder clerk-simple-1jqq78o-placeholder" id="react-select-3-placeholder">Type or select an event category to filter
```

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedTextColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventListRow-undefined-title">
```

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedTextColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventListRow-undefined-title">
```

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-makeStyles-embedT
extColor-192 prmbl-typography clerk-simple-15vdol5-MuiTypography-root" id="eventList
Row-undefined-title">
```

LOW

Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35
026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW

Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio
n</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Applicatio
n.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Bi
rth, Death or Marriage Application</a>
```

LOW Link timeout: https://siouxlandlib.org/ did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: https://siouxlandlib.org/ did not respond within 5000ms after 2 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /commission/meetingInfo/meetingInfo.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: https://siouxlandlib.org/ did not respond within 5000ms after 2 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /dept/rd/forms/forms.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://www.fema.gov/ returned status 403 Forbidden after 1 attempts

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<a href="https://www.fema.gov/">FEMA</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /dept/so/divisions/em/history/history.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returned status 403 Forbidden after 1 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 6 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returned status 403 Forbidden after 1 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 6 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Link timeout: https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/ did not respond within 5000ms after 8 attempts

Página: /dept/so/mostWanted/mostWanted.php

Elemento:

```
<a href="https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/">Contact Form</a>
```

LOW

Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW

Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW

Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW

Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 6 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Link timeout: https://siouxlandlib.org/ did not respond within 5000ms after 2 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 4 attempts

Página: /residents/mediaReleases/mediaReleases.php

Elemento:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Publicamos la metodología e invitamos a la opinión pública porque la accesibilidad es demasiado importante para tomar decisiones a puerta cerrada.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo