Sonde

Accessibility Health Check

https://section508.gov

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	900 **982** 1000

Excellent

May 26, 2026

Provided free by Sonde

https://daylight.sonde.tech/usgov/section508-gov/

17 pages **218** findings **0** critical **18** high **176** medium **24** low **12.8** avg/page

4,541 elements **41** with findings **99.1%** ECR **4m 44s** total **16.7s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 4 (foreground color: #0076d6, background color: #efefef, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<button type="button" class="text-blue" id="toggle-backlog" aria-expanded="false" ar
ia-controls="backlog" data-sonde-contrast-state-id="sonde-contrast-state-60" data-so
nde-contrast-state-owned="true">...
```

HIGH Missing Content-Security-Policy header

Page: /

HIGH Missing Content-Security-Policy header

Page: /contributors/

HIGH Missing Content-Security-Policy header

Page: /contributors/dhs.html

HIGH Missing Content-Security-Policy header

Page: /contributors/ed.html

HIGH Missing Content-Security-Policy header

Page: /contributors/fcc.html

HIGH Missing Content-Security-Policy header

Page: /contributors/fhwa.html

HIGH Missing Content-Security-Policy header

Page: /contributors/frith-chet.html

HIGH Missing Content-Security-Policy header

Page: /contributors/gsa.html

HIGH Missing Content-Security-Policy header

Page: /contributors/haileselassie.html

HIGH Missing Content-Security-Policy header

Page: /contributors/hhs.html

HIGH Missing Content-Security-Policy header

Page: /contributors/lovley.html

HIGH Missing Content-Security-Policy header

Page: /contributors/martin-beth.html

HIGH Missing Content-Security-Policy header

Page: /contributors/mcgland-denise.html

HIGH Missing Content-Security-Policy header

Page: /contributors/nasa.html

HIGH Missing Content-Security-Policy header

Page: /contributors/opm.html

HIGH Missing Content-Security-Policy header

Page: /contributors/procter.html

HIGH Missing Content-Security-Policy header

Page: /contributors/sirk.html

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /contributors/

Element:

```
<html lang="en" class="">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /contributors/

Element:

```
<p>This site includes content developed in collaboration with other agencies and/or content that is directly contributed by members of the federal IT accessibility comm unity. Our growning list of cont...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /contributors/

Element:

```
<p>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /contributors/

Element:

```
<div id="contributor-tab" class="contribs-tab">
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/dhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/dhs.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Departm
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/ed.html WCAG 1.4.1

Element:

```
<a href="/contributors/ed.html" class="usa-breadcrumb__link padding-y-1" data-url-ap
pended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-cont
rast-state-owned="true">Departme
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fcc.html WCAG 1.4.1

Element:

```
<a href="/contributors/fcc.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Federal
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/fhwa.html WCAG 1.4.1

Element:

```
<a href="/contributors/fhwa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-state-owned="true">Federa
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="true">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contrast-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/frith-chet.html WCAG 1.4.1

Element:

```
<a href="/contributors/frith-chet.html" class="usa-breadcrumb__link" data-url-append
ed="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast
-state-owned="true">Chet Frith<s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/gsa.html WCAG 1.4.1

Element:

```
<a href="/contributors/gsa.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">General
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="usa-breadcrumb__link" data-url-app
ended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contr
ast-state-owned="true">Antonio H
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/haileselassie.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/hhs.html WCAG 1.4.1

Element:

```
<a href="/contributors/hhs.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Departm
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/contributors/lovley.html" class="usa-breadcrumb__link" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-s
tate-owned="true">Rebecca Lovley<s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/lovley.html WCAG 1.4.1

Element:

```
<a href="/contributors/lovley.html" class="text-no-underline text-primary-dark margi
n-left-05" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-sta
te-15" data-sonde-contrast-state
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="true">Contributors<span class="ap
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/contributors/martin-beth.html" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-state-owned="true">Beth Martin
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/martin-beth.html WCAG 1.4.1

Element:

```
<a href="/contributors/martin-beth.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contribu
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="true">What's New!</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/mcgland-denise.html WCAG 1.4.1

Element:

```
<a href="/contributors/mcgland-denise.html" class="usa-breadcrumb__link" data-url-ap
pended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-cont
rast-state-owned="true">Denise M
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/nasa.html WCAG 1.4.1

Element:

```
<a href="/contributors/nasa.html" class="usa-breadcrumb__link padding-y-1" data-url-
appended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-co
ntrast-state-owned="true">Nation
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/opm.html WCAG 1.4.1

Element:

```
<a href="/contributors/opm.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Office
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="usa-breadcrumb__link" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-s
tate-owned="true">Justen Proctor<
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark marg
in-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (http
s://www.section508.gov/contribut
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/procter.html WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark marg
in-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (http
s://www.section508.gov/contribut
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="usa-breadcrumb__link" data-url-appended="tr
ue" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-state
-owned="true">Betsy Sirk<span cl
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /contributors/sirk.html WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM

The same link functionality is identified as "Section508.gov site Contributors" on https://www.section508.gov/ and "Skip to main content" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Department of Homeland Security (DHS)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/dhs.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/dhs.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/dhs.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Department of Education (ED)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ed.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ed.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/ed.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Federal Communications Commission (FCC)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fcc.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fcc.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fcc.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Federal Highway Administration (FHWA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fhwa.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fhwa.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/fhwa.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Chet Frith" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/frith-chet.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/frith-chet.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/frith-chet.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "General Services Administration (GSA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/gsa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/gsa.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/gsa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/gsa.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Antonio Haileselassie" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/haileselassie.html.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/sell/acr-vpat-faq/" class="usa-button" aria-label="View Page: Accessibilit
y Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Ask
ed Questions (FAQ)" data-url-appended="true">View Page<span class="appended-url"> (h
ttps://www.section508.gov/sell/acr-vpat-faq/)</span></a>
```

MEDIUM

The same link functionality is identified as "Create an ACR Using a VPAT®" on https://www.section508.gov/ and "View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/sell/how-to-create-acr-with-vpat/" class="usa-button" aria-label="View Pag
e: How to Create an Accessibility Conformance Report Using A Voluntary Product Acces
sibility Template (VPAT®)" data-url-appended="true">View Page<span class="appended-u
rl"> (https://www.section508.gov/sell/how-to-create-acr-with-vpat/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/haileselassie.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Department of Health and Human Services (HHS)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/hhs.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/hhs.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/hhs.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Rebecca Lovley" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Risk Management and Risk Model for Information and Communication Technology (ICT)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Risk Management and Risk Model for Information and Communication Technology (ICT)" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a href="/blog/Accessibility-risk-management-and-model/" class="usa-button" aria-lab
el="View Page: Accessibility Risk Management and Risk Model for Information and Comm
unication Technology (ICT)" data-url-appended="true" data-sonde-contrast-state-id="s
onde-contrast-state-16" data-sonde-contrast-state-owned="true">View Page<span class
="appended-url"> (https://www.section508.gov/blog/Accessibility-risk-management-and-
model/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/lovley.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Beth Martin" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Tips for Usability Testing with People with Disabilities" on https://www.section508.gov/contributors/ and "View Page: Tips for Usability Testing with People with Disabilities" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a href="/test/usability-testing-with-people-with-disabilities/" class="usa-button"
aria-label="View Page: Tips for Usability Testing with People with Disabilities" dat
a-url-appended="true">View Page<span class="appended-url"> (https://www.section508.g
ov/test/usability-testing-with-people-with-disabilities/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on

WCAG 3.2.4

https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

Page: /contributors/martin-beth.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Denise McGland" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/mcgland-denise.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/mcgland-denise.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/mcgland-denise.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "National Aeronautics and Space Administration (NASA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/nasa.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/nasa.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/nasa.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Office of Personnel Management (OPM)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/opm.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/opm.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/opm.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Justen Proctor" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility In Procurement I: Pre-Soliciation" on https://www.section508.gov/contributors/ and "View Page: Accessibility In Procurement I: Pre-Soliciation" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/buy/accessibility-in-procurement-pre-solicitation-1/" class="usa-button" a
ria-label="View Page: Accessibility In Procurement I: Pre-Soliciation" data-url-appe
nded="true">View Page<span class="appended-url"> (https://www.section508.gov/buy/acc
essibility-in-procurement-pre-solicitation-1/)</span></a>
```

MEDIUM

The same link functionality is identified as "Accessibility In Procurement II: Solicitation & Post-Solicitation" on https://www.section508.gov/contributors/ and "View Page: Accessibility In Procurement II: Solicitation & Post-Solicitation" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/buy/accessibility-in-procurement-solicitation-post-2/" class="usa-button"
aria-label="View Page: Accessibility In Procurement II: Solicitation &amp;amp; Post-Soli
citation" data-url-appended="true">View Page<span class="appended-url"> (https://ww
w.section508.gov/buy/accessibility-in-procurement-solicitation-post-2/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/procter.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Betsy Sirk" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/sell/acr-vpat-faq/" class="usa-button" aria-label="View Page: Accessibilit
y Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Ask
ed Questions (FAQ)" data-url-appended="true">View Page<span class="appended-url"> (h
ttps://www.section508.gov/sell/acr-vpat-faq/)</span></a>
```

MEDIUM

The same link functionality is identified as "Create an ACR Using a VPAT®" on https://www.section508.gov/ and "View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/sell/how-to-create-acr-with-vpat/" class="usa-button" aria-label="View Pag
e: How to Create an Accessibility Conformance Report Using A Voluntary Product Acces
sibility Template (VPAT®)" data-url-appended="true">View Page<span class="appended-u
rl"> (https://www.section508.gov/sell/how-to-create-acr-with-vpat/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /contributors/sirk.html WCAG 3.2.4

Element:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

Interactive control "#btn-contrib" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /contributors/ WCAG 2.5.8

Element:

```
<#btn-contrib>
```

MEDIUM

Interactive control "#btn-agency" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /contributors/ WCAG 2.5.8

Element:

```
<#btn-agency>
```

MEDIUM

Primary content surface "main" is only 992px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier.

WCAG Sonde responsive contract

Page: /contributors/mcgland-denise.html WCAG Sonde responsive contract

Element:

```
<main>
```

MEDIUM Interactive control "a.usa-breadcrumb__link" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/mcgland-denise.html WCAG 2.5.8

Element:

```
<a.usa-breadcrumb__link>
```

MEDIUM Interactive control "a.usa-skipnav" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/mcgland-denise.html WCAG 2.5.8

Element:

```
<a.usa-skipnav>
```

MEDIUM Interactive control "button.usa-accordion__button.usa-banner__button" is only 14px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/mcgland-denise.html WCAG 2.5.8

Element:

```
<button.usa-accordion__button.usa-banner__button>
```

MEDIUM Interactive control "a.usa-breadcrumb__link.padding-y-1" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/nasa.html WCAG 2.5.8

Element:

```
<a.usa-breadcrumb__link.padding-y-1>
```

MEDIUM Interactive control "a.text-no-underline.text-primary-dark" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/procter.html WCAG 2.5.8

Element:

```
<a.text-no-underline.text-primary-dark>
```

MEDIUM Interactive control "a.usa-button" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /contributors/procter.html WCAG 2.5.8

Element:

```
<a.usa-button>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.ssa.gov/accessibility/andi/help/install.html returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.ssa.gov/accessibility/andi/help/install.html">ANDI (Accessible
Name &amp;amp; Description Inspector)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/dhs.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/ed.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www2.ed.gov/about/landing.jhtml returned status 404 Not Found after 1 attempts

Page: /contributors/ed.html

Element:

```
<a href="https://www2.ed.gov/about/landing.jhtml">https://www2.ed.gov/about/ (http
s://www2.ed.gov/about/landing.jhtml)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/fcc.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Link timeout: https://www.fcc.gov/about/overview did not respond within 5000ms after 2 attempts

Page: /contributors/fcc.html

Element:

```
<a href="https://www.fcc.gov/about/overview">https://www.fcc.gov/about/overview (htt
ps://www.fcc.gov/about/overview)</a>
```

LOW Broken link: https://highways.dot.gov/about/about-fhwa returned status 403 Forbidden after 1 attempts

Page: /contributors/fhwa.html

Element:

```
<a href="https://highways.dot.gov/about/about-fhwa">https://highways.dot.gov/about/a
bout-fhwa (https://highways.dot.gov/about/about-</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/fhwa.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/frith-chet.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/about-us/organization/federal-acquisition-service/technology-transformation-services returned status 404 Not Found after 1 attempts

Page: /contributors/gsa.html

Element:

```
<a href="https://www.gsa.gov/about-us/organization/federal-acquisition-service/techn
ology-transformation-services">https://www.gsa.gov/about-us/organization/federal-acq
uisition-service/technology</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/gsa.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/haileselassie.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/hhs.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.hhs.gov/about/index.html returned status 403 Forbidden after 1 attempts

Page: /contributors/hhs.html

Element:

```
<a href="https://www.hhs.gov/about/index.html">https://www.hhs.gov/about/ (https://w
ww.hhs.gov/about/index.html)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/lovley.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/martin-beth.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/mcgland-denise.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/nasa.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/opm.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.opm.gov/about-us/our-mission-role-history/ returned status 404 Not Found after 1 attempts

Page: /contributors/opm.html

Element:

```
<a href="https://www.opm.gov/about-us/our-mission-role-history/">https://www.opm.go
v/about-us/our-mission-role-history/ (https://www.opm.gov/abou</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/procter.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Page: /contributors/sirk.html

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We publish the methodology and invite public feedback because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue