Sonde

Accessibility Health Check

https://wellsfargo.com

936

Excellent

April 11, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/wellsfargo-com/

11 pages | **322** findings | **15** critical | **64** high | **214** medium | **29** low | **29.3** avg/page | **10,426** elements | **147** with findings | **98.6%** ECR | **5m 34s** total | **30.3s** per page

Top Findings

CRITICAL

Insufficient color contrast: 1.27:1 (required: 4.5:1 for normal text). Foreground: rgb(85, 85, 85), background: rgb(56, 96, 190). Text: "Filter Icon"

WCAG 1.4.3

Page: /atm/ WCAG 1.4.3

Element:

```
<title>Filter Icon</title>
```

1.27:1 ✗ CURRENT

Filter Icon

#555555 on #3860be

4.52:1 ✓ SUGGESTED

Filter Icon

#e2e2e2 on #3860be

SONDE FIX PLAN

Current ratio: 1.27:1 (need 4.5:1). Change foreground from #555555 to #e2e2e2 (ratio: 4.5:1). Or change background from #3860be to #000000.

CRITICAL

Insufficient color contrast: 1.27:1 (required: 4.5:1 for normal text). Foreground: rgb(85, 85, 85), background: rgb(56, 96, 190). Text: "Filter Icon"

WCAG 1.4.3

Page: /checking/ WCAG 1.4.3

Element:

```
<title>Filter Icon</title>
```

1.27:1 ✗ CURRENT

Filter Icon

#555555 on #3860be

4.52:1 ✓ SUGGESTED

Filter Icon

#e2e2e2 on #3860be

SONDE FIX PLAN

Current ratio: 1.27:1 (need 4.5:1). Change foreground from #555555 to #e2e2e2 (ratio: 4.5:1). Or change background from #3860be to #000000.

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Flexible convenience for everyday banking"

WCAG 1.4.3

Page: /checking/ WCAG 1.4.3

Element:

```
<div class="product-table-overlay white">Flexible convenience for everyday banking</
div>
```

1.00:1 ✗ CURRENT

3.03:1 ✓ SUGGESTED

Flexible convenience for every...

#ffffff on #ffffff

#949494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #949494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Opens a modal dialog for footnote"

WCAG 1.4.3

Page: /checking/ WCAG 1.4.3

Element:

```
<span class="hidden" data-translation-text="footnote-dialog-announcement">Opens a mo
dal dialog for footnote </span>
```

1.00:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED

Opens a modal dialog for footn...

#ffffff on #ffffff

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Unlock your financing options with a cash-out refinance." WCAG 1.4.3

Page: /equity/ WCAG 1.4.3

Element:

```
<p>Unlock your financing options with a cash-out refinance.</p>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

4.54:1 ✓ SUGGESTED

Unlock your financing options ...

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Have equity in your home?" WCAG 1.4.3

Page: /equity/ WCAG 1.4.3

Element:

```
<h2>Have equity in your home?</h2>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

3.03:1 ✓ SUGGESTED

Have equity in your home?

#949494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #949494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.27:1 (required: 4.5:1 for normal text). Foreground: rgb(85, 85, 85), background: rgb(56, 96, 190). Text: "Filter Icon"

WCAG 1.4.3

Page: /equity/ WCAG 1.4.3

Element:

```
<title>Filter Icon</title>
```

1.27:1 ✗ CURRENT

Filter Icon

#555555 on #3860be

4.52:1 ✓ SUGGESTED

Filter Icon

#e2e2e2 on #3860be

SONDE FIX PLAN

Current ratio: 1.27:1 (need 4.5:1). Change foreground from #555555 to #e2e2e2 (ratio: 4.5:1). Or change background from #3860be to #000000.

CRITICAL

Insufficient color contrast: 1.27:1 (required: 4.5:1 for normal text). Foreground: rgb(85, 85, 85), background: rgb(56, 96, 190). Text: "Filter Icon"

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<title>Filter Icon</title>
```

1.27:1 ✗ CURRENT

Filter Icon

#555555 on #3860be

4.52:1 ✓ SUGGESTED

Filter Icon

#e2e2e2 on #3860be

SONDE FIX PLAN

Current ratio: 1.27:1 (need 4.5:1). Change foreground from #555555 to #e2e2e2 (ratio: 4.5:1). Or change background from #3860be to #000000.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">Forgot usernam
e or password?</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on with a passkey</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon">Privacy, Cookies, and Legal</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation]

WCAG 1.3.1

Page: /atm/ WCAG 1.3.1

Element:

```
<ul>
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="true" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">
                Forgot username or password?
            </a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on with a passkey</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon">
                Privacy, Cookies, and Legal
            </a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<button type="button" role="tab" aria-selected="false" aria-controls="teenandstuden
t" id="tab-teenandstudent" tabindex="-1">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<button type="button" role="tab" aria-selected="false" aria-controls="overdraftfeefree" id="tab-overdraftfeefree" tabindex="-1">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<button type="button" role="tab" aria-selected="false" aria-controls="premiumaccounts" id="tab-premiumaccounts" tabindex="-1">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<button type="button" role="tab" aria-selected="true" aria-controls="mostpopular" id
="tab-mostpopular" tabindex="0">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /checking/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /cib/ WCAG 2.5.8

Element:

```
<a href="/com/vantage">About Vantage</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /cib/ WCAG 2.5.8

Element:

```
<a href="https://wellsoffice.ceo.wellsfargo.com/portal/signon/index.jsp#/forgotPassword">Forgot password?</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /cib/ WCAG 2.5.8

Element:

```
<a href="/com/fraud/">Security Center</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /cib/ WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon">Privacy, Cookies, and Legal</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /com/ WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon">Privacy, Cookies, and Legal</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /com/ WCAG 2.5.8

Element:

```
<a href="/com/vantage">About Vantage</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /com/ WCAG 2.5.8

Element:

```
<a href="https://wellsoffice.ceo.wellsfargo.com/portal/signon/index.jsp#/forgotPassword">Forgot password?</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /com/ WCAG 2.5.8

Element:

```
<a href="/com/fraud/">Security Center</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="true" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
                        <span class="show-hide-title-text">
                                <span class="hidden"><h2>Overview</h2></span>
                                <a href="#overvi...
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /debit-card/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title header2" aria-expanded="false" role="butto
n">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/es/savings-cds/">Cuentas de ahorros y certificados de depósito (CD)</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/auto-loans/">Préstamos para automóviles</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="https://creditcards.wellsfargo.com/es/?sub_channel=WEB&amp;vendor_code=WF&amp;linkLoc=FNMC&amp;lang=es" data-platform="creditCardsWF">Tarjetas de crédito</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/es/mortgage/">Préstamos hipotecarios</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/es/premier/" lang="en">Premier</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/es/checking/">Cuentas de cheques</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/es/financial-education/">Educación y herramientas</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.12 (foreground color: #3b3331, background color: #808080, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<a href="/personal-loans/">Préstamos personales</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /about/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Console warning: Couldn't load preload assets: ProgressEvent (2 occurrences)

Page: /atm/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (3 occurrences)

Page: /auto-loans/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Console warning: Couldn't load preload assets: ProgressEvent (3 occurrences)

Page: /biz/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (4 occurrences)

Page: /checking/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (4 occurrences)

Page: /cib/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Console warning: Couldn't load preload assets: ProgressEvent (4 occurrences)

Page: /com/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (5 occurrences)

Page: /debit-card/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Console warning: Couldn't load preload assets: ProgressEvent (6 occurrences)

Page: /equity/

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH

Focus jumps backward from "Read more about supporting military communities and veteran " to "“Intern to leader,”" (visual distance: 533px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: /cib/ WCAG 2.4.3

Element:

```
<a>“Intern to leader,”</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Listen now. Unlocking Capital with Asset-Based Lending podca" to "View video Grow your business with an asset-based loan" (visual distance: 529px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: /com/ WCAG 2.4.3

Element:

```
<a>View video Grow your business with an asset-based loan</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH

Page requires horizontal scrolling at 320px width (650px overflow). Content should reflow without horizontal scrolling at this width.

WCAG 1.4.10

Page: /atm/ WCAG 1.4.10

Element:

```
<html>
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /about/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /atm/ WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /auto-loans/ WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /biz/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /checking/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /cib/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /com/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /debit-card/ WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /equity/ WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="title">
                        <h1 class="c11" id="skip" tabindex="-1">
                                Wells Fargo ATM Banking
                        </h1>


                        <div class="headerLocation">




                        </div>

                </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="contentTop">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /atm/

Element:

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /atm/

Element:

```
<div class="c20" role="complementary">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="contentBody">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<a class="c52twitter twitter c28aLink" href="/exit/social?site=twitter" target="_bla
nk" rel="noopener noreferrer" data-mrkt-tracking-id="415a27d6-dd26-4063-8081-5196399
dc4dd" aria-label="Share this pa...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<li>
                                        <a href="#" class="printLink">


                                                Print
                                        </a>
                                </li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<a class="c52fb facebook c28aLink" href="/exit/social?site=facebook" target="_blank"
rel="noopener noreferrer" data-mrkt-tracking-id="3b21794e-c658-46f4-900f-297d992ea6f
9" aria-label="Share this page ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div class="c52noLink" id="NID1_5_3_1_2_2">Share</div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/checking/" class="">Checking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://creditcards.wellsfargo.com/?sub_channel=WEB&amp;vendor_code=WF&amp;
linkLoc=FNMC&amp;lang=en" data-platform="creditCardsWF">Credit Cards</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/savings-cds/" class="">Savings &amp;amp; CDs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/investor-relations/">Investor Relations </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/about/corporate/governance/">Leadership &amp; Governance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/about/diversity/">Inclusion &amp; Accessibility</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(90, 93, 98), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/">Personal</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a class="ShareLink c52email" href="mailto:?body=Hi%2C%0A%0AI%20thought%20you'd%20be%20interested%20in%20this%20page%20I%20found%20on%20wellsfargo.com%3A%20%0A%0AWells%20Fargo%20ATM%20Banking%0AWells%
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/investing-wealth/" class="tabNavLink" id="tabInvestingWealth" name="tabInvestingWealth">Investing &amp;amp; Wealth Management</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/spanish/" id="langPrefToggle" class="spTogglePersonal" xml:lang="es" name
="langPrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/com/" class="tabNavLink" id="tabNavCommercial" name="tabNavCommercial">Com
mercial Banking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a class="ShareLink c52linkedin" href="http://www.linkedin.com/shareArticle?mini=tru
e&amp;ro=false&amp;url=https%3A%2F%2Fwww.wellsfargo.com%2Fatm%2F&amp;summary=ATM%20B
anking%20-%20Wells%20Fargo&amp;t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/biz/" class="tabNavLink" id="tabNavSmallBusiness" name="tabNavSmallBusines
s">Business</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/cib/" class="tabNavLink" id="tabNavCorporateBanking" name="tabNavCorporate
Banking">Corporate &amp;amp; Investment Banking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="https://sites.wf.com/fargo/" enrollmentid="5208">Meet Fargo</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Zelle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/business-credit/credit-cards/">Credit Cards</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/activity-faqs/#whyaremyavailableandpostedbalancesdiffe
rent">Why are my available balance and posted balances different?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/help/faqs/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/checking/">Checking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/wires-faqs/">How do I set up a wire transfer?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/savings/">Savings &amp;amp; CDs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/checking-savings/deposits-faqs/#whenwillmydepositbecreditedtomyaccoun
t">When will my deposit be credited to my account?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a title=" Learn more about mobile and online banking" type="componentlink" data-page-uri="tcm:702-289271-64" data-component-uri="tcm:702-267348" href="/mobile-online-banking/">Learn more</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /checking/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/commercial-real-estate/">Commercial Real Estate</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/lending/">Lending</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/global-markets/">Global Markets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/com/customer-service/">Customer Service </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/our-approach/">Our Approach </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/investment-banking/">Investment Banking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/insights/economics/">Economics &amp; Insights</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/cib/global-treasury-management/">Global Payments &amp; Liquidity</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /cib/ WCAG 1.4.1

Element:

```
<a href="/com/customer-service/">Customer Service</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /com/ WCAG 1.4.1

Element:

```
<a href="/com/financing/">Solutions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /com/ WCAG 1.4.1

Element:

```
<a href="/com/insights/">Insights &amp;amp; Reports</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /com/ WCAG 1.4.1

Element:

```
<a href="/com/customer-service/">Customer Service</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /com/ WCAG 1.4.1

Element:

```
<a href="/com/customer-service/">Customer Service</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /com/ WCAG 1.4.1

Element:

```
<a href="/com/industry/">Customers and Industries</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /com/ WCAG 1.4.1

Element:

```
<a href="/com/leadership/">Commercial Banking Leadership</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a class="ps-small-arrow-link" type="componentlink" data-page-uri="tcm:702-344748-6
4" data-component-uri="tcm:702-289274" href="/savings-cds/">Compare savings accounts
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /debit-card/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /equity/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/" xml:lang="en" id="langPrefToggle" class="spTogglePersonal" name="langPre
fToggle" lang="en">English</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="https://creditcards.wellsfargo.com/es/?sub_channel=WEB&amp;vendor_code=WF&amp;linkLoc=FNMC&amp;lang=es" data-platform="creditCardsWF">Tarjetas de crédito</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/es/help/routing-number/" class="">¿Cómo puedo encontrar mis números de ruta y de cuenta?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Ayuda</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/es/savings-cds/">Cuentas de ahorros y certificados de depósito (CD)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/es/help/online-banking/zelle-faqs/#seaplicaalg%C3%BAncargoporusarzelle" cl
ass="">¿Se aplica algún cargo por usar <span lang="en">Zelle<sup>®</sup></span>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATM/Sucursales</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/es/checking/">Cuentas de cheques</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/es/help/">Ver más preguntas frecuentes</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /es/ WCAG 1.4.1

Element:

```
<a href="/es/privacy-security/fraud/report/" class="">¿Qué debo hacer para reportar una sospecha de fraude?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Insufficient color contrast: 4.11:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(215, 30, 40). Text: "MENU"

WCAG 1.4.3

Page: /es/ WCAG 1.4.3

Element:

```
<span>MENU</span>
```

4.11:1 ✗ CURRENT

MENU

#000000 on #d71e28

4.53:1 ✓ SUGGESTED

MENU

#f1f1f1 on #d71e28

SONDE FIX PLAN

Current ratio: 4.11:1 (need 4.5:1). Change foreground from #000000 to #f1f1f1 (ratio: 4.5:1).

MEDIUM

Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /about/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Header Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /atm/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Header Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Header Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /auto-loans/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /biz/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation "Main Navigation" has links in a different order than on www.wellsfargo.com. Shared links appear as [Investing & Wealth Management, Business, Checking, Savings & CDs, Credit Cards, Commercial Banking, Corporate & Investment Banking, About Wells Fargo, ATMs/Locations, Customer service and FAQs, Español] vs baseline [Checking, Savings & CDs, Credit Cards, Investing & Wealth Management, Business, Commercial Banking, Corporate & Investment Banking, About Wells Fargo, ATMs/Locations, Customer service and FAQs, Español].

WCAG 3.2.3

Page: /biz/ WCAG 3.2.3

Element:

```
<nav aria-label="Main Navigation"><!-- 16 links --></nav>
```

SONDE FIX PLAN

Keep navigation links in the same relative order across all pages. Adding or removing links is fine, but shared links should maintain consistent ordering.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /checking/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /cib/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /com/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /debit-card/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /equity/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Header Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /es/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Header Navigation"] -->
```

SONDE FIX PLAN

Ensure the "Header Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Console warning: Couldn't load preload assets: ProgressEvent (6 occurrences)

Page: /es/

SONDE FIX PLAN
Add X-Frame-Options: DENY or SAMEORIGIN

MEDIUM Clicking "Search Opens a dialog." inserts 14 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /atm/ WCAG 4.1.3

Element:

```
<button id="nxgSearchButton">
                                                    <span class="nxgSear
chText">Search</span> 
                                                    <span class="nxgVisu
allyHidden" id="nxgSearchDescription">Opens a dialog.</span>
                                                    <span class="nxgS
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Premium accounts" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /checking/ WCAG 4.1.3

Element:

```
<button type="button" role="tab" aria-selected="false" aria-controls="premiumaccount
s" id="tab-premiumaccounts" tabindex="-1">
                        <span class="active-tab-img"><img src="https://ww
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Overdraft fee-free" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /checking/ WCAG 4.1.3

Element:

```
<button type="button" role="tab" aria-selected="false" aria-controls="overdraftfeefree" id="tab-overdraftfeefree" tabindex="-1">
                        <span class="active-tab-img"><img src="https://
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Teen and student" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /checking/ WCAG 4.1.3

Element:

```
<button type="button" role="tab" aria-selected="false" aria-controls="teenandstudent" id="tab-teenandstudent" tabindex="-1">
                        <span class="active-tab-img"><img src="https://www1
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Most popular" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /checking/ WCAG 4.1.3

Element:

```
<button type="button" role="tab" aria-selected="true" aria-controls="mostpopular" id="tab-mostpopular" tabindex="0">
                        <span class="active-tab-img"><img src="https://www17.wellsf
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://www.wellsfargo.com/investor-relations/ returns 404 Not Found

Page: /about/

Element:

```
<a href="https://www.wellsfargo.com/investor-relations/">Investor Relations</a>
```

MEDIUM Broken link: https://www.wellsfargo.com/es/Pol%C3%ADtica%20de%20privacidad%20digital%20y%20cookies returns 404 Not Found

Page: /es/

Element:

```
<a href="https://www.wellsfargo.com/es/Pol%C3%ADtica%20de%20privacidad%20digital%20y%20cookies">https://www.wellsfargo.com/es/privacy-security/opt-out-notice/</a>
```

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="nxgVisuallyHidden" id="nxgSearchDescription">Opens a dialog.</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="hidden" id="c52_socialshare">Share this page</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 143px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="jaws_hidden">Share this page on Facebook, opens a dialog</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /checking/ WCAG 1.4.10

Element:

```
<li class="ps-fat-nav-item active clickable">
                                                    <a href="/">Personal </a>

                                                    <ul class="ps-fat-nav-l2 exp
anded" aria-expanded="true">




                                                    </ul>
                                                </
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 390px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<div class="ps-fat-nav-hook"></div>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<button class="fat-nav-search" id="nxgSearchButton"><span class="fat-nav-search-ico
n"></span>
                                                    <span class="ps-search-tex
t">Search</span>
                                                </button>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<div class="ps-fat-nav-search">
                                                <button class="fat-nav-search" id="n
xgSearchButton"><span class="fat-nav-search-icon"></span>
                                                        <span class="ps-search-tex
t">Search</span>
                                                </button>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<div class="ps-fat-nav-l1-links">
                    <ul>




                                                <li class="ps-fat-nav-item"><a href
="/">Personal</a></li>




                                                <li class="ps-f
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 137px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<span class="fat-nav-search-icon"></span>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<nav class="ps-fat-nav-wrapper slide-out" aria-label="Main Navigation" style="visibi
lity: visible;">
            <div class="ps-fat-nav-hook"></div>
            <div class="ps-fat-nav-l1">
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<div class="ps-fat-nav-l1">

                                        <div class="ps-fat-nav-search">
                                                <button class="fat-nav-search" id="n
xgSearchButton"><span class="fat-nav-search-icon"></span>
                                                                <span class="ps-sear
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<span class="ps-search-text">Search</span>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<ul>




                                                <li class="ps-fat-nav-item"><a href
="/">Personal</a></li>




                                                <li class="ps-fat-nav-item"><a href
="/investing-wealth/">Investing &a
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 420px at 320px width. WCAG 1.4.10

Page: /com/ WCAG 1.4.10

Element:

```
<li class="ps-fat-nav-item"><a href="/">Personal</a></li>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 315px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /es/ WCAG 1.4.12

Element:

```
<span class="hidden" aria-hidden="true">Aviso - Por su seguridad, no recomendamos
                                          usar esta función en un dispositivo
compartido.</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 102px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /es/ WCAG 1.4.12

Element:

```
<h1 class="hidden" id="skip" aria-hidden="true"><span lang="en">Wells Fargo</span></
h1>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 102px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /es/ WCAG 1.4.12

Element:

```
<a href="#skip" class="hidden" aria-hidden="true">Pase al contenido principal</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 60px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /es/ WCAG 1.4.12

Element:

```
<div class="ps-native-app-background non-ceo-app">

                <div class="native-app-header">
                    <h2 class="native-app-header-text">¿Necesita ayuda? Pregúntele a
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Missing X-Frame-Options header

Page: /

SONDE FIX PLAN
Add X-Frame-Options: DENY or SAMEORIGIN

LOW Deep focus region: navigation "corporate, legal, security" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /atm/ WCAG 2.4.1

Element:

```
<nav role="navigation">corporate, legal, security</nav>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: tabpanel "mostpopular" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /checking/ WCAG 2.4.1

Element:

```
<div role="tabpanel">mostpopular</div>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: navigation "Privacy, Cookies, Security & Legal " has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /cib/ WCAG 2.4.1

Element:

```
<nav role="navigation">Privacy, Cookies, Security & Legal
                                </nav>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://www.twitter.com/wellsfargo/ returns 403 Forbidden

Page: /

Element:

```
<a href="https://www.twitter.com/wellsfargo/">Continue</a>
```

LOW Broken link: https://newsroom.wf.com/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/">Newsroom</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/diversity/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/diversity/">Job seekers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/early-careers/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/early-careers/">Early careers</a>
```

LOW Link timeout: https://www-us.computershare.com/Investor/ did not respond within 5000ms

Page: /about/

Element:

```
<a href="https://www-us.computershare.com/Investor/">Computershare Trust Co.</a>
```

LOW Broken link: https://www.wellsfargojobs.com/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/">Search jobs</a>
```

LOW Broken link: https://newsroom.wf.com/English/home/default.aspx returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/home/default.aspx">Learn more</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/">Join us</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/well-life returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/well-life">Well Life</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/">Benefits</
a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/resources/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/resources/">Hiring resources</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/frequently-asked-questions returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/frequently-asked-questions">FAQs</a>
```

LOW Broken link: https://newsroom.wf.com/English/news-releases/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/news-releases/">Press Releases</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/inclusion/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/inclusion/">Inclusion</a>
```

LOW Broken link: https://newsroom.wf.com/English/press-room/ returns 403 Forbidden

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/press-room/">Media resources</a>
```

LOW Broken link: https://www.businesstrack.com/ returns 403 Forbidden

Page: /biz/

Element:

```
<a href="https://www.businesstrack.com/">Continue</a>
```

LOW Broken link: https://www.twitter.com/wellsfargo/ returns 403 Forbidden

Page: /es/

Element:

```
<a href="https://www.twitter.com/wellsfargo/">Continúe</a>
```

LOW Broken link: https://www.sipc.org/espanol returns 404 Not Found

Page: /es/

Element:

```
<a href="https://www.sipc.org/espanol">Continúe</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Leaderboard Methodology

Generated by **Sonde** · April 11, 2026