Sonde

Accessibility Health Check

https://hennepin.us

899

Strong

April 11, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/hennepin-us/

15 pages | **533** findings | **52** critical | **151** high | **284** medium | **46** low | **35.5** avg/page | **6,849** elements | **156** with findings | **97.7%** ECR | **5m 18s** total | **21.2s** per page

Top Findings

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /Search WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /employees WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /government WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /media WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/assistance WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/business-support WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/elections WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/environment WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/grants-funding-opportunities WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/justice-corrections WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /services/licenses-certificates WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /subscribe WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[aria-label]

WCAG 1.3.1

Page: /translation-help WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000" WCAG 1.4.3

Page: /services/elections WCAG 1.4.3

Element:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blue to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-size] duration-600 ease-in-out ho
```

1.00:1 ✗ CURRENT

#0047e2 on #0047e2

3.02:1 ✓ SUGGESTED

612-348-3000

#81a9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #81a9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

CRITICAL

Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook" WCAG 1.4.3

Page: /services/elections WCAG 1.4.3

Element:

```
<span class="sr-only">Facebook</span>
```

1.86:1 ✗ CURRENT

#000000 on #113c66

4.52:1 ✓ SUGGESTED

Facebook

#a4a4a4 on #113c66

SONDE FIX PLAN

Current ratio: 1.86:1 (need 4.5:1). Change foreground from #000000 to #a4a4a4 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000" WCAG 1.4.3

Page: /services/grants-funding-opportunities WCAG 1.4.3

Element:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blue to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-size] duration-600 ease-in-out ho
```

1.00:1 ✗ CURRENT

3.02:1 ✓ SUGGESTED



#0047e2 on #0047e2

#81a9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #81a9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

CRITICAL

Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook" WCAG 1.4.3

Page: /services/grants-funding-opportunities WCAG 1.4.3

Element:

```
<span class="sr-only">Facebook</span>
```

1.86:1 ✗ CURRENT

4.52:1 ✓ SUGGESTED



#000000 on #113c66

#a4a4a4 on #113c66

SONDE FIX PLAN

Current ratio: 1.86:1 (need 4.5:1). Change foreground from #000000 to #a4a4a4 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000" WCAG 1.4.3

Page: /services/justice-corrections WCAG 1.4.3

Element:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blue to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-size] duration-600 ease-in-out ho
```

1.00:1 ✗ CURRENT

#0047e2 on #0047e2

3.02:1 ✓ SUGGESTED

612-348-3000

#81a9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #81a9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

CRITICAL

Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook" WCAG 1.4.3

Page: /services/justice-corrections WCAG 1.4.3

Element:

```
<span class="sr-only">Facebook</span>
```

1.86:1 ✗ CURRENT

#000000 on #113c66

4.52:1 ✓ SUGGESTED

Facebook

#a4a4a4 on #113c66

SONDE FIX PLAN

Current ratio: 1.86:1 (need 4.5:1). Change foreground from #000000 to #a4a4a4 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook"

WCAG 1.4.3

Page: /services/licenses-certificates WCAG 1.4.3

Element:

```
<span class="sr-only">Facebook</span>
```

1.86:1 ✗ CURRENT

Facebook

#000000 on #113c66

4.52:1 ✓ SUGGESTED

Facebook

#a4a4a4 on #113c66

SONDE FIX PLAN

Current ratio: 1.86:1 (need 4.5:1). Change foreground from #000000 to #a4a4a4 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000"

WCAG 1.4.3

Page: /services/licenses-certificates WCAG 1.4.3

Element:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blue to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-size] duration-600 ease-in-out ho
```

1.00:1 ✗ CURRENT

#0047e2 on #0047e2

3.02:1 ✓ SUGGESTED

612-348-3000

#81a9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #81a9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "Renew your driver's license"

WCAG 1.4.3

Page: /services/licenses-certificates WCAG 1.4.3

Element:

```
<a href="/services/licenses-certificates/identification/drivers-license" class="text
-ui-blue text-xl font-medium relative inline-block bg-gradient-to-r from-ui-blue to-
ui-blue bg-[length:0%_2px] bg-le
```

1.00:1 ✗ CURRENT

#0047e2 on #0047e2

→

3.02:1 ✓ SUGGESTED

Renew your driver's license

#81a9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #81a9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Search WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /employees WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /government WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /media WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/licenses-certificates WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /subscribe WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN
Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /Search WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /Search WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /employees WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /employees WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /government WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /government WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:
outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0"
role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /media WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /media WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:
outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0"
role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/assistance WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/assistance WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/business-support WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/business-support WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/elections WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/elections WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/environment WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/environment WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:
outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0"
role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/grants-funding-opportunities WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/grants-funding-opportunities WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/justice-corrections WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/justice-corrections WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /services/licenses-certificates WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:
outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0"
role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /services/licenses-certificates WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /subscribe WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation] WCAG 1.3.1

Page: /subscribe WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /translation-help WCAG 4.1.2

Element:

```
<span class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focus:outline-3 focus:outline-ui-blue focus:rounded-[4px]" aria-hidden="true" tabindex="0" role="button" aria-label="Submi...
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=navigation]

WCAG 1.3.1

Page: /translation-help WCAG 1.3.1

Element:

```
<ol class="container flex items-center gap-2 w-full max-w-[1280px] px-4 mx-auto">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Focus jumps backward from "Emergency short-term help" to "Food assistance" (visual distance: 555px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: /services/assistance WCAG 2.4.3

Element:

```
<a>Food assistance</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /Search WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /Search WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /employees WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /employees WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /government WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /government WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /media WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /media WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/assistance WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/assistance WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/business-support WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/business-support WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/elections WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/elections WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/environment WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/environment WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/grants-funding-opportunities WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/grants-funding-opportunities WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/justice-corrections WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/justice-corrections WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 6 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/licenses-certificates WCAG 1.3.1

Element:

```
<!-- 6 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services/licenses-certificates WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /subscribe WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /subscribe WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "contentinfo" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /translation-help WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 5 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /translation-help WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Page should contain a level-one heading: Fix all of the following: Page must have a level-one heading

Page: /

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /Search

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /Search

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /Search

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /employees

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /employees

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /employees

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /government

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /government

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /government

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /media

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /media

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /media

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/assistance

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/assistance

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/assistance

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/business-support

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/business-support

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/business-support

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/elections

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/elections

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/elections

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/environment

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/environment

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/environment

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/grants-funding-opportunities

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/grants-funding-opportunities

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/grants-funding-opportunities

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/justice-corrections

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/justice-corrections

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/justice-corrections

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/licenses-certificates

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /services/licenses-certificates

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /services/licenses-certificates

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /subscribe

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /subscribe

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /subscribe

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /translation-help

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /translation-help

Element:

```
<div class="w-full bg-white mt-20 border-t border-gray-300" role="contentinfo" aria-label="Hennepin County Footer">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /translation-help

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transition-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Search WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /employees WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /government WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /media WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/licenses-certificates WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /subscribe WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
tabindex="0" href="/services">S
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "View all stories" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<a href="/government/news-events/stories-and-updates" class="h-[48px] min-w-[142px] inline-flex items-center justify-center text-white bg-ui-blue hover:bg-ui-blue-hover focus:bg-ui-blue-hover focus:ou
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /Search WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-controls="info-bar-details" aria-expanded="false" class="text-white underline underline-offset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /employees WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-controls="info-bar-details" aria-expanded="false" class="text-white underline underline-offset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /government WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /media WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/assistance WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/business-support WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/elections WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/environment WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/grants-funding-opportunities WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/justice-corrections WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /services/licenses-certificates WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /subscribe WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "How you know" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /translation-help WCAG 4.1.3

Element:

```
<button type="button" aria-label="How you know this website is official" aria-contro
ls="info-bar-details" aria-expanded="false" class="text-white underline underline-of
fset-2 hover:decoration-2 text-x
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Page requires horizontal scrolling at 320px width (1px overflow). Content should reflow without horizontal scrolling at this width.

WCAG 1.4.10

Page: / WCAG 1.4.10

Element:

```
<html>
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /services/licenses-certificates WCAG 1.4.12

Element:

```
<h2 class="sr-only">Navigation links</h2>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /services/licenses-certificates WCAG 1.4.12

Element:

```
<span class="sr-only">Facebook</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /services/licenses-certificates WCAG 1.4.12

Element:

```
<label class="sr-only" for="search">Search</label>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Page: /

Element:

```
<input type="text" id="desktop-search" name="Search" aria-required="true" required
="" placeholder="Search by keyword or phrase" class="h-15 md:h-16 w-full bg-white pr
-36 pl-12 placeholder-gray-600 rou
```

MEDIUM Stuck loading state: loading indicator CSS class on <img> persists after page readiness

Page: /media

Element:

```
<img alt="loading..." class="gd_loading_icon" src="https://content.govdelivery.com/a
ssets/ajax-loading-f6ecff617ec2ba7f559e6f535cad9b70a3f91120737535dab4d4548a6c83576c.
gif">
```

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /Search

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Search</p></
li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /employees

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Employees</p
></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /government

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Government</
p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /media

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Media</p></l
i>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Services</p>
</li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/assistance

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Assistance</
p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/assistance

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/business-support

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Business sup
port</p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/business-support

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/elections

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/elections

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Elections</p
></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/environment

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/environment

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Environment
</p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/grants-funding-opportunities

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-600 transition-opacity duration-300 hover:opacity-70" aria-current="page">Grants and funding opportunities</p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/grants-funding-opportunities

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/justice-corrections

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/justice-corrections

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-600 transition-opacity duration-300 hover:opacity-70" aria-current="page">Justice and corrections</p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/licenses-certificates

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-600 transition-opacity duration-300 hover:opacity-70" aria-current="page">Licenses and certificates</p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /services/licenses-certificates

Element:

```
<li role="navigation" class="hidden md:inline-flex items-center">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /subscribe

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Subscribe</p
></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role navigation is not allowed for given element

Page: /translation-help

Element:

```
<li role="navigation" class="inline-flex items-center"><p class="inline text-gray-60
0 transition-opacity duration-300 hover:opacity-70" aria-current="page">Translation
help</p></li>
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /employees

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /media

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/assistance

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/business-support

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/elections

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/environment

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/grants-funding-opportunities

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/justice-corrections

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /services/licenses-certificates

LOW Console warning: Couldn't load preload assets: ProgressEvent

Page: /translation-help

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /Search

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /employees

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /government

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /media

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/assistance

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/business-support

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/elections

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/environment

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/grants-funding-opportunities

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/justice-corrections

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /services/licenses-certificates

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /subscribe

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returns 403 Forbidden

Page: /translation-help

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Leaderboard Methodology

Generated by **Sonde** · April 11, 2026