Sonde

Accessibility Health Check

https://capitalone.com

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	900 **971** 1000

Excellent

May 26, 2026

Provided free by Sonde

https://daylight.sonde.tech/usfin/capitalone-com/

7 pages **114** findings **2** critical **15** high **89** medium **8** low **16.3** avg/page

2,500 elements **97** with findings **96.1%** ECR **3m 7s** total **26.8s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL Keyboard trap detected in dialog "Capital One Main Navigation". Focus cycles within 214 elements without escaping. 209 focusable elements in container. WCAG 2.1.2

Page: WCAG 2.1.2

Element:

```
<header role="dialog">Capital One Main Navigation</header>
```

CRITICAL Keyboard trap detected in nav "Cars for saleNew cars for saleUsed cars ". Focus cycles within 4 elements without escaping. 17 focusable elements in container. WCAG 2.1.2

Page: /cars/calculator WCAG 2.1.2

Element:

```
<nav role="nav">Cars for saleNew cars for saleUsed cars </nav>
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

HIGH Console warning: OneTag has encountered at least one warning. Please refer to the oneTag documentation on how to enable oneTag debug messages.

Page: /

Source: `https://onetms.capitalone.com/ot/ot.js:6` MEDIUM

HIGH Console warning: Newrelic action queued -> setCustomAttribute: app-version 0.1.757 (2 occurrences)

Page: /cars/calculator

Source: https://www.capitalone.com/cars/ocb-ui/search-assets/logger.BmHwsxRQ.js:0

MEDIUM

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

MEDIUM Page has 2 "contentinfo" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /cars/calculator WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 0 labeled -->
```

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /cars/calculator WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /

Element:

```
<html lang="en">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<img _ngcontent-web-shell...="" alt="FDIC-Insured - Backe..." lang="en-US" src="dat
a:image/png;base6..." class="gds-fdic-sign gds-fd...">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<h1 _ngcontent-web-shell-c1873906676="" tabindex="0" class="main-title visuallyhidde
n ng-star-inserted" aria-label="Explore Capital One’s Banking and Financial Service
s">Explore Capital One’s Banking ...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c2667954597="" class="card-overlay">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c553998024="" class="grv-shr-lib-row ng-tns-c553998024-0">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-
margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row"><div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-col headline"><h2 _ngcontent-web-shell-c347514875="" class="grv-shr-lib-text_...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c347514875="" role="tablist" class="interactive-features-tablist">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell...="" role="tabpanel" class="feature-image active..." id="activeImage0" aria-labelledby="tab0" style="background-image: ur...">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-0" class="grv-shr-lib-text field__label grv-shr-lib-text__body--tiny">Username</label>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<input _ngcontent-web-shell...="" type="text" id="ods-input-0" maxlength="50" name="ods-input-0" aria-label="Username" aria-describedby="us-login-auth-error-..." required="" class="login-username grv-...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-1" class="grv-shr-lib-text field__label grv-shr-lib-text__body--tiny">Password</label>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<input _ngcontent-web-shell...="" type="password" id="ods-input-1" maxlength="64" name="ods-input-1" aria-label="Password" aria-describedby="us-login-auth-error-..." required="" class="login-password ...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<input _ngcontent-web-shell-c2931505271="" type="checkbox" id="rememberMe" name="rem
emberMe" class="rem-checkbox ng-untouched ng-pristine ng-valid" data-initial-value
="">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<label _ngcontent-web-shell-c2931505271="" for="rememberMe" class="grv-shr-lib-text_
_body--tiny">Remember me</label>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c2931505271="" class="grv-shr-lib-col--sm-2 login-field ng
-star-inserted">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<a _ngcontent-web-shell...="" id="setUpAccess" class="asset-link set-up-ac..." data-
initial-value="Set up online access" href="https://verified.cap..." data-sonde-contr
ast-...="sonde-contrast-state......
```

MEDIUM The skip-link target should exist and be focusable: Fix any of the following: No skip link target

Page: /

Element:

```
<a _ngcontent-web-shell-c1855419180="" href="#default-id" class="site-header__skip-n
av"> Skip to main content
</a>
```

MEDIUM Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /cars/calculator

Element:

```
<footer class="bg-FsClrBrandPaletteMidnight font-sans text-white">
```

MEDIUM Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /cars/calculator

Element:

```
<footer>
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /cars/calculator

Element:

```
<nav class="hidden xl:flex order-2">
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/fair-and-building/" target="_self">
<span class="heading">Credit Building</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/fair-and-building/" target="_self" t
abindex="-1"><span class="sub-heading">Credit Level: Fair to Rebuilding</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/cash-back/" target="_self"><span cl
ass="heading">Cash Back Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/cash-back/" target="_self" tabindex
="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/travel-and-miles/" target="_self"><
span class="heading">Travel Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/travel-and-miles/" target="_self" ta
bindex="-1"><span class="sub-heading">Credit Level: Excellent to Good</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences WCAG 1.4.1

may not identify this as a link.

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/students/" target="_self"><span cla
ss="heading">Student Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/students/" target="_self" tabindex
="-1"><span class="sub-heading">Credit Level: Fair</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/small-business/credit-cards/" target="_self"><sp
an class="heading">Business Rewards</span></a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/small-business/credit-cards/" target="_self" tabi
ndex="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

MEDIUM The same link functionality is identified as "Car Research & Reviews" on https://www.capitalone.com/ and "All articles" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s0000414212" href="/cars/learn" data-analytics-tag-key="BASE_HEADER_VIEW
_ALL_ARTICLES" data-analytics-track-on="click" class="block focus:bg-FsClrBgBase1Hov
er hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmphNonePress py-2 rounded-[8px]
px-2 text-FsFontSize0_875x" data-testid="view-all-articles-button" data-analytics-ha
s-listener="true">All articles</a>
```

MEDIUM

The same link functionality is identified as "Shop for a Car" on https://www.capitalone.com/ and "Capital One Auto Navigator homepage" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a href="/cars" class="w-40" title="Auto Navigator homepage" aria-label="Capital One
Auto Navigator homepage" data-analytics-track-on="click" data-testid="link-to-auto-n
avigator-homepage"><svg data-hk="s000030" width="165" height="26" viewBox="0 0 165 2
6" fill="none" xmlns="http://www.w3.org/2000/svg"><path d="M83.7483 21.157L83.4624 1
8.781H79.6513L78.4347 21.157H77.1089L82.1912 11.593H83.7067L85.0456 21.157H83.7483ZM
80.1531 17.7983H83.335L82.7345 12.7706L80.1531 17.7983Z" fill="#013D5B" shape-r
```

MEDIUM

The same link functionality is identified as "Car Dealers Near You" on https://www.capitalone.com/ and "Car dealers" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s0000410212" href="/cars/dealers-near/" data-analytics-tag-key="BASE_HEA
DER_FIND_MY_DEALER" data-analytics-track-on="click" class="block focus:bg-FsClrBgBas
e1Hover hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmphNonePress py-2 rounded-
[8px] px-2 text-FsFontSize0_875x" data-testid="car-dealers-dropdown-desktop" data-an
alytics-has-listener="true">Car dealers</a>
```

MEDIUM

The same link functionality is identified as "Car Financing Resources" on https://www.capitalone.com/ and "Managing your money" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s0000411211" href="/cars/learn/managing-your-money-wisely" data-analytic
s-tag-key="BASE_HEADER_MANAGING_YOUR_MONEY" data-analytics-track-on="click" class="b
lock focus:bg-FsClrBgBase1Hover hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmph
NonePress py-2 rounded-[8px] px-2 text-FsFontSize0_875x" data-testid="managing-your-
money-dropdown" data-analytics-has-listener="true">Managing your money</a>
```

MEDIUM

The same link functionality is identified as "Pre-Qualify for an Auto Loan" on https://www.capitalone.com/ and "Get pre-qualified" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s00004112210" data-analytics-tag-key="BASE_HEADER_FINANCE_GET_PREQUALIFI
ED" data-analytics-track-on="click" data-testid="financing-get-prequalified-button"
class="flex xl:h-8 h-12 w-full xl:text-FsFontSize0_875x text-FsFontSize1x text-FsClr
ContentInteract xl:bg-FsClrBgInteractEmphHigh xl:text-FsClrWhite1000 outline-offset-
4 rounded-[8px] items-center justify-center px-4 py-[6px] font-FsFontWeightSemibold
leading-FsTypeLabelLineHeightSmall border-solid border border-FsClrContentIntera
```

MEDIUM

Navigation region "Credit Cards" is present on https://www.capitalone.com/ but missing on https://www.capitalone.com/cars/calculator. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /cars/calculator WCAG 3.2.3

Element:

```
<!-- missing: nav#card-menu-container -->
```

MEDIUM

Navigation "Cars for saleNew cars for saleUsed cars for saleCar dealersAll cars for saleFinancingCar payment calculatorManaging your moneyGetting a good dealAuto refinanceGet pre-qualifiedSell my carCar valueCar researchEV hubHow Auto Navigator worksAll articles" changes relative order between https://www.capitalone.com/ and https://www.capitalone.com/cars/calculator. Shared links appear as [Car dealers, Managing your money, Get pre-qualified, Car value, All articles] vs baseline [/cars/prequalify/, /cars/prequalify/, /cars/prequalify/, /cars/my-garage, /cars/my-garage, /cars/my-garage, Car Research & Reviews, Car Financing Resources, Car Dealers Near You, Car Dealers Near You].

WCAG 3.2.3

Page: /cars/calculator WCAG 3.2.3

Element:

```
<nav aria-label="Cars for saleNew cars for saleUsed cars for saleCar dealersAll cars for saleFinancingCar payment calculatorManaging your moneyGetting a good dealAuto refinanceGet pre-qualifiedSell my carCar valueCar researchEV hubHow Auto Navigator worksAll articles"><!-- site-set order mismatch --></nav>
```

MEDIUM Primary content surface "homepage-smart-banner" is only 0px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<homepage-smart-banner>
```

MEDIUM Element overflows viewport by 265px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobileAnimation mobile-feature-image" id="mobileActiveImage1" aria-label="" style="background-image: url(&amp;quot;https://ecm.capitalone.com
```

MEDIUM Element overflows viewport by 273px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div style="position: relative;"><span></span></div>
```

MEDIUM Element overflows viewport by 273px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div _ngcontent-web-shell-c347514875="" tabindex="0" class="mobile-feature ng-star-inserted" index="1"><bre-cms-edit-button _ngcontent-web-shell-c347514875="" class="ng-star-inserted"><div style="posi
```

MEDIUM Element overflows viewport by 265px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-she
ll-c347514875="" role="tabpanel" class="mobileAnimation mobile-feature-image" id="mo
bileActiveImage1" aria-label=""
```

MEDIUM Element overflows viewport by 265px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image-container"><div _ngconte
nt-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-shell-c347514875
="" role="tabpanel" class="mobil
```

MEDIUM Element overflows viewport by 226px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<p _ngcontent-web-shell-c347514875="" class="feature-description">Explore and redeem
your Capital One credit card rewards.</p>
```

MEDIUM Element overflows viewport by 273px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<p _ngcontent-web-shell-c347514875="" class="feature-headline" aria-label="Redeem yo
ur rewards."> Redeem your rewards </p>
```

MEDIUM Element overflows viewport by 216px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobileAnimation mobil
e-feature-image" id="mobileActiveImage1" aria-label="" style="background-image: url
(&amp;quot;https://ecm.capitalone.com
```

MEDIUM Element overflows viewport by 224px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div style="position: relative;"><span></span></div>
```

MEDIUM Element overflows viewport by 224px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div _ngcontent-web-shell-c347514875="" tabindex="0" class="mobile-feature ng-star-inserted" index="1"><bre-cms-edit-button _ngcontent-web-shell-c347514875="" class="ng-star-inserted"><div style="posi
```

MEDIUM Element overflows viewport by 216px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobileAnimation mobile-feature-image" id="mobileActiveImage1" aria-label=""
```

MEDIUM Element overflows viewport by 216px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div _ngcontent-web-shell-c347514875="" class="mobile-image-container"><div _ngcontent-web-shell-c347514875="" class="mobile-image"><div _ngcontent-web-shell-c347514875="" role="tabpanel" class="mobil
```

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<p _ngcontent-web-shell-c347514875="" class="feature-description">Explore and redeem your Capital One credit card rewards.</p>
```

MEDIUM Element overflows viewport by 224px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<p _ngcontent-web-shell-c347514875="" class="feature-headline" aria-label="Redeem yo
ur rewards."> Redeem your rewards </p>
```

MEDIUM Interactive control "#unav-l1-logo" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#unav-l1-logo>
```

MEDIUM Interactive control "a.grv-shr-lib-button--text-directional-right.grv-shr-lib-text--normal" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.grv-shr-lib-button--text-directional-right.grv-shr-lib-text--normal>
```

MEDIUM Interactive control "a.grv-shr-lib-card__link--expand.featured-card__link" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.grv-shr-lib-card__link--expand.featured-card__link>
```

MEDIUM Interactive control "a.tile-content-button.grv-shr-lib-button--text-directional-right" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.tile-content-button.grv-shr-lib-button--text-directional-right>
```

MEDIUM Page requires horizontal scrolling at Tablet (768px width, 15px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

MEDIUM Interactive control "#forgotUnpw" is only 15px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#forgotUnpw>
```

MEDIUM Interactive control "#noAcctSubmit" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#noAcctSubmit>
```

MEDIUM Interactive control "#ods-input-0" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#ods-input-0>
```

MEDIUM Interactive control "#ods-input-1" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#ods-input-1>
```

MEDIUM Interactive control "#rememberMe" is only 14px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#rememberMe>
```

MEDIUM Interactive control "#setUpAccess" is only 18px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#setUpAccess>
```

MEDIUM Interactive control "a.remember-info" is only 15px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.remember-info>
```

MEDIUM Content clipped by 335px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<h1 _ngcontent-web-shell-c1873906676="" tabindex="0" class="main-title visuallyhidde
n ng-star-inserted" aria-label="Explore Capital One’s Banking and Financial Service
s">Explore Capital One’s Banking
```

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 21px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /cars/calculator WCAG 1.4.10

Element:

```
<html lang="und">
```

MEDIUM Interactive control "#estimatedAPR" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<#estimatedAPR>
```

MEDIUM Interactive control "#loanAmount" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<#loanAmount>
```

MEDIUM Interactive control "a.group.flex" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<a.group.flex>
```

MEDIUM Interactive control "a.underline.text-FsClrBgInteractEmphMedium" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<a.underline.text-FsClrBgInteractEmphMedium>
```

MEDIUM Interactive control "a.w-40" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<a.w-40>
```

MEDIUM Interactive control "button.cursor-pointer" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<button.cursor-pointer>
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Page: /cars/calculator

Element:

```
<button data-hk="s5000020010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Page: /cars/calculator

Element:

```
<button data-hk="s5000021010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Page: /cars/calculator

Element:

```
<button data-hk="s5000022010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

LOW Broken link: https://verified.capitalone.com/auth/signin returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://verified.capitalone.com/auth/signin">Sign In</a>
```

LOW Broken link: https://verified.capitalone.com/enroll/pii returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://verified.capitalone.com/enroll/pii">Activate Your Account</a>
```

LOW Broken link: https://verified.capitalone.com/sign-in-help/ returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://verified.capitalone.com/sign-in-help/">Forgot username or password?
</a>
```

LOW Broken link: https://www.x.com/askcapitalone returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.x.com/askcapitalone">Reach @AskCapitalOne</a>
```

LOW Broken link: https://x.com/capitalone/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://x.com/capitalone/">X</a>
```

LOW Link timeout: unsafe:javascript:void(0); did not respond within 5000ms after 8 attempts

Page: /

Element:

```
<a href="unsafe:javascript:void(0);">Benefits &amp; Tools</a>
```

LOW Unreachable link: https://smart.link/qpqs440wc5g68?cp_0=c1lp&cp_1=card_menu_control&cp_2=header&cp_4=usa&creative_id=card_header_control (Unknown error) after 2 attempts

Page: /

Element:

```
<a href="https://smart.link/qpqs440wc5g68?cp_0=c1lp&amp;cp_1=card_menu_control&amp;cp_2=header&amp;cp_4=usa&amp;creative_id=card_header_control">Capital One Shopping</a
>
```

LOW Link timeout: https://www.capitalone.com/cars/learn/getting-a-good-deal/simpleinterest-car-loans-what-you-need-to-know/2509 did not respond within

5000ms after 2 attempts

Page: /cars/calculator

Element:

```
<a href="https://www.capitalone.com/cars/learn/getting-a-good-deal/simpleinterest-car-loans-what-you-need-to-know/2509">simple interest</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We publish the methodology and invite public feedback because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue