Sonde

Accessibility Health Check

https://www.cityoffortwayne.org

Sonde Score

Higher is better

0	Getting Started 0–349	Needs Attention 350–549	Progressing 550–749	Strong 750–899	Excellent 900–1000

Getting Started

May 26, 2026

Provided free by Sonde

https://daylight.sonde.tech/usgov/cityoffortwayne-org/

0 pages **0** findings **0** critical **0** high **0** medium **0** low **0** avg/page **55.5s** total **0ms** per page

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We publish the methodology and invite public feedback because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue