Sonde

Control de salud de accesibilidad

https://hennepin.us

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	952 – 1000

Excellent

May 26, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.tech/usgov/hennepin-us/

9 pages **185** findings **12** critical **28** high **134** medium **11** low **20.6** avg/page

3,890 elements **57** with findings **98.5%** ECR **3m 22s** total **22.5s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/assistance WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/business-support WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/elections WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/environment WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/grants-funding-opportunities WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/justice-corrections WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /translation-help WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000" WCAG 1.4.3

Página: /services WCAG 1.4.3

Elemento:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blu
e to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-s
ize] duration-600 ease-in-out ho
```

CRITICAL Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook" WCAG 1.4.3

Página: /services WCAG 1.4.3

Elemento:

```
<span class="sr-only">Facebook</span>
```

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "Learn about home repair loans" WCAG 1.4.3

Página: /services/grants-funding-opportunities WCAG 1.4.3

Elemento:

```
<a href="/services/grants-funding-opportunities/home-repair-maintenance-loans" class
="text-ui-blue text-xl font-medium relative inline-block bg-gradient-to-r from-ui-bl
ue to-ui-blue bg-[length:0%_2px]
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/assistance WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/business-support WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/elections WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/environment WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/grants-funding-opportunities WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/justice-corrections WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /translation-help WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/assistance WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/business-support WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/elections WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/grants-funding-opportunities WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least

WCAG 2.5.8

24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

Página: /services/justice-corrections WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Página: /translation-help WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/assistance WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Emergency short-term help" to "Food assistance" (visual distance: 551px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/assistance WCAG 2.4.3

Elemento:

```
<a>Food assistance</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/business-support WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/elections WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/environment WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/grants-funding-opportunities WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /services/justice-corrections WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

HIGH Focus jumps backward from "Justice and corrections" to "Licenses and certificates" (visual distance: 503px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /translation-help WCAG 2.4.3

Elemento:

```
<a>Licenses and certificates</a>
```

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/assistance WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/business-support WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/elections WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/environment WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/grants-funding-opportunities WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/justice-corrections WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /translation-help WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/assistance

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/business-support

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/elections

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/environment

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/grants-funding-opportunities

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/justice-corrections

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences WCAG 1.4.1

may not identify this as a link.

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services" data-sonde-con
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

MEDIUM

The same link functionality is identified as "Services" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Assistance" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/assistance. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/assistance WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Business support" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/business-support. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/business-support WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Elections" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/elections. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/elections WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Environment" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/environment. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/environment WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Grants and funding opportunities" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/grants-funding-opportunities. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/grants-funding-opportunities WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Justice and corrections" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/justice-corrections.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Página: /services/justice-corrections WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "languageTranslation help" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/translation-help. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /translation-help WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

MEDIUM

Interactive control "a" is only 20px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a>
```

MEDIUM

Interactive control "a.focus:rounded-[4px].focus:outline-offset-8" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.focus:rounded-[4px].focus:outline-offset-8>
```

MEDIUM

Interactive control "a.text-ui-blue.hover:text-ui-blue-hover" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.hover:text-ui-blue-hover>
```

MEDIUM Interactive control "a.text-ui-blue.ml-2" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.ml-2>
```

MEDIUM Interactive control "a.w-full.flex" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.w-full.flex>
```

MEDIUM Interactive control "button.cursor-default.text-ui-blue" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.cursor-default.text-ui-blue>
```

MEDIUM Interactive control "button.cursor-pointer.transition-all" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.cursor-pointer.transition-all>
```

MEDIUM Interactive control "button.text-2xl.text-gray-700" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.text-2xl.text-gray-700>
```

MEDIUM Interactive control "button.text-white.underline" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.text-white.underline>
```

MEDIUM Interactive control "a.block.px-4" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.block.px-4>
```

MEDIUM Interactive control "a.ml-auto.text-xs" is only 24px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.ml-auto.text-xs>
```

MEDIUM Interactive control "a.px-3.py-2" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.px-3.py-2>
```

MEDIUM Interactive control "button.ml-1.relative" is only 20px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.ml-1.relative>
```

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /services/environment WCAG 1.4.12

Elemento:

```
<h2 class="sr-only">Navigation links</h2>
```

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /services/environment WCAG 1.4.12

Elemento:

```
<span class="sr-only">Facebook</span>
```

MEDIUM Interactive control "a.text-ui-blue.hover:text-ui-blue-hover" is only 24px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/justice-corrections WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.hover:text-ui-blue-hover>
```

MEDIUM Interactive control "a.text-ui-blue.text-base" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /translation-help WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.text-base>
```

MEDIUM Page requires horizontal scrolling at Tablet (768px width, 46px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Página: /translation-help WCAG Sonde responsive contract

Elemento:

```
<html lang="und">
```

MEDIUM Element overflows viewport by 31px at Tablet (768px width). WCAG Sonde responsive contract

Página: /translation-help WCAG Sonde responsive contract

Elemento:

```
<hr class="text-gray-300 w-[252px] h-[1px] my-2">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /

Elemento:

```
<input type="text" id="desktop-search" name="Search" aria-required="true" required
="" placeholder="Search by keyword or phrase" class="h-15 md:h-16 w-full bg-white pr
-36 pl-12 placeholder-gray-600 rou
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/assistance

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/business-support

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/elections

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/environment

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Link timeout: https://www.hennepincounty.gov/services/environment/environmental-education did not respond within 5000ms after 2 attempts

Página: /services/environment

Elemento:

```
<a href="https://www.hennepincounty.gov/services/environment/environmental-educatio
n">Environmental educationchevron_right</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/grants-funding-opportunities

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Link timeout: https://www.hennepincounty.gov/services/grants-funding-opportunities#main-content did not respond within 5000ms after 2 attempts

Página: /services/grants-funding-opportunities

Elemento:

```
<a href="https://www.hennepincounty.gov/services/grants-funding-opportunities#main-c
ontent">Skip to main content</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/justice-corrections

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /translation-help

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Publicamos la metodología e invitamos a la opinión pública porque la accesibilidad es demasiado importante para tomar decisiones a puerta cerrada.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo