Sonde

Control de salud de accesibilidad

https://section508.gov

Sonde Score

Higher is better

Getting Started	Needs Attention	Progressing	Strong	Excellent
0–349	350–549	550–749	750–899	900 **982** 1000

Excellent

May 26, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.tech/usgov/section508-gov/

17 pages **218** findings **0** critical **18** high **176** medium **24** low **12.8** avg/page

4,541 elements **41** with findings **99.1%** ECR **4m 44s** total **16.7s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 4 (foreground color: #0076d6, background color: #efefef, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Página: / WCAG 1.4.3

Elemento:

```
<button type="button" class="text-blue" id="toggle-backlog" aria-expanded="false" ar
ia-controls="backlog" data-sonde-contrast-state-id="sonde-contrast-state-60" data-so
nde-contrast-state-owned="true">...
```

HIGH Missing Content-Security-Policy header

Página: /

HIGH Missing Content-Security-Policy header

Página: /contributors/

HIGH Missing Content-Security-Policy header

Página: /contributors/dhs.html

HIGH Missing Content-Security-Policy header

Página: /contributors/ed.html

HIGH Missing Content-Security-Policy header

Página: /contributors/fcc.html

HIGH Missing Content-Security-Policy header

Página: /contributors/fhwa.html

HIGH Missing Content-Security-Policy header

Página: /contributors/frith-chet.html

HIGH Missing Content-Security-Policy header

Página: /contributors/gsa.html

HIGH Missing Content-Security-Policy header

Página: /contributors/haileselassie.html

HIGH Missing Content-Security-Policy header

Página: /contributors/hhs.html

HIGH Missing Content-Security-Policy header

Página: /contributors/lovley.html

HIGH Missing Content-Security-Policy header

Página: /contributors/martin-beth.html

HIGH Missing Content-Security-Policy header

Página: /contributors/mcgland-denise.html

HIGH Missing Content-Security-Policy header

Página: /contributors/nasa.html

HIGH Missing Content-Security-Policy header

Página: /contributors/opm.html

HIGH Missing Content-Security-Policy header

Página: /contributors/procter.html

HIGH Missing Content-Security-Policy header

Página: /contributors/sirk.html

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Página: /contributors/

Elemento:

```
<html lang="en" class="">
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /contributors/

Elemento:

```
<p>This site includes content developed in collaboration with other agencies and/or
content that is directly contributed by members of the federal IT accessibility comm
unity. Our growning list of cont...
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /contributors/

Elemento:

```
<p>
```

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /contributors/

Elemento:

```
<div id="contributor-tab" class="contribs-tab">
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/dhs.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/dhs.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/dhs.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/dhs.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/dhs.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/dhs.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/dhs.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Departm
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ed.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ed.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ed.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ed.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ed.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/ed.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/ed.html" class="usa-breadcrumb__link padding-y-1" data-url-ap
pended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-cont
rast-state-owned="true">Departme
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fcc.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fcc.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fcc.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fcc.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fcc.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fcc.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/fcc.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Federal
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fhwa.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fhwa.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fhwa.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fhwa.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fhwa.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/fhwa.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/fhwa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-state-owned="true">Federa
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/frith-chet.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="true">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/frith-chet.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contrast-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/frith-chet.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/frith-chet.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/frith-chet.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/frith-chet.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/frith-chet.html" class="usa-breadcrumb__link" data-url-append
ed="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast
-state-owned="true">Chet Frith<s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/gsa.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/gsa.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/gsa.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/gsa.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/gsa.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/gsa.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/gsa.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">General
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/haileselassie.html" class="usa-breadcrumb__link" data-url-app
ended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contr
ast-state-owned="true">Antonio H
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/haileselassie.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/hhs.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/hhs.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency's
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/hhs.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/hhs.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/hhs.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/hhs.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/hhs.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Departm
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/lovley.html" class="usa-breadcrumb__link" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-s
tate-owned="true">Rebecca Lovley<s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/lovley.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/lovley.html" class="text-no-underline text-primary-dark margi
n-left-05" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-sta
te-15" data-sonde-contrast-state
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="true">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/martin-beth.html" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-state-owned="true">Beth Martin
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/martin-beth.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/martin-beth.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contribu
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/mcgland-denise.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-sonde-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="true">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/mcgland-denise.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/mcgland-denise.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/mcgland-denise.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/mcgland-denise.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/mcgland-denise.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/mcgland-denise.html" class="usa-breadcrumb__link" data-url-ap
pended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-cont
rast-state-owned="true">Denise M
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/nasa.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/nasa.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/nasa.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/nasa.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/nasa.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/nasa.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/nasa.html" class="usa-breadcrumb__link padding-y-1" data-url-
appended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-co
ntrast-state-owned="true">Nation
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/opm.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/opm.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/opm.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/opm.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true" data-s
onde-contrast-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="tr
ue">Home<span class="appended-ur
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/opm.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-s
tate-owned="true">Contributors<sp
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/opm.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/opm.html" class="usa-breadcrumb__link padding-y-1" data-url-a
ppended="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-con
trast-state-owned="true">Office
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/procter.html" class="usa-breadcrumb__link" data-url-appended
="true" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-s
tate-owned="true">Justen Proctor<
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark marg
in-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (http
s://www.section508.gov/contribut
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/procter.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark marg
in-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (http
s://www.section508.gov/contribut
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)" data-son
de-contrast-state-id="sonde-contrast-state-8" data-sonde-contrast-state-owned="tru
e">What's New!</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi
gate(this)" data-sonde-contrast-state-id="sonde-contrast-state-9" data-sonde-contras
t-state-owned="true">My Agency’s
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)" da
ta-sonde-contrast-state-id="sonde-contrast-state-10" data-sonde-contrast-state-owned
="true">Content Library</a>
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true" data-sonde-contras
t-state-id="sonde-contrast-state-11" data-sonde-contrast-state-owned="true">Home<spa
n class="appended-url"> (https:/
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true" data-
sonde-contrast-state-id="sonde-contrast-state-12" data-sonde-contrast-state-owned="t
rue">Contributors<span class="ap
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/sirk.html" class="usa-breadcrumb__link" data-url-appended="tr
ue" data-sonde-contrast-state-id="sonde-contrast-state-13" data-sonde-contrast-state
-owned="true">Betsy Sirk<span cl
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dar
k margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appende
d-url"> (https://www.section508.
```

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /contributors/sirk.html WCAG 1.4.1

Elemento:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-
left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://ww
w.section508.gov/contributors/sir
```

MEDIUM

The same link functionality is identified as "Section508.gov site Contributors" on https://www.section508.gov/ and "Skip to main content" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/ WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/ WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/ WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Department of Homeland Security (DHS)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/dhs.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/dhs.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/dhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/dhs.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Department of Education (ED)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/ed.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/ed.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/ed.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/ed.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Federal Communications Commission (FCC)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/fcc.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/fcc.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/fcc.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/fcc.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Federal Highway Administration (FHWA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/fhwa.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/fhwa.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/fhwa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/fhwa.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Chet Frith" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/frith-chet.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/frith-chet.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/frith-chet.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/frith-chet.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "General Services Administration (GSA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/gsa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/gsa.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/gsa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/gsa.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Antonio Haileselassie" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/haileselassie.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/haileselassie.html.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Página: /contributors/haileselassie.html WCAG 3.2.4

Elemento:

```
<a href="/sell/acr-vpat-faq/" class="usa-button" aria-label="View Page: Accessibilit
y Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Ask
ed Questions (FAQ)" data-url-appended="true">View Page<span class="appended-url"> (h
ttps://www.section508.gov/sell/acr-vpat-faq/)</span></a>
```

MEDIUM

The same link functionality is identified as "Create an ACR Using a VPAT®" on https://www.section508.gov/ and "View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/haileselassie.html WCAG 3.2.4

Elemento:

```
<a href="/sell/how-to-create-acr-with-vpat/" class="usa-button" aria-label="View Pag
e: How to Create an Accessibility Conformance Report Using A Voluntary Product Acces
sibility Template (VPAT®)" data-url-appended="true">View Page<span class="appended-u
rl"> (https://www.section508.gov/sell/how-to-create-acr-with-vpat/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/haileselassie.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/haileselassie.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/haileselassie.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Department of Health and Human Services (HHS)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/hhs.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/hhs.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/hhs.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/hhs.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Rebecca Lovley" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/lovley.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Risk Management and Risk Model for Information and Communication Technology (ICT)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Risk Management and Risk Model for Information and Communication Technology (ICT)" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/lovley.html WCAG 3.2.4

Elemento:

```
<a href="/blog/Accessibility-risk-management-and-model/" class="usa-button" aria-lab
el="View Page: Accessibility Risk Management and Risk Model for Information and Comm
unication Technology (ICT)" data-url-appended="true" data-sonde-contrast-state-id="s
onde-contrast-state-16" data-sonde-contrast-state-owned="true">View Page<span class
="appended-url"> (https://www.section508.gov/blog/Accessibility-risk-management-and-
model/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/lovley.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/lovley.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/lovley.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Beth Martin" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/martin-beth.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Tips for Usability Testing with People with Disabilities" on https://www.section508.gov/contributors/ and "View Page: Tips for Usability Testing with People with Disabilities" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/martin-beth.html WCAG 3.2.4

Elemento:

```
<a href="/test/usability-testing-with-people-with-disabilities/" class="usa-button"
aria-label="View Page: Tips for Usability Testing with People with Disabilities" dat
a-url-appended="true">View Page<span class="appended-url"> (https://www.section508.g
ov/test/usability-testing-with-people-with-disabilities/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/martin-beth.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on

WCAG 3.2.4

https://www.section508.gov/contributors/martin-beth.html. Components with the same function should use consistent names within the same locale.

Página: /contributors/martin-beth.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Denise McGland" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/mcgland-denise.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/mcgland-denise.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/mcgland-denise.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/mcgland-denise.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "National Aeronautics and Space Administration (NASA)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/nasa.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/nasa.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/nasa.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/nasa.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Office of Personnel Management (OPM)" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/opm.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/opm.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/opm.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/opm.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Justen Proctor" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/procter.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility In Procurement I: Pre-Soliciation" on https://www.section508.gov/contributors/ and "View Page: Accessibility In Procurement I: Pre-Soliciation" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/procter.html WCAG 3.2.4

Elemento:

```
<a href="/buy/accessibility-in-procurement-pre-solicitation-1/" class="usa-button" a
ria-label="View Page: Accessibility In Procurement I: Pre-Soliciation" data-url-appe
nded="true">View Page<span class="appended-url"> (https://www.section508.gov/buy/acc
essibility-in-procurement-pre-solicitation-1/)</span></a>
```

MEDIUM

The same link functionality is identified as "Accessibility In Procurement II: Solicitation & Post-Solicitation" on https://www.section508.gov/contributors/ and "View Page: Accessibility In Procurement II: Solicitation & Post-Solicitation" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/procter.html WCAG 3.2.4

Elemento:

```
<a href="/buy/accessibility-in-procurement-solicitation-post-2/" class="usa-button"
aria-label="View Page: Accessibility In Procurement II: Solicitation &amp;amp; Post-Soli
citation" data-url-appended="true">View Page<span class="appended-url"> (https://ww
w.section508.gov/buy/accessibility-in-procurement-solicitation-post-2/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/procter.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/procter.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/procter.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

The same link functionality is identified as "Betsy Sirk" on https://www.section508.gov/contributors/ and "Skip to main content" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/sirk.html WCAG 3.2.4

Elemento:

```
<a class="usa-skipnav" href="#main-content">Skip to main content</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/ and "View Page: Accessibility Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Asked Questions (FAQ)" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/sirk.html WCAG 3.2.4

Elemento:

```
<a href="/sell/acr-vpat-faq/" class="usa-button" aria-label="View Page: Accessibilit
y Conformance Report/Voluntary Product Accessibility Template (VPAT®) Frequently Ask
ed Questions (FAQ)" data-url-appended="true">View Page<span class="appended-url"> (h
ttps://www.section508.gov/sell/acr-vpat-faq/)</span></a>
```

MEDIUM

The same link functionality is identified as "Create an ACR Using a VPAT®" on https://www.section508.gov/ and "View Page: How to Create an Accessibility Conformance Report Using A Voluntary Product Accessibility Template (VPAT®)" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/sirk.html WCAG 3.2.4

Elemento:

```
<a href="/sell/how-to-create-acr-with-vpat/" class="usa-button" aria-label="View Pag
e: How to Create an Accessibility Conformance Report Using A Voluntary Product Acces
sibility Template (VPAT®)" data-url-appended="true">View Page<span class="appended-u
rl"> (https://www.section508.gov/sell/how-to-create-acr-with-vpat/)</span></a>
```

MEDIUM

The same link functionality is identified as "About Us in Our Mission" on https://www.section508.gov/ and "About Us in Organization" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/sirk.html WCAG 3.2.4

Elemento:

```
<a href="/about-us/" aria-label="About Us in Organization" onclick="return navigate
(this)">About Us</a>
```

MEDIUM

The same link functionality is identified as "Accessibility Requirements Tool (ART)" on https://www.section508.gov/ and "Accessibility Requirements Tool" on https://www.section508.gov/contributors/sirk.html. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /contributors/sirk.html WCAG 3.2.4

Elemento:

```
<a href="/art/" aria-label="Accessibility Requirements Tool" target="_blank" onclick
="return navigate(this)">ART</a>
```

MEDIUM

Interactive control "#btn-contrib" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /contributors/ WCAG 2.5.8

Elemento:

```
<#btn-contrib>
```

MEDIUM

Interactive control "#btn-agency" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /contributors/ WCAG 2.5.8

Elemento:

```
<#btn-agency>
```

MEDIUM

Primary content surface "main" is only 992px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier.

WCAG Sonde responsive contract

Página: /contributors/mcgland-denise.html WCAG Sonde responsive contract

Elemento:

```
<main>
```

MEDIUM Interactive control "a.usa-breadcrumb__link" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /contributors/mcgland-denise.html WCAG 2.5.8

Elemento:

```
<a.usa-breadcrumb__link>
```

MEDIUM Interactive control "a.usa-skipnav" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /contributors/mcgland-denise.html WCAG 2.5.8

Elemento:

```
<a.usa-skipnav>
```

MEDIUM Interactive control "button.usa-accordion__button.usa-banner__button" is only 14px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /contributors/mcgland-denise.html WCAG 2.5.8

Elemento:

```
<button.usa-accordion__button.usa-banner__button>
```

MEDIUM Interactive control "a.usa-breadcrumb__link.padding-y-1" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /contributors/nasa.html WCAG 2.5.8

Elemento:

```
<a.usa-breadcrumb__link.padding-y-1>
```

MEDIUM Interactive control "a.text-no-underline.text-primary-dark" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /contributors/procter.html WCAG 2.5.8

Elemento:

```
<a.text-no-underline.text-primary-dark>
```

MEDIUM Interactive control "a.usa-button" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /contributors/procter.html WCAG 2.5.8

Elemento:

```
<a.usa-button>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.ssa.gov/accessibility/andi/help/install.html returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.ssa.gov/accessibility/andi/help/install.html">ANDI (Accessible
Name &amp;amp; Description Inspector)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/dhs.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/ed.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www2.ed.gov/about/landing.jhtml returned status 404 Not Found after 1 attempts

Página: /contributors/ed.html

Elemento:

```
<a href="https://www2.ed.gov/about/landing.jhtml">https://www2.ed.gov/about/ (http
s://www2.ed.gov/about/landing.jhtml)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/fcc.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Link timeout: https://www.fcc.gov/about/overview did not respond within 5000ms after 2 attempts

Página: /contributors/fcc.html

Elemento:

```
<a href="https://www.fcc.gov/about/overview">https://www.fcc.gov/about/overview (htt
ps://www.fcc.gov/about/overview)</a>
```

LOW Broken link: https://highways.dot.gov/about/about-fhwa returned status 403 Forbidden after 1 attempts

Página: /contributors/fhwa.html

Elemento:

```
<a href="https://highways.dot.gov/about/about-fhwa">https://highways.dot.gov/about/a
bout-fhwa (https://highways.dot.gov/about/about-</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/fhwa.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/frith-chet.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/about-us/organization/federal-acquisition-service/technology-transformation-services returned status 404 Not Found after 1 attempts

Página: /contributors/gsa.html

Elemento:

```
<a href="https://www.gsa.gov/about-us/organization/federal-acquisition-service/techn
ology-transformation-services">https://www.gsa.gov/about-us/organization/federal-acq
uisition-service/technology</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/gsa.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/haileselassie.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/hhs.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.hhs.gov/about/index.html returned status 403 Forbidden after 1 attempts

Página: /contributors/hhs.html

Elemento:

```
<a href="https://www.hhs.gov/about/index.html">https://www.hhs.gov/about/ (https://w
ww.hhs.gov/about/index.html)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/lovley.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/martin-beth.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/mcgland-denise.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/nasa.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/opm.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.opm.gov/about-us/our-mission-role-history/ returned status 404 Not Found after 1 attempts

Página: /contributors/opm.html

Elemento:

```
<a href="https://www.opm.gov/about-us/our-mission-role-history/">https://www.opm.go
v/about-us/our-mission-role-history/ (https://www.opm.gov/abou</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/procter.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Página: /contributors/sirk.html

Elemento:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Publicamos la metodología e invitamos a la opinión pública porque la accesibilidad es demasiado importante para tomar decisiones a puerta cerrada.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo