

Ubuntu Linux Administration: Operation of Running Systems

Controlling Server Shutdown and Reboot



Andrew Mallett

Author and Trainer

@theurbanpenguin www.theurbanpenguin.com



Overview



Welcome to Operating Ubuntu Linux

Course Overview

- Rebooting, stopping Linux
- Starting Linux and GRUB
- Managing Services and Software
- Processes and Job Scheduling
- AppArmor

In this Module

- Shutdown
- `/etc/nologin`
- Reboot / Poweroff





Lab Setup

Ubuntu Linux Administration: Essential Commands


Andrew Mallett



Shutdown



Shutdown / Reboot



Using Vagrant as a virtual machine manager, we can shutdown the system from the VM host CLI. This sends signals to the VM guest but is not working directly on the guest system. We will now concentrate on the Linux sides of management.




```
$ sudo shutdown -r now
$ sudo shutdown -h +30
$ sudo shutdown -c
$ sudo shutdown -h 17:30 "System will shutdown at 5.30 this afternoon"
$ man 8 shutdown
```

Planned Shutdown

The advantage of the shutdown command is that it can be scheduled for sometime in the future.

```
$ echo "We are maintaining your Linux System" | sudo tee /etc/nologin
```

Prevent Non-Root Login

If the system is down for maintenance creating the file `/etc/nologin`, this stops non-root logins. The file is removed on a reboot!

Demo



Investigate System Maintenance:

- Using the shutdown command
- Preventing non-root logins during maintenance




```
$ ls -l $(which poweroff)  
$ man poweroff
```

Poweroff / Reboot

If we need a non-scheduled event then we have direct access to systemctl to immediately reboot or poweroff a system.

Demo



Investigate Reboot/Poweroff:

- reboot
- poweroff



Summary



Course Overview

- Rebooting, stopping Linux
- Starting Linux and GRUB
- Managing Services and Software
- Processes and Job Scheduling
- AppArmor

In this Module

- Shutdown
- `/etc/nologin`
- Reboot / Poweroff



Up Next:

Understanding the GRUB Bootloader

