

# How to create a Dataproc cluster

So far, you've learned that Dataproc is a fully managed service that maximizes open-source data tools for batch processing, querying, streaming, and machine learning. Dataproc allows you to create clusters of several machines instead of utilizing a single server. It also allows you to manage clusters and turn them off, which can increase scalability, and simplify management. In this reading, you'll learn how to create a Dataproc cluster.


## Prepare for a cluster

Before you enable a cluster, you'll need to open a project in the Google Cloud console. Then, you'll need to Enable the Dataproc API.


## Create a cluster

Once you've enabled the Dataproc API, follow these steps:


1. Navigate to the Dataproc Clusters page.




2. Click CREATE CLUSTER.




3. Navigate to the Create Dataproc cluster dialogue. Click CREATE in the Cluster on Compute engine row.



4. Enter a name in the Cluster Name field.



5. Select a Region and Zone.



6. Click Create to create the cluster.

**Note:** Dataproc Serverless eliminates the need for clusters altogether.

## Key takeaways

You can create a Dataproc cluster directly in the Google Cloud Console. Once you activate the Dataproc API, you can set up your cluster by filling in the requirements for your project.

## Resources for more information

Google Cloud documentation provides more extensive information about creating a Dataproc cluster:

- Access the Google Cloud documentation including direct links to the Google Cloud console: <https://cloud.google.com/dataproc/docs/quickstarts/create-cluster-console#>