

FEATURE SHOWCASE



Canvas Layout Engine

Declarative. Multi-page. Node.js & browser.

TOPICS

- Page Layout

Multi-Page PDF

Tab Stops

Text Orientation

Lists

Borders

March 2026

01 – PAGE LAYOUT

Multi-Page PDF Engine

Automatic page breaking, repeating headers and footers, margins, and explicit page breaks.

AUTOMATIC BREAKING Smart page splitting computePageBreaks() walks the Yoga layout tree to find clean split points at block boundaries. Leaf nodes and avoid-marked elements are kept atomic – no mid-element cuts.	PAGEBREAK() NODE Explicit breaks A zero-height Column with pageBreak("before") that forces a new page at any position in the layout tree. Use wherever a hard break is needed.								
HEADER & FOOTER Repeating bands Pass a static SoneNode or a function (info: SonePageInfo) => SoneNode. Each band is clipped to its own vertical slice and composited onto every page canvas.	MARGINS Per-side control margin accepts a uniform number or an object { top, right, bottom, left }. Left and right expand the canvas; top and bottom inset the content band.								
PAGEBREAK PROP <table><tr><th>Value</th><th>Effect</th></tr><tr><td>"before"</td><td>Force a page break before this element</td></tr><tr><td>"after"</td><td>Force a page break after this element</td></tr><tr><td>"avoid"</td><td>Keep the element on a single page – atomic</td></tr></table>		Value	Effect	"before"	Force a page break before this element	"after"	Force a page break after this element	"avoid"	Keep the element on a single page – atomic
Value	Effect								
"before"	Force a page break before this element								
"after"	Force a page break after this element								
"avoid"	Keep the element on a single page – atomic								
LASTPAGEHEIGHT <table><tr><td> "uniform" Default. All page canvases share the same height – ideal for PDF where consistent dimensions are required. </td><td> "content" The last page canvas is trimmed to its actual content height – useful when generating individual page images. </td></tr></table>		"uniform" Default. All page canvases share the same height – ideal for PDF where consistent dimensions are required.	"content" The last page canvas is trimmed to its actual content height – useful when generating individual page images.						
"uniform" Default. All page canvases share the same height – ideal for PDF where consistent dimensions are required.	"content" The last page canvas is trimmed to its actual content height – useful when generating individual page images.								

02 – TYPOGRAPHY

Text Layout Features

Tab stops, text orientation, whitespace preservation, and custom fonts.

TAB STOPS

Column alignment without a Table node

\t characters snap to predefined x positions via .tabStops(). Useful for financial statements, receipts, and aligned data.

INCOME STATEMENT – Q1 2026

Account	Q1 2026	Q4 2025	%
Revenue	\$9.4 M	\$7.2 M	+31%

Cost of Revenue	\$2.1 M	\$1.8 M	+17%
Gross Profit	\$7.3 M	\$5.4 M	+35%
Operating Expenses	\$4.6 M	\$4.1 M	+12%
Net Income	\$2.7 M	\$1.3 M	+108%

ORIENTATION

Layout-aware text rotation

Text can be rotated 0°/90°/180°/270°. At 90° and 270° the Yoga footprint swaps width and height so surrounding elements flow naturally around the rotated block.

0° Normal	90° Clockwise	180° Flipped	270° Counter-CW
---------------------------------	-------------------------------------	------------------------------------	---------------------------------------

WHITESPACE

Preserve leading & trailing spaces

Text nodes no longer trim whitespace at wrap boundaries. Intentional spacing within Span sequences is faithfully preserved.

BEFORE Hello · World Spaces trimmed at wrap points	AFTER Hello · World Whitespace preserved as written
---	--

CUSTOM FONT – KHMER

កម្ពុជាខ្មែរ

Sone supports custom font loading via `Font.load()`. Any language or script can be rendered by registering the appropriate typeface.

HEADLINE កម្ពុជាខ្មែរ Canvas Canvas Layout Engine	BODY កម្ពុជាខ្មែរ Canvas កម្ពុជាខ្មែរ Node.js កម្ពុជាខ្មែរ Browser កម្ពុជាខ្មែរ PDF កម្ពុជាខ្មែរ
--	--

03 – LISTS & BORDERS

Smart Lists & Per-Side Borders

Full Span styling for list markers, and precise per-side border widths.

LIST STYLE

SpanNode markers

`listStyle()` now accepts a `Span(...)` node for full typographic control over the marker – color, weight, size, and font.

DISC (built-in) - Automatic page breaking - Dynamic header & footer - Per-page <code>SonePageInfo</code> <code>lastPageHeight</code> option	SPAN (custom) → Tab stops alignment → Text orientation $90^{\circ}/270^{\circ}$ → Whitespace preservation → Span-styled markers
NUMBERED WITH SPAN <code>npm install sone</code> <code>import { Column, Row, Text, sone } from 'sone'</code> - Compose your node tree declaratively <code>sone(root, { pageHeight }).pdf()</code> NESTED LISTS → Page Layout <code>pageHeight</code> – enables multi-page output <code>header / footer</code> – repeating bands <code>PageBreak()</code> – explicit page break node → Typography <code>tabStops()</code> – column alignment via <code>\t</code> <code>orientation()</code> – $0 / 90 / 180 / 270^{\circ}$ → Lists & Borders <code>listStyle(Span(...))</code> – full marker styling <code>borderWidth(top, right, bottom, left)</code>	

PER-SIDE BORDERS

Independent border widths per side

`borderWidth(top, right, bottom, left)` now correctly applies each side independently. Previously, only uniform borders were rendered.



Quick Reference

All features shipped in this release, grouped by area.



Page Layout

- `pageHeight` in `SoneRenderConfig` – enables multi-page output
- `pageBreak` prop: `"before" | "after" | "avoid"`
- `PageBreak()` – explicit break node
- `header / footer` – static node or `(SonePageInfo) => SoneNode`
- `margin` – number or `{ top, right, bottom, left }`
- `lastPageHeight`: `"uniform" | "content"`
- `pdf()` uses `drawCanvas` – no rasterisation artefacts

Typography

- `.tabStops(...values)` – `\t` snaps to x positions
- `.orientation(0 | 90 | 180 | 270)` – layout-aware rotation
- Yoga footprint swaps at $90^\circ/270^\circ$ for natural element flow
- Whitespace preserved at line-wrap boundaries

Lists

- `listStyle(Span(...))` – full marker typography control
- Removed: `markerColor`, `markerSize`, `markerFont`, `markerWeight`, `markerStyle`
- Retained: `markerGap`, `startIndex`

Borders

- `borderWidth(top, right, bottom, left)` – truly per-side