



## Example document

Teaching assistant A

2026-06-27

**Mr. X**  
Y University  
2026  
*Class Z*

# Contents

|                           |          |
|---------------------------|----------|
| <b>1. Code demo .....</b> | <b>3</b> |
| <b>2. Features .....</b>  | <b>3</b> |

## 1. Code demo

```
1 // Exercises for chapter 6:
2 // 2D arrays (matrices)
3 #include <cstdlib>
4 #include <iostream>
5 #include <cmath>
6 using namespace std;
7 const int MAX = 100;
8 void input_matrix (int a[][MAX], int m, int n) {
9     // Exercise 311
10    for (int i = 0; i < m; i++) {
11        for (int j = 0; j < n; j++) {
12            cout << "Input a[" << i << "][" << j << "]: " << endl;
13            cin >> a[i][j];
14        }
15    }
16 }
17 void output_matrix (int a[][MAX], int m, int n) {
18     // Exercise 314
19    for (int i = 0; i < m; i++) {
20        for (int j = 0; j < n; j++) {
21            cout << a[i][j] << " ";
22        }
23        cout << endl;
24    }
25 }
```

## 2. Features

Just like in `bubble`, you can set the main color with `main-color`. This will affect code, [links](#),

– And also unnumbered lists...

1. as well as numbered ones