

CrossLinear: Plug-and-Play Cross-Correlation Embedding for Time Series Forecasting with Exogenous Variables

Start

Background

Insight

Methodology

Results

Conclusion

End

Hello!

Pengfei ZHOU, Yunlong LIU, Junli LIANG, Qi SONG* & Xiangyang LI

University of Science and Technology of China

Email: pengfeizhou@mail.ustc.edu.cn (Pengfei ZHOU)

Github link: <https://github.com/mumiao2000/CrossLinear>
OR scan this →



Background:

What & Why is Forecasting with Exogenous Variables?

Start

Background

Insight

Methodology

Results

Conclusion

End


Two traditional forecasting paradigms:

- Univariate forecasting (one-to-one);
- Multivariate forecasting (many-to-many).

A practical example:

Traffic volume is often influenced by

- Holidays;
- Weather conditions;
- Other exogenous factors.



A critical emerging paradigm:

- Forecasting with exogenous variables (many-to-one);
- Has aroused interest in both statistics area and machine learning area.
 - ARIMAX, TimeXer, ChronosX, etc.

Background: Existing Methods & Problems

Start

Background

Insight

Methodology

Results

Conclusion

End

Channel (*aka.* variable) independent or dependent?

- **Channel independent:**

- Implicit modeling of variable dependencies;
- Computationally efficient;

- **Channel dependent:**

- Explicit modeling of variable dependencies;
- Mathematically powerful.

Problems:

- **Channel independent:**

- Performance ceiling due to no explicit variable dependency modeling;

- **Channel dependent:**

- Overfitting tendency due to a mismatch between modeling complexity and dataset sparsity.

Insight: Direct & Time-Invariant Variable Dependencies

Start

Background

Insight

Methodology

Results

Conclusion

End

Existing problems:

- Variable dependencies are complex, and datasets are sparse.

A simple and straightforward approach to modeling variable dependencies is needed.

Intuitive assumption:

- Only direct and time-invariant variable dependencies are critical.
- **Direct:**
 - Exo A directly affects Endo (STRONG);
 - Exo A affects Exo B which in turn affects Endo (WEAK).
- **Time-invariant:**
 - Exo A affects Endo uniformly across various time points (STRONG);
 - Exo A affects Endo differently across various time points (WEAK).

Practical solution:

- 1D convolution is perfect for capturing direct (layer = 1) and time-invariant (kernel = 3) variable dependencies.

Methodology: Variable & Temporal Dependencies Modeling

Start

Background

Insight

Methodology

Results

Conclusion


End

Backbone of CrossLinear:

(a) Cross-correlation embedding: to capture variable dependencies;

(b) Patch embedding: to extract short-term temporal dependencies,

(c) Forecasting head: to model long-term temporal dependencies.



Results:

Main Results

Start

Background

Insight

Methodology

Results

Conclusion

End

Forecasting with exogenous variables:

- Top rankings in 30 cases for MSE and 29 cases for MAE;

Multivariate forecasting:

- Top rankings in 31 cases for MSE and 28 cases for MAE.

| Model | | CrossLinear | | TimeXer | | iTransformer | | MSGNet | | SparseTSF | | RLinear | | PatchTST | |
|--------------|---------|--------------|--------------|--------------|--------------|--------------|--------------|--------|-------|-----------|--------------|--------------|--------------|----------|-------|
| Metric | | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE |
| Many-to-one | ECL | 0.323 | 0.405 | 0.327 | 0.408 | 0.365 | 0.442 | 0.387 | 0.468 | 0.372 | 0.431 | 0.444 | 0.486 | 0.394 | 0.446 |
| | Weather | 0.002 | 0.031 | 0.002 | 0.031 | 0.002 | 0.031 | 0.002 | 0.031 | 0.002 | 0.036 | 0.002 | 0.029 | 0.002 | 0.031 |
| | ETTh1 | 0.072 | 0.208 | 0.073 | 0.209 | 0.075 | 0.211 | 0.076 | 0.213 | 0.079 | 0.224 | 0.084 | 0.224 | 0.078 | 0.215 |
| | ETTh2 | 0.186 | 0.339 | 0.189 | 0.342 | 0.199 | 0.352 | 0.195 | 0.350 | 0.194 | 0.350 | 0.205 | 0.356 | 0.192 | 0.345 |
| | ETTm1 | 0.052 | 0.170 | 0.052 | 0.171 | 0.053 | 0.175 | 0.054 | 0.173 | 0.053 | 0.174 | 0.053 | 0.173 | 0.053 | 0.173 |
| | ETTm2 | 0.118 | 0.254 | 0.120 | 0.258 | 0.127 | 0.267 | 0.128 | 0.270 | 0.122 | 0.260 | 0.122 | 0.261 | 0.120 | 0.258 |
| | Traffic | 0.151 | 0.230 | 0.156 | 0.234 | 0.161 | 0.246 | 0.213 | 0.313 | 0.194 | 0.274 | 0.324 | 0.412 | 0.173 | 0.253 |
| | EPF | 0.303 | 0.266 | 0.307 | 0.265 | 0.335 | 0.289 | 0.349 | 0.299 | 0.351 | 0.305 | 0.412 | 0.339 | 0.330 | 0.282 |
| Many-to-many | ECL | 0.174 | 0.270 | 0.171 | 0.270 | 0.178 | 0.270 | 0.194 | 0.300 | 0.213 | 0.287 | 0.219 | 0.298 | 0.216 | 0.304 |
| | Weather | 0.238 | 0.269 | 0.241 | 0.271 | 0.258 | 0.279 | 0.249 | 0.278 | 0.261 | 0.293 | 0.272 | 0.291 | 0.259 | 0.281 |
| | ETTh1 | 0.431 | 0.433 | 0.437 | 0.437 | 0.454 | 0.447 | 0.452 | 0.452 | 0.439 | 0.433 | 0.446 | 0.434 | 0.469 | 0.454 |
| | ETTh2 | 0.368 | 0.396 | 0.367 | 0.396 | 0.383 | 0.407 | 0.396 | 0.417 | 0.390 | 0.411 | 0.374 | 0.398 | 0.387 | 0.407 |
| | ETTm1 | 0.370 | 0.393 | 0.382 | 0.397 | 0.407 | 0.410 | 0.398 | 0.411 | 0.403 | 0.408 | 0.414 | 0.407 | 0.387 | 0.400 |
| | ETTm2 | 0.272 | 0.320 | 0.274 | 0.322 | 0.288 | 0.332 | 0.288 | 0.330 | 0.280 | 0.325 | 0.286 | 0.327 | 0.281 | 0.326 |
| | Traffic | 0.483 | 0.298 | 0.466 | 0.287 | 0.428 | 0.282 | 0.597 | 0.346 | 0.588 | 0.344 | 0.626 | 0.378 | 0.481 | 0.304 |
| | EPF | 0.171 | 0.210 | 0.175 | 0.216 | 0.189 | 0.227 | 0.210 | 0.268 | 0.202 | 0.247 | 0.205 | 0.258 | 0.183 | 0.229 |

Results:

Introducing Cross-Correlation Embedding to Other Models

Start

Cross-correlation embedding module is plug-and-play.

Background

We validate its broad applicability by incorporating it to 7 forecasting models:

- **MLP-based:** SparseTSF, RLinear and DLinear;
- **Transformer-based:** PatchTST, Autoformer and iTransformer;
- **GNN-based:** MSGNet.

Insight

Up to 15.5% MSE reduction (RLinear on EPF Dataset).

Methodology

Results

Conclusion

End

| Model | | SparseTSF | | Rlinear | | Dlinear | | PatchTST | | Autoformer | | iTransformer | | MSGNet | |
|--------|--------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Metric | | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE | MSE | MAE |
| ECL | Ori. | 0.372 | 0.431 | 0.444 | 0.486 | 0.393 | 0.457 | 0.394 | 0.446 | 0.495 | 0.528 | 0.365 | 0.442 | 0.387 | 0.468 |
| | + Emb. | 0.350 | 0.420 | 0.406 | 0.473 | 0.383 | 0.463 | 0.359 | 0.427 | 0.469 | 0.514 | 0.359 | 0.439 | 0.378 | 0.456 |
| ETTh1 | Ori. | 0.079 | 0.224 | 0.084 | 0.224 | 0.116 | 0.259 | 0.078 | 0.215 | 0.130 | 0.282 | 0.075 | 0.211 | 0.076 | 0.213 |
| | + Emb. | 0.078 | 0.221 | 0.080 | 0.218 | 0.113 | 0.256 | 0.077 | 0.214 | 0.114 | 0.264 | 0.074 | 0.210 | 0.076 | 0.211 |
| EPF | Ori. | 0.351 | 0.305 | 0.412 | 0.339 | 0.366 | 0.314 | 0.330 | 0.282 | 0.453 | 0.368 | 0.335 | 0.289 | 0.349 | 0.299 |
| | + Emb. | 0.343 | 0.301 | 0.348 | 0.304 | 0.364 | 0.313 | 0.328 | 0.282 | 0.426 | 0.352 | 0.345 | 0.292 | 0.313 | 0.273 |

Results: Model Analysis

Start

Background

Insight

Methodology

Results

Conclusion



End

(a) Variate-wise correlation analysis:

- The weight matrix roughly indicates variable dependencies;

(b) Model efficiency analysis:

- Linear computational complexity strikes a balance between efficiency and effectiveness.



Conclusion: Advantages & Further Work

Start

Background

Insight

Methodology

Results

Conclusion

End

In this work, we introduce CrossLinear, an advanced model specifically designed to improve time series forecasting with exogenous variables. The core innovation of CrossLinear is a flexible plug-and-play cross-correlation embedding module. Through a series of comprehensive experiments conducted on multiple real-world datasets, we demonstrate that CrossLinear outperforms existing methods in most cases.

Advantages:

- Satisfactory performance;
- Plug-and-play module;
- Versatility across various paradigms.

Further work:

- Exploration of its applicability to non-forecasting tasks;
- Validation on more practical scenarios.

CrossLinear: Plug-and-Play Cross-Correlation Embedding for Time Series Forecasting with Exogenous Variables

Start

Background

Insight

Methodology

Results

Conclusion

End

Thank you!

Pengfei ZHOU, Yunlong LIU, Junli LIANG, Qi SONG* & Xiangyang LI

University of Science and Technology of China

Email: pengfeizhou@mail.ustc.edu.cn (Pengfei ZHOU)

Github link: <https://github.com/mumiao2000/CrossLinear>
OR scan this →

