

CPE334 SOFTWARE ENGINEERING

LAB 3 REPORT

TokTickIT Users, Roles, IT Staff Ticketing, and Admin Screens

Student

Kirakit Kingkaew

Student ID

67070503460

Section

131

Repository

<https://github.com/songt888/toktickit>

Final main commit

f6dc6f2

Earlier report/screenshot snapshot

b2ed779 (after PR #63; not its merge commit)

Answer Part 1

Git Use with Engineering Workflow

The repository records feature delivery into lab3-staging and release integration into main. PR #63 was approved and merged on 2 October 2026 at 14:37 Asia/Bangkok; final main is f6dc6f2. The later b2ed779 snapshot contains report/screenshot artifacts and was not merged by PR #63. Relevant application, test and documentation files match between those snapshots. Historical screenshots keep their original commit labels.

Links

Repository: <https://github.com/songt888/toktickit>

GitHub Project: <https://github.com/users/songt888/projects/2>

Reviewer record: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/reviewer.md>

Release PR: <https://github.com/songt888/toktickit/pull/58>

Final verification PR: <https://github.com/songt888/toktickit/pull/63>

Staff Download fix PR: <https://github.com/songt888/toktickit/pull/60>

README: <https://github.com/songt888/toktickit/blob/f6dc6f2/README.md>

.gitignore: <https://github.com/songt888/toktickit/blob/f6dc6f2/.gitignore>


Screenshots

```


docs > lab-03 > reviewer.md > # Lab 3 Peer Review Record
1  # Lab 3 Peer Review Record
2
3  ## Author
4  Kirakit Kingkaew - Student ID '67070503460' - GitHub '@songt888'
5
6  ## Peer reviewer
7  Nattakit Prasertsak - Student ID '67070503413' - GitHub '@stickkersz'
8
9  ## Pull Requests Reviewed for My Partner
10
11  The following records summarize my reviews of my partner's Lab 3 PRs. I kept
12  the comments short but preserved the requested fix and the final review state.
13
14  | PR | Issue | URL | Comment | Partner response | Approval/Merge |
15  |---|---|---|---|---|---|
16  | #38 | Lab 3 Issue 1 | [Sprint 3 engineering contract](https://github.com/stickkersz/toktickit/pull/38) | Requested a clear
17  password migration sequence, separate staff attachment permissions, inactive-owner behavior, and matching tests; later
18  requested a small BR-58/API wording fix. | Partner added the migration, authorization, inactive-owner, and wording details
19  with coverage. | Approved and merged on 2026-09-19. |
20  | #47 | Lab 3 Issue 2 | [Auth foundation](https://github.com/stickkersz/toktickit/pull/47) | Requested credentialed CORS and
21  isolated authentication tests; later noted an outdated Vite-proxy note. | Partner fixed CORS, test isolation, and the proxy
22  documentation. | Approved and merged on 2026-09-19. |
23  | #48 | Lab 3 Issue 3 | [Login and Change Password screens](https://github.com/stickkersz/toktickit/pull/48) | Requested
24  direct-route role protection and removal of legacy requester selection for Staff/Admin. | Partner added the route and
25  selector regression coverage. | Approved and merged on 2026-09-19. |
26  | #49 | Lab 3 Issue 4 | [Role navigation and requester regression](https://github.com/stickkersz/toktickit/pull/49) |
27  Checked session-based requester identity, role navigation, and authorization before upload parsing. | Partner fixed the

Problems Output Debug Console Terminal Ports
* 92c88aa (HEAD -> main, origin/main, origin/HEAD) Merge pull request #59 from songt888/feature/lab3-final-verification
* 2f77f91 (origin/feature/lab3-final-verification, feature/lab3-final-verification) Record final Lab 3 main verification
* 5b234a4 Merge pull request #58 from songt888/lab3-staging
* 9393a6e (origin/lab3-staging, lab3-staging) Merge pull request #57 from songt888/feature/lab3-10-e2e-docs-release
* 0ec55fb (origin/feature/lab3-10-e2e-docs-release, feature/lab3-10-e2e-docs-release) Refresh Lab 3 review traceability
* 5f32385 Revoke other sessions after password change
* 7e1cccb Complete Lab 3 E2E QA and documentation
* 5a67740 Merge pull request #56 from songt888/feature/lab3-09-admin-users
  
```

feature branches → lab3-staging → main, with branch and merge names readable



GitHub Network graph showing the Sprint 3 branch flow



public Lab 3 Project with all Sprint 3 Issues in Done

Lab 3 Peer Review Record

Author

Kirakit Kingkaew - Student ID **67070503460** - GitHub **@songt888**

Peer reviewer

Nattakit Prasertsak - Student ID **67070503413** - GitHub **@stickkersz**

Actual Markdown Preview: author and peer reviewer identity.

PR	Issue	URL	Comment
#38	Lab 3 Issue 1	Sprint 3 engineering contract	Requested a clear password migration sequence, separate staff attachment permissions, inactive-owner behavior, and matching tests; later requested a small BR-58/API wording fix.
#47	Lab 3 Issue 2	Auth foundation	Requested credentialed CORS and isolated authentication tests; later noted an outdated Vite-proxy note.

Partner reviews, PR #38 then #47: PR links and complete comments (left columns).

Partner response	Approval/Merge
Partner added the migration, authorization, inactive-owner, and wording details with coverage.	Approved and merged on 2026-09-19.
Partner fixed CORS, test isolation, and the proxy documentation.	Approved and merged on 2026-09-19.

Same rows, PR #38 then #47: complete partner responses and approval/merge dates (right columns).

PR	Issue	URL	Reviewer comment
#38	Issue 1: engineering contract	Define Lab 3 engineering contract	The reviewer found contract inconsistencies around attachment access, resolution fields, safe errors, logout, optimistic concurrency, last-admin protection, comment safety, seed passwords, and AC/test traceability.
#49	Lab 3 Issue 2: user data foundation	Lab 3 Issue 2: User data foundation	Review found schema/migration drift, shared password salts, a sequence reset that could reuse numbers, parallel-test flakiness, and missing migration-preservation coverage.

Reviews received, PR #38 then #49: PR links and complete reviewer comments (left columns).

My response	Approval/Merge
I aligned the specification, API/UI contracts, data rules, and traceability table, then addressed a second review pass on the remaining test mappings and response details.	Approved and merged to <code>lab3-staging</code> (<code>b6a5f87</code>) on 2026-09-19.
I synchronized the migration and schema, generated a password hash per user, removed the sequence rewind, made seed reruns stable under parallel tests, and added preservation/hash assertions.	Approved and merged to <code>lab3-staging</code> (<code>401a944</code>) on 2026-09-19.

Same rows, PR #38 then #49: complete responses and approval/merge records (right columns).


#58	Lab 3 release	Release Lab 3 to main	The final release review checked the completed E2E, responsive, accessibility, documentation, and verification work.	I reran migration status, server/client tests and builds, and Playwright from the post-merge <code>main</code> code line.	Approved and merged to <code>main</code> (5b234a4) on 2026-09-28.
-----	---------------	---------------------------------------	--	---	---

Review Checklist

- [x] Reviewer identity is recorded.
- [x] PR URL and Issue number are recorded.
- [x] Feedback is summarized accurately.
- [x] Response explains the change or decision.
- [x] Formal teammate approval is recorded, not only a comment.
- [x] Merge commit is recorded after merge.
- [x] Kanban status is updated after the PR is merged.

Actual Markdown Preview: release PR #58 and the review checklist

Selected complete review records are shown above; the linked reviewer.md contains the full PR, comment, response, approval and merge tables.



release PR approval and merge into main

TokTickIT

TokTickIT is an IT service desk application with a React + TypeScript frontend and an Express + TypeScript backend. The backend uses Prisma and PostgreSQL for requester-specific tickets, categories, related systems, and attachment metadata.

Requirements

- Node.js 20 or newer
- npm
- Docker Desktop for local PostgreSQL

Project structure

client/	React + TypeScript + Vite frontend
server/	Express + TypeScript + Prisma backend
docs/	Lab documentation and evidence

Actual README Markdown Preview: requirements and repository structure

```
cd server
npm install

cd ../client
npm install
```

Start PostgreSQL with Docker. Create the container once:

```
docker run --name toktickit-postgres \
-e POSTGRES_USER=toktickit \
-e POSTGRES_PASSWORD=toktickit \
-e POSTGRES_DB=toktickit \
-p 5432:5432 \
-d postgres:16
```

If the container already exists, start it with:

```
docker start toktickit-postgres
```


Actual README Markdown Preview: dependency installation and local PostgreSQL setup

```

1  # dependencies
2  node_modules/
3  # env & secrets
4  .env
5  *.env
6  !.env.example
7  # build output
8  dist/
9  build/
10 *.tsbuildinfo
11 .vite/
12 # TypeScript compiler output next to source files
13 client/src/**/*.js
14 client/tests/**/*.js
15 server/src/**/*.js
16 server/tests/**/*.js
17 server/prisma/**/*.js
18 # prisma
19 server/prisma/*.db
20 # runtime attachment files; keep only an empty directory marker if needed
21 server/uploads/*
22 !server/uploads/.gitkeep
23 # Playwright generated output; committed visual evidence lives in screenshots/.
24 test-results/
25 artifacts/lab-02/playwright-report/
26 # logs & OS
27 *.log
28 .DS_Store

```

Actual VS Code screenshot: all 28 .gitignore lines, including secrets, generated files, uploads and test results



VS Code screenshot showing the full visible TokTickIT repository tree and the main checkout

Answer Part 2

Specification-Driven Development

The Sprint 3 engineering contract defines authentication, authorization, role behavior, migration, APIs, acceptance criteria, and Product Definition of Done before the implementation branches were completed. Initial specification commit b173f40 is dated 2026-09-14.

Links


Specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/specification.md>

Initial specification commit: <https://github.com/songt888/toktickit/commit/b173f40>

Contract PR: <https://github.com/songt888/toktickit/pull/38>

API specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/api-spec.md>

Screenshots



Actual VS Code Markdown Preview: Sprint Goal and stakeholders

Included

- Login, logout, current-user retrieval, and authenticated sessions.
- Secure password hashing and mandatory first-login password change.
- One role per user: `REQUESTER`, `IT_STAFF`, or `ADMINISTRATOR`.
- Migration of Lab 2 Development Requesters and Ticket ownership.
- Requester ticket and attachment regression using authenticated identity.
- Requester Public Comments and the Problem Appears Resolved action.
- IT Staff Ticket Queue, Ticket Detail, assignment, IT Priority, and status workflow.
- Public Comments and private Internal Notes.
- Minimalist Administrator user listing, search, optional role filter, create, edit, activation, role assignment, and initial-password reset.
- Zen Green responsive and accessible screens, automated tests, E2E tests, and traceable evidence.

Excluded

- Email invitations, password-reset email, multi-factor authentication, social login, single sign-on, or self-registration.
- Actions Taken, SLA calculation, escalation, notifications, dashboards, and KPI analytics.
- Multiple roles, departments, organizations, profile photos, role history, account audit history, bulk operations, import/export, and user deletion.
- Production deployment or cloud infrastructure changes.

4. Functional Requirements

Actual VS Code Markdown Preview: Included and excluded scope

4. Functional Requirements

- FR-01: The system shall authenticate an active user using an email address and password.
- FR-02: The system shall create an authenticated session without exposing a password, session secret, or password hash to client code.
- FR-03: The system shall provide login, logout, and current-user operations.
- FR-04: A user with an initial password shall be required to change it before normal application screens become available.
- FR-05: Password validation shall enforce the documented length and content rules and shall require confirmation.
- FR-06: Every user shall have exactly one permitted role.
- FR-07: Protected API operations shall authorize from the authenticated user, never from a requester or role value supplied by the client.
- FR-08: Requesters shall create, view, and manage only their own Tickets and permitted Attachments.
- FR-09: Existing Lab 2 requester functionality shall continue to work without a Development Requester selector or Change Requester action.
- FR-10: Requesters shall post Public Comments and indicate that a problem appears resolved.
- FR-11: IT Staff shall access a Ticket Queue with search, filters, sorting, and pagination.
- FR-12: Permitted staff operations shall include opening Ticket Detail, claiming or reassigning ownership, setting IT Priority, and changing Ticket status through the approved transition matrix.
- FR-13: The system shall preserve Requested Priority and initialize IT Priority from it.
- FR-14: The system shall support append-only Public Comments and Internal Notes with backend author and creation timestamps.
- FR-15: Internal Notes shall be visible only to permitted operational roles.
- FR-16: Administrators shall list users with Name, Email, Role, Status, and an Edit action.

Actual VS Code Markdown Preview: Functional Requirements

- BR-05: A User with `mustChangePassword=true` may use only authentication, current-user, logout, and change-password operations until a valid new password is saved.
- BR-06: Sessions use a random opaque token in an `HttpOnly` cookie. The database stores only a hash of that token. Sessions expire after eight hours and logout revokes the current session.
- BR-07: In production the session cookie is `Secure`, `SameSite=Lax`, and `Path=/'`. State-changing requests validate same-origin `Origin` when the header is present.
- BR-08: An inactive User's existing sessions are rejected and revoked when the session is next checked.

Roles and ownership

- BR-09: Each User has exactly one role from `REQUESTER`, `IT_STAFF`, or `ADMINISTRATOR`.
- BR-10: The authenticated User identity determines Requester ownership. A client cannot select another requester by sending an id in a body, query, or header.
- BR-11: A Requester receives only their own Ticket and Attachment data. A cross-owner resource lookup returns the safe not-found response.
- BR-12: Every protected operation is authorized in the backend even when the corresponding frontend control is hidden or disabled.
- BR-13: IT Staff and Administrators may view attachment metadata and download active files for Tickets they can access operationally. Upload and removal remain Requester-owner operations.
- BR-14: The approved matrix gives IT Staff and Administrators the operational Ticket permissions listed below. Their responsibilities remain conceptually separate: IT Staff work the queue, while Administrators primarily manage accounts and use operational access for support oversight.

Ticket workflow

Actual VS Code Markdown Preview: Authentication and role Business Rules

Ticket workflow

- BR-15: A Ticket may have zero or one primary owner. An owner must be active and have role `IT_STAFF` or `ADMINISTRATOR`.
- BR-16: Requested Priority is submitted by the Requester and cannot be changed by staff operations. IT Priority initially copies Requested Priority and can be changed only by IT Staff or Administrator.
- BR-17: The supported statuses are `NEW`, `OPEN`, `IN_PROGRESS`, `WAITING_FOR_REQUESTER`, `RESOLVED`, `CLOSED`, `REOPENED`, and `CANCELLED`.
- BR-18: Status changes must follow the transition matrix in `api-spec.md`. Transitions to `CLOSED` or `CANCELLED` require an explicit confirmation value from the UI and API request.
- BR-19: A Requester may set the Problem Appears Resolved indication but may not formally set a Ticket to `RESOLVED` or `CLOSED`.

Comments and notes

- BR-20: Public Comments are visible to the Requester who owns the Ticket, IT Staff, and Administrators.
- BR-21: Internal Notes are visible only to IT Staff and Administrators and are never included in a Requester's response.
- BR-22: Comments and notes are append-only. Empty or whitespace-only content is rejected and content is limited to 4000 characters. Markup-like content is accepted as text and rendered as text rather than trusted HTML.
- BR-23: Comment and note author and creation time are assigned by the backend.

Administrator safety

- BR-24: Email addresses are unique case-insensitively after trimming.

Actual VS Code Markdown Preview: Ticket workflow, comments and Administrator Business Rules

- BR-24: Email addresses are unique case-insensitively after trimming.
- BR-25: An Administrator cannot deactivate their own account.
- BR-26: The system cannot deactivate or change the role of the last active Administrator. Users are deactivated rather than deleted.
- BR-27: A reset initial password marks `mustChangePassword=true` and never returns the password in an API response.

6. Authorization Matrix

Operation	Requester	IT Staff	Administrator
Login, logout, current user	Own account	Own account	Own account
Change own required password	Yes	Yes	Yes
Create and list own Tickets	Yes	No	No
Upload/remove own Attachments	Yes	No	No
View/download operational Attachments	No	Yes	Yes
View operational Ticket Queue	No	Yes	Yes
View operational Ticket Detail	No	Yes	Yes
Claim/reassign, IT Priority, status	No	Yes	Yes

Actual VS Code Markdown Preview: Administrator safeguards and authorization matrix

Read/write Public Comments	Own Tickets	Queue Tickets	Permitted Tickets
Read/write Internal Notes	No	Yes	Yes
List/search users	No	No	Yes
Create/edit/deactivate users	No	No	Yes
Set another user's initial password	No	No	Yes

The backend applies this matrix to every endpoint. A `401` means no valid session exists. A `403` means the session is valid but the role or password state does not permit the operation.

Actual Markdown Preview: remaining authorization matrix rows for comments, Internal Notes and Administrator actions

All protected endpoints distinguish unauthenticated access, forbidden roles, invalid input, missing resources, conflicts, and unexpected failures without leaking protected data.

10. Acceptance Criteria

- AC-01: An active user with valid credentials receives an authenticated session and safe current-user data.
- AC-02: Invalid credentials and inactive accounts receive the same safe login failure and no session.
- AC-03: A user with an initial password cannot enter normal application screens until a valid new password is saved.
- AC-04: Logout revokes the current session and direct protected access after logout is rejected.
- AC-05: The authenticated identity and role are displayed in the shell and protected navigation is role-specific.
- AC-06: A Requester cannot select another identity and sees only their own Lab 2 Tickets and Attachments.
- AC-07: Lab 2 Create Ticket, My Tickets, Ticket Detail, and Attachment flows continue to work after authentication migration.
- AC-08: Requester Public Comments and Problem Appears Resolved work only for owned Tickets; Requesters cannot formally resolve or close Tickets.
- AC-09: IT Staff can load a Queue with documented search, filters, sorting, pagination, owner data, status, and both priorities.
- AC-10: Queue query validation and direct role checks return documented safe responses.
- AC-11: IT Staff/Admin can open Ticket Detail and perform permitted claim/reassign, IT Priority, and status operations.
- AC-12: Invalid status transitions, inactive owners, and missing Tickets are rejected without changing data.
- AC-13: Public Comments are visible to the Requester owner, IT Staff, and Administrator with safe rendering and backend author/time.

Actual Markdown Preview: Acceptance Criteria and Product Definition of Done - segment 1/3

- AC-13: Public Comments are visible to the Requester owner, IT Staff, and Administrator with safe rendering and backend author/time.
- AC-14: Internal Notes are visible only to IT Staff and Administrator, including through direct API requests.
- AC-15: Empty, whitespace-only, and oversized comment/note content is rejected; markup-like content is stored and rendered as plain text without executing.
- AC-16: Administrator can list/search/filter users and view Name, Email, Role, Status, and Edit actions.
- AC-17: Administrator can create a user with one role and an initial password; duplicate email and invalid role are rejected.
- AC-18: Administrator can edit name, email, role, and activation state.
- AC-19: Administrator can set a new initial password and the target user must change it on the next login.
- AC-20: Self-deactivation and deactivation or role demotion of the last active Administrator are rejected.
- AC-21: Data migration preserves existing Ticket and Attachment ownership and deploys without data loss.
- AC-22: Seed creates all required active/inactive roles and realistic workflow data and is safe to run repeatedly.
- AC-23: All major screens provide relevant loading, saving, success, empty, no-results, forbidden, not-found, conflict, and safe-failure states.
- AC-24: Desktop, tablet, and mobile screens have no clipping, overlap, or unintended horizontal overflow and remain keyboard accessible.
- AC-25: All required tests, builds, migrations, seed checks, and E2E flows pass from the final `main` branch with no required test skipped.

Every criterion maps to at least one planned test in `tests.md`.

11. Definition of Done

Actual Markdown Preview: Acceptance Criteria and Product Definition of Done - segment 2/3

Every criterion maps to at least one planned test in `tests.md`.

11. Definition of Done

- The approved specification, API contract, UI specification, and test plan are committed before the main implementation PRs are completed.
- User migration, session handling, password hashing, and role authorization are implemented and tested on the backend.
- Lab 2 Requester behavior remains authenticated, owner-protected, and tested.
- IT Staff Queue, Ticket operations, comments, notes, and Admin user management meet the approved acceptance criteria.
- Prisma migration and repeatable seed preserve data and satisfy role fixtures.
- Unit, API/integration, UI, style, regression, responsive, accessibility, and E2E tests pass without required skips.
- No secrets, plaintext passwords, session tokens, uploads, or generated build output are committed.
- README, reviewer record, AI-use reflection, test evidence, screenshots, and Kanban status are current.
- Each PR has a teammate's formal approval before merge into `lab3-staging`.
- The release PR is approved and merged into `main`, and final verification is rerun from `main`.

12. Assumptions and Decisions

- Lab 3 uses a database-backed opaque session cookie because it allows logout invalidation and keeps the client free of authentication secrets.
- The application uses same-origin API calls through the existing Vite/Express setup; cross-origin credential sharing is not part of this lab.

Actual Markdown Preview: Acceptance Criteria and Product Definition of Done - segment 3/3

}

Migration decisions:

1. Rename the Lab 2 `RequesterUser` table to `User` while preserving primary keys, names, emails, and foreign-key values. Existing `Ticket.requesterId` values therefore continue to identify the same people. Trim and lowercase emails during migration before applying the unique constraint; a duplicate normalized email must stop the migration for manual resolution.
2. Add role, password state, activation state, and timestamps. Existing Requesters receive a local-development initial password through an environment variable used only by the seed; no password is committed to the repository.
3. Add `ownerId`, `itPriority`, status values, and the requester-resolution fields to `Ticket`. Existing tickets keep their requester, Requested Priority, and `NEW` status; `itPriority` is backfilled from Requested Priority.
4. Add `PublicComment`, `InternalNote`, and `AuthSession` tables with foreign keys and indexes. Existing Categories, Related Systems, Tickets, and Attachments remain valid.
5. Because `passwordHash` is required, the migration fills existing Users with a deterministic unusable placeholder hash and sets `mustChangePassword=true`. The seed may replace that hash only when the stored value is still the exact placeholder. For any User with a real hash, seed updates never overwrite `passwordHash`, `mustChangePassword`, or `passwordChangedAt`.
6. Use a repeatable seed with at least four active and one inactive Requester, three active and one inactive IT Staff, one active Administrator, realistic tickets, and safe example comments/notes. Seed upserts are keyed by stable emails or names and never store real credentials.

9. API Contract Summary

The exact request/response shapes, cookie behavior, status codes, query parameters, safe errors, and transition matrix are defined in `api-contract.md`.
 Actual Markdown Preview: User, password, ownership, comments, notes and preservation migration decisions

Platform ▾ Solutions ▾ Resources ▾ Open Source ▾ Enterprise

songt888 / toktickit (Public)

<> Code Issues Pull requests Actions Projects Security

Commit b173f40

Kirakit authored and Kirakit committed 2 weeks ago

Define Lab 3 engineering contract

main (#38)

7 files changed

GitHub dated commit b173f40 before the main implementation PR merges

```

Branch: main Commit: 92c88aa
COMMAND: git log --diff-filter=A --format=%h %aI %s -- docs/lab-03/tests.md
b173f40 2026-09-14T11:05:20+07:00 Define Lab 3 engineering contract

COMMAND: git log --merges --reverse --format=%h %aI %s b173f40..HEAD
b6a5f87 2026-09-19T15:20:47+07:00 Merge pull request #38 from songt888/feature/lab3-01-contract
401a944 2026-09-19T16:35:35+07:00 Merge pull request #49 from songt888/feature/lab3-02-user-data-foundatio
n
4fffd75 2026-09-19T17:17:47+07:00 Merge pull request #50 from songt888/feature/lab3-03-authentication
eb13c09 2026-09-19T18:20:34+07:00 Merge pull request #51 from songt888/feature/lab3-04-requester-authoriza
tion
717c8f0 2026-09-19T19:03:33+07:00 Merge pull request #52 from songt888/feature/lab3-05-requester-comments
c25168b 2026-09-24T10:29:40+07:00 Merge pull request #53 from songt888/feature/lab3-06-staff-ticket-queue
d9578c6 2026-09-24T11:43:23+07:00 Merge pull request #54 from songt888/feature/lab3-07-staff-ticket-workfl
ow
b75ef06 2026-09-27T22:02:48+07:00 Merge pull request #55 from songt888/feature/lab3-08-comments-notes
5a67740 2026-09-27T22:53:15+07:00 Merge pull request #56 from songt888/feature/lab3-09-admin-users
9393a6e 2026-09-28T15:50:24+07:00 Merge pull request #57 from songt888/feature/lab3-10-e2e-docs-release
5b234a4 2026-09-28T16:01:53+07:00 Merge pull request #58 from songt888/lab3-staging
92c88aa 2026-09-28T16:24:46+07:00 Merge pull request #59 from songt888/feature/lab3-final-verification
song@MacBook-Air-khxng-Kirakit server %

```

Actual Git history: tests.md was added in b173f40 before later implementation and release merges

Answer Part 3

Test-Driven Development and Traceability

A fresh run on 3 October 2026 used an isolated main checkout at f6dc6f2: Server 92 tests / 27 files, Client 56 tests / 13 files and Playwright 15 tests passed. Four migrations were up to date, seed completed, and both production builds passed. Tracked application and test files were unchanged. Chromium opened in a normal macOS VS Code Terminal. An external runner selected unused UI/API ports; it inherited repository tests without patching their URLs. The updated verification record is submitted separately for PR review, not claimed as already merged into main.

Links

Updated test plan and verification record (review branch):

<https://github.com/songt888/toktickit/blob/c3db5e3/docs/lab-03/tests.md>

Report and documentation corrections PR (pending review): <https://github.com/songt888/toktickit/pull/64>

Complete raw main test/build outputs: <https://github.com/songt888/toktickit/tree/c3db5e3/artifacts/lab-03/verification-2026-10-03>

Server Lab 3 tests: <https://github.com/songt888/toktickit/tree/f6dc6f2/server/tests/lab-03>

Client Lab 3 tests: <https://github.com/songt888/toktickit/tree/f6dc6f2/client/tests/lab-03>

E2E Lab 3 tests: <https://github.com/songt888/toktickit/tree/f6dc6f2/e2e/lab-03>

Screenshots

Lab 3 Test DD and Traceability Plan

Status: Issues #39–#48 are approved, merged into `main`, and closed/Done. Release PR #57 merged into `lab3-staging` as 9393a6e, and release PR #58 merged into `main` as 5b234a4. PR #63 merged on 2026-10-02 at 14:37 Asia/Bangkok as f6dc6f2. The latest verification below was run on an isolated `main` checkout of f6dc6f249e75d11829d9ec9a0640ef6a884e902e on 2026-10-03. Earlier release and post-PR #60 results are retained as historical records.

Lab 3 tests live under `server/tests/lab-03/`, `client/tests/lab-03/`, and `e2e/lab-03/`. Every acceptance criterion in [specification.md](#) maps to at least one test. The original release verification is retained below; the latest final-main recheck is recorded in its own section.

Actual updated tests.md Markdown Preview: PR #63 merge and final-main verification at f6dc6f2.

No required test should be skipped, disabled, or reconstructed after coding.

2. Planned Test Matrix

Test ID	Type	AC	What it tests	Automated test file	Expected result	Final
UNIT-01	Unit	AC-02, AC-03, AC-19	Password rules, confirmation, and change-required state	<code>server/tests/lab-03/password-rules.test.ts</code>	Valid boundaries accepted; invalid values rejected	Passed
UNIT-02	Unit	AC-01, AC-02	Hash/verify behavior and no plaintext storage	<code>server/tests/lab-03/password-hash.test.ts</code>	Hash verifies; plaintext is not persisted	Passed
UNIT-03	Unit	AC-09, AC-10	Staff queue query parsing and stable pagination	<code>server/tests/lab-03/staff-queue.api.test.ts</code>	Valid options normalized; invalid values rejected	Passed
UNIT-04	Unit	AC-12	Status transition matrix and confirmation rules	<code>server/tests/lab-03/status-transition.test.ts</code>	Only approved transitions pass	Passed
UNIT-05	Unit	AC-15	Comment/note length and accepted markup-like text	<code>server/tests/lab-03/comment-validation.test.ts</code>	Empty/oversized content rejected; markup-like content remains eligible for literal client rendering	Passed
API-01	API	AC-01	Valid active-user login and safe response	<code>server/tests/lab-03/auth.api.test.ts</code>	200, session cookie, safe user data	Passed
API-02	API	AC-02	Invalid credentials and inactive-user login	<code>server/tests/lab-03/auth.api.test.ts</code>	Same safe 401 response	Passed

Actual planned test matrix in Markdown Preview - selected view 1/2; complete matrix in the linked tests.md

RESP-02	Responsive	AC-24	Tablet visual and overflow checks for all major screens	<code>e2e/lab-03/responsive.spec.ts</code> , <code>e2e/lab-03/authentication.spec.ts</code>	No clipping or hidden controls	Passed
RESP-03	Responsive	AC-24	Mobile visual and overflow checks for all major screens	<code>e2e/lab-03/responsive.spec.ts</code> , <code>e2e/lab-03/authentication.spec.ts</code>	Touch/keyboard usable at 390px	Passed
A11Y-01	Accessibility	AC-24	Keyboard skip link, focus, labels, active navigation, and role states	<code>e2e/lab-03/accessibility.spec.ts</code>	Keyboard and accessible-name checks pass	Passed
E2E-01	E2E	AC-01, AC-02, AC-03, AC-04, AC-05	Login, first password change, shell, and logout/revocation	<code>e2e/lab-03/authentication.spec.ts</code>	Full auth flow passes at three viewports	Passed
E2E-02	E2E	AC-06, AC-07, AC-08	Requester regression, comments, resolution, and isolation	<code>e2e/lab-03/requester-flow.spec.ts</code>	Requester ownership flow passes	Passed
E2E-03	E2E	AC-09, AC-10, AC-11, AC-12, AC-13, AC-14, AC-15	Staff queue/workflow, cross-role comments, notes, and attachments	<code>e2e/lab-03/staff-ticket-flow.spec.ts</code> , <code>e2e/lab-03/requester-flow.spec.ts</code>	Staff and collaboration flows pass	Passed

Actual planned test matrix in Markdown Preview - selected view 2/2; complete matrix in the linked [tests.md](#)

- Administrator screenshots: [desktop-administrator-user-management.png](#), [tablet-administrator-user-management.png](#), and [mobile-administrator-user-management.png](#).
- Keyboard focus evidence: [accessibility-keyboard-focus.png](#).

RELEASE-01 is Passed because AC-25 was verified after merge into `main`. No PDF was created, as requested.

3. Acceptance-Criterion Traceability

Acceptance Criteria	Planned tests
AC-01	UNIT-02, API-01, UI-01, E2E-01
AC-02	UNIT-01, UNIT-02, API-02, UI-01, E2E-01
AC-03	UNIT-01, API-03, UI-02, E2E-01
AC-04	API-04, UI-03, E2E-01
AC-05	API-05, UI-03, STYLE-01, E2E-01
AC-06	API-07, API-08, UI-04, E2E-02
AC-07	API-07, API-08, UI-04, REG-01, REG-02, E2E-02
AC-08	API-09, UI-04, E2E-02
AC-09	UNIT-03, API-10, UI-05, E2E-03, E2E-05
AC-10	UNIT-03, API-05, API-10, UI-05, E2E-03, E2E-05

Actual Markdown Preview: AC-to-test traceability - segment 1/3

AC-06	API-07, API-08, UI-04, E2E-02
AC-07	API-07, API-08, UI-04, REG-01, REG-02, E2E-02
AC-08	API-09, UI-04, E2E-02
AC-09	UNIT-03, API-10, UI-05, E2E-03, E2E-05
AC-10	UNIT-03, API-05, API-10, UI-05, E2E-03, E2E-05
AC-11	API-11, API-19, UI-06, UI-08, E2E-03, E2E-06
AC-12	UNIT-04, API-11, API-12, UI-06, UI-08, E2E-03, E2E-06
AC-13	API-13, UI-06, E2E-03
AC-14	API-14, UI-06, E2E-03
AC-15	UNIT-05, API-15, E2E-03
AC-16	API-16, UI-07, E2E-04
AC-17	API-17, UI-07, E2E-04
AC-18	API-17, UI-07, E2E-04
AC-19	UNIT-01, API-18, UI-07, E2E-04
AC-20	API-18, UI-07, E2E-04

Actual Markdown Preview: AC-to-test traceability - segment 2/3

AC-16	API-16, UI-07, E2E-04
AC-17	API-17, UI-07, E2E-04
AC-18	API-17, UI-07, E2E-04
AC-19	UNIT-01, API-18, UI-07, E2E-04
AC-20	API-18, UI-07, E2E-04
AC-21	API-06
AC-22	API-06
AC-23	UI-01, UI-02, UI-03, UI-04, UI-05, UI-06, UI-07, UI-08
AC-24	STYLE-01, RESP-01, RESP-02, RESP-03, A11Y-01
AC-25	RELEASE-01

4. Required Repository Test Files

Server API/integration tests:

```
server/tests/lab-03/
├── password-rules.test.ts
├── password-hash.test.ts
├── staff-queue-api.test.ts
```

Actual Markdown Preview: AC-to-test traceability - segment 3/3

Actual Terminal captures show the recorded main f6dc6f2 run. The linked raw logs contain every verbose unit/API/UI test name, full SHA, command and exit code. This completed run supersedes the earlier Chromium-blocked pending note and the historical port-patched result.

```

Viewer branch: docs/lab3-report-corrections
FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm test -- --reporter=verbose --silent
✓ tests/lab-01/health.test.ts > GET /api/health > returns 200 even when the client sends a cache validation
or

Test Files   27 passed (27)
  Tests     92 passed (92)
  Start at  04:04:20
  Duration  1.40s (transform 327ms, setup 0ms, collect 3.27s, tests 4.36s, environment 3ms, prepare 1.16s)

Exit code: 0

```

Actual enlarged VS Code Terminal view of the archived Server main f6dc6f2 log: original command, SHA, passed totals and exit code. Viewed from the documentation branch, not a new run. Every verbose test name is retained in the linked raw log.

```

Viewer branch: docs/lab3-report-corrections
FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm test -- --reporter=verbose --no-file-parallelism
✓ tests/lab-02/RequesterSelection.test.tsx > Authenticated requester context > shows sign in when the authenticated session is unavailable

Test Files   13 passed (13)
  Tests     56 passed (56)
  Start at  04:04:22
  Duration  6.91s (transform 121ms, setup 186ms, collect 546ms, tests 3.56s, environment 1.52s, prepare 243ms)

Exit code: 0

```

Actual enlarged VS Code Terminal view of the archived Client main f6dc6f2 log: original command, SHA, passed totals and exit code. Viewed from the documentation branch, not a new run. Every verbose test name is retained in the linked raw log.

```

Viewing archived main verification output (not a new test run)
Viewer branch: docs/lab3-report-corrections
FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm run test:e2e -- --config=playwright.report.config.ts --workers=1 --reporter=list
Running 15 tests using 1 worker

✓ 1 [desktop] > e2e/lab-02/requester-ticket-flow.spec.ts:23:5 > covers authenticated requester ticket creation, detail, attachments, and isolation (2.2s)
✓ 2 [responsive] > e2e/lab-02/responsive.spec.ts:29:5 > keeps the authenticated requester shell usable and free of horizontal overflow (576ms)
✓ 3 [responsive] > e2e/lab-03/responsive.spec.ts:33:5 > checks the requester, Staff, and Administrator screens at this viewport (1.3s)
✓ 4 [tablet] > e2e/lab-02/responsive.spec.ts:29:5 > keeps the authenticated requester shell usable and free of horizontal overflow (561ms)
✓ 5 [tablet] > e2e/lab-03/responsive.spec.ts:33:5 > checks the requester, Staff, and Administrator screens at this viewport (1.3s)
✓ 6 [mobile] > e2e/lab-02/responsive.spec.ts:29:5 > keeps the authenticated requester shell usable and free of horizontal overflow (602ms)
✓ 7 [mobile] > e2e/lab-03/responsive.spec.ts:33:5 > checks the requester, Staff, and Administrator screens at this viewport (1.3s)
✓ 8 [auth-desktop] > e2e/lab-03/authentication.spec.ts:11:5 > requires an initial password change and revokes the session on logout (675ms)

```

Archived main f6dc6f2 E2E output in the native Terminal, enlarged view 1/2: test cases 1–8. The original SHA and command remain visible; this is a log view, not another run.

```

Viewing archived main verification output (not a new test run)
Viewer branch: docs/lab3-report-corrections
FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm run test:e2e -- --config=playwright.report.config.ts --workers=1 --reporter=list
✓ 9 [auth-tablet] > e2e/lab-03/authentication.spec.ts:11:5 > requires an initial password change and
  revokes the session on logout (656ms)
✓ 10 [auth-mobile] > e2e/lab-03/authentication.spec.ts:11:5 > requires an initial password change and
  revokes the session on logout (720ms)
✓ 11 [requester-desktop] > e2e/lab-03/requester-flow.spec.ts:24:5 > covers requester ownership, comme
  nts, resolution, and Staff collaboration with attachments (2.2s)
✓ 12 [accessibility] > e2e/lab-03/accessibility.spec.ts:31:5 > keyboard navigation, labels, active na
  vigation, and feedback are accessible (777ms)
✓ 13 [staff-desktop] > e2e/lab-03/staff-ticket-flow.spec.ts:24:5 > covers the staff queue, operationa
  l detail, and responsive layouts (608ms)
✓ 14 [staff-desktop] > e2e/lab-03/staff-ticket-flow.spec.ts:85:5 > claims, reassigns, unassigns, repr
  ioritizes, and changes status with confirmation (879ms)
✓ 15 [admin-desktop] > e2e/lab-03/user-administration.spec.ts:34:5 > Administrator can manage users,
  reset an initial password, and use the responsive screen (1.2s)

15 passed (20.0s)

Exit code: 0

```

Archived main f6dc6f2 E2E output in the native Terminal, enlarged view 2/2: test cases 9–15, 15 passed (20.0 s) and exit code 0. The original SHA and command remain visible; this is a log view, not another run.

```

Verification source: main
Commit: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm exec -- prisma migrate status
Prisma schema loaded from prisma/schema.prisma
Datasource "db": PostgreSQL database "lab3_report_f6dc6f2_20261003", schema "public" at "localhost:5432"

4 migrations found in prisma/migrations

Database schema is up to date!

Exit code: 0

FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm run prisma:seed

> toktickit-server@1.0.0 prisma:seed
> tsx prisma/seed.ts

Seeded 5 categories, 7 related systems, and 5 requesters.
Seeded Lab 3 users, realistic tickets, comments, and internal notes.

Exit code: 0

FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm run build

> toktickit-server@1.0.0 build
> tsc

Exit code: 0

FINAL MAIN: f6dc6f249e75d11829d9ec9a0640ef6a884e902e
Branch: main (isolated checkout)
Command: npm run build

> toktickit-client@1.0.0 build
> tsc && vite build

vite v6.4.3 building for production...
transforming...
✓ 37 modules transformed.
rendering chunks...
computing gzip size...
dist/index.html                0.39 kB | gzip: 0.27 kB
dist/assets/index-BL5QWnkG.css 231.14 kB | gzip: 30.69 kB
dist/assets/index-Du6sG0xC.js 229.25 kB | gzip: 63.08 kB
✓ built in 327ms

Exit code: 0

```

Main f6dc6f2: migration status, seed, TypeScript server build and Vite client build; every command exited 0.

Answer Part 4

AI Use with Reflection

OpenAI Codex powered by GPT-5 was used for specification analysis, implementation support, reviews, and test planning. Generated suggestions were checked against the Lab 3 sheet, repository, database schema, automated tests, peer review, and browser behavior.

Link

AI use and reflection: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/ai-use.md>

Screenshots

Lab 3 AI Use and Reflection

LLM Used

OpenAI Codex powered by GPT-5 was used as a specification and coding assistant. I remained responsible for design decisions, checking the Lab 3 sheet, reviewing generated suggestions, running tests, and confirming the result in the repository and browser.

Selected Prompts

These examples summarize prompts I used across Lab 3; wording is lightly normalized for readability. I checked generated suggestions against the specification, code, tests, and actual browser results.

1. "Read the Lab 3 sheet and separate mandatory requirements from excluded scope."
2. "Create a Lab 3 workflow that keeps Lab 1 and Lab 2 features separate and starts with updating agent.md."
3. "Break Lab 3 into Issues with Scope, Acceptance Criteria, Dependencies, Planned tests, Branch name, and Definition of Done."
4. "Design a migration from the Lab 2 Development Requester identity to a real User model without losing Ticket ownership or Attachment data."
5. "Review this authentication contract for password, session, logout, first-login, authorization, and safe-error gaps."
6. "Create an API contract for Requester, IT Staff, and Administrator operations with exact status codes and ownership rules."
7. "Create a test plan where every acceptance criterion maps to a real unit, API, UI, regression, responsive, accessibility, or E2E test."

Actual ai-use.md Markdown Preview: LLM name and selected prompts 1-7

8. "Challenge this specification for race conditions, privilege escalation, data leakage, migration loss, and unclear UI behavior."
9. "Implement staff Ticket mutations with optimistic concurrency and test stale and concurrent updates against the actual PostgreSQL row version."
10. "Review the staff workflow UI and E2E checks for claim, reassignment, unassignment, read-only Requested Priority, status confirmation, and mobile overflow; identify any assumptions the tests do not prove."

Actual Markdown Preview: selected prompts 8-10

I used the LLM to turn the handout into a reviewable starting point, but I did not treat its first answer as the specification. I compared each proposed rule with the Lab 3 sheet, checked that the API and UI documents used the same role and status names, and added explicit decisions for sessions, password state, ownership, migration, safe errors, and testing. I also checked that excluded features such as email delivery, multiple roles, user deletion, and advanced identity management were not accidentally included.

Before implementation, a teammate reviewed the contract and identified inconsistencies that were corrected before coding. During coding I verify AI suggestions against the actual Prisma schema, API behavior, tests, browser behavior, and final `main` branch rather than relying on autofill or unverified generated code.

My Reflection

The specification-agent helped expose decisions that would otherwise remain implicit, especially the migration path, authorization boundaries, and status transitions. For Issue 7, I used AI suggestions to scaffold mutation endpoints, UI controls, and tests, then checked the critical behavior against the actual transaction predicates, role filters, and returned `updatedAt` values. Running the browser flow exposed a test synchronization problem around the native confirmation dialog; I fixed the test to accept the dialog while its click was in progress rather than weakening the status assertion. Human review remains important for security, ownership, concurrency, and whether evidence proves each acceptance criterion; generated code is a draft, not verification.

For Issue 8, I compared the Issue's original "unsafe content is rejected" line with the approved specification, which says markup-like text may be stored and must render literally. I kept the approved specification as the contract, updated the Issue wording, and verified both sides: the API stores the text as content, while the React UI renders it without creating an HTML `script` element. This is a deliberate contract decision, not an assumption that accepting markup is inherently safe in every renderer.

For Issue 10, the first full Playwright run exposed selectors that matched more than one control, and the accessibility test's fixed

Actual Markdown Preview: How I Used AI Critically and My Reflection

text may be stored and must render literally. I kept the approved specification as the contract, updated the Issue wording, and verified both sides: the API stores the text as content, while the React UI renders it without creating an HTML `script` element. This is a deliberate contract decision, not an assumption that accepting markup is inherently safe in every renderer.

For Issue 10, the first full Playwright run exposed selectors that matched more than one control, and the accessibility test's fixed number of Tab presses was not reliable after navigation. I checked the rendered page and test flow, used specific control IDs where labels were duplicated, and anchored the keyboard check at a known form field before pressing Tab. I reran the failing test and the complete E2E suite, then linked the screenshot evidence to the viewport names. I left final `main` verification pending until the release is merged and did not generate a PDF, as requested.

Actual Markdown Preview: reflection on contract decisions, browser checks and test reliability

Answer Part 5

Working Login and Password Change UI

Authentication uses the real User identity and one role. The evidence set covers valid and invalid login, inactive accounts, busy/safe failure states, mandatory first-password change, authenticated role display, logout, and blocked direct access after logout.

Links

UI specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/ui-spec.md#3-login-screen>
Authentication E2E: <https://github.com/songt888/toktickit/blob/f6dc6f2/e2e/lab-03/authentication.spec.ts>
Authentication API tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/server/tests/lab-03/auth.api.test.ts>

Screenshots

TokTickIT IT Service Desk

E2E Requester A REQUESTER Logout

My Tickets Create Ticket

My Tickets Create Ticket

Tickets created by E2E Requester A.

Search Tickets

Ticket number, summary, or description...

Category

All categories

Related System

All related systems

Requested Priority

All priorities

Status

All statuses

Page size

10

Sort by

Last updated

Order

Descending

Apply filters

Clear filters

Ticket Number

Summary

Category

Related System

Status

Priority

Last Update

valid active-user login continuing to the permitted role screen

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Unable to sign in. Check your details and try again.

Email

e2e.requester.a@example.com

Password

.....

Sign In

invalid credentials with a safe message

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Unable to sign in. Check your details and try again.

Email

pjoy.inactive@example.com

Password

.....

Sign In

inactive account handled without revealing account details

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Email

busy@example.com

Password

.....

Signing in...



Sign In is disabled while the request is in progress

TokTickIT IT Service Desk

E2E First Login User **REQUESTER** Logout

Change your password

An initial password must be changed before you can use the application.

Current password

Current password is required.

New password

Password must be between 12 and 128 characters.

12–128 characters, including uppercase, lowercase, and a number.

Confirm new password

Passwords do not match.

Continue

Signed in as e2e.first-login.chromium@example.test

Change Password field validation

TokTickIT IT Service Desk

E2E Requester A **REQUESTER** Logout

My Tickets

Create Ticket

My Tickets

Create Ticket

Tickets created by E2E Requester A.

Search Tickets

Ticket number, summary, or description...

Category

All categories

Related System

All related systems

Requested Priority

All priorities

Status

All statuses

Page size

10

Sort by

Last updated

Order

Descending

Apply filters

Clear filters

Ticket Number	Summary	Category	Related System	Status	Priority	Last Update
current user name, role, role navigation, and Logout						

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Email

Password

Sign In

Login screen after logout; session revocation is separately covered by the authentication tests

Initial Login and mandatory Change Password screens at desktop/tablet/mobile sizes are shown once in Part 9.

Answer Part 6

Working IT Staff Ticket Queue UI

The IT Staff queue presents realistic Tickets with search, filtering, sorting, pagination, ownership, status, requested/IT priority, and an Open action. Separate states show loading, empty/no results, safe failure, and responsive behavior.

Links

Queue UI specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/ui-spec.md#6-it-staff-ticket-queue>

Queue API tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/server/tests/lab-03/staff-queue.api.test.ts>

Queue UI tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/client/tests/lab-03/StaffTicketQueue.test.tsx>

Screenshots

TokTickIT IT Service Desk

E2E Staff UserIT-STAFFLogout

Ticket Queue

Ticket Queue

Operational tickets available to Staff and Administrators.

Search Queue

Responsive desktop 1790929294315

Category

All categories

Related System

All related systems

Requested Priority

All priorities

IT Priority

All IT priorities

Status

All statuses

Owner

All owners

Sort by

Last updated

Order

Descending

Page size

10

Apply filters

Clear filters

Ticket Number	Created	Summary	Category	Requester	Requested	IT Priority	Status	Owner	Updated	
TKT-20261002-000035	10/2/2026, 3:21:34 PM	Responsive desktop 1790929294315	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	10/2/2026, 3:21:34 PM	Open Detail

Showing page 1 of 1 (1 tickets)

Previous

Next

desktop queue with realistic Ticket rows and Open actions

Page 26

Search Queue

Responsive desktop

Category

Network

Related System

All related systems

Requested Priority

All priorities

IT Priority

All IT priorities

Status

All statuses

Owner

All owners

Sort by

Ticket number

Order

Descending

Page size

10

Apply filters

Clear filters

Ticket Number	Created	Summary	Category	Requester	Requested	IT Priority	Status	Owner	Updated	
TKT-20260928-000904	9/28/2026, 7:50:09 PM	Responsive desktop 1790599809492	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:50:09 PM	Open Detail
TKT-20260928-000897	9/28/2026, 7:49:28 PM	Responsive desktop 1790599767926	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:49:28 PM	Open Detail
TKT-	9/28/2026,	Responsive desktop		E2E					9/28/2026,	Open
search, filters, sort selection, and resulting rows										
TKT-20260928-000906	9/28/2026, 7:50:10 PM	Responsive layout mobile 1790599810823	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:50:10 PM	Open Detail
TKT-20260928-000905	9/28/2026, 7:50:09 PM	Responsive tablet 1790599809543	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:50:09 PM	Open Detail
TKT-20260928-000904	9/28/2026, 7:50:09 PM	Responsive desktop 1790599809492	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:50:09 PM	Open Detail
TKT-20260928-000903	9/28/2026, 7:50:09 PM	E2E attachment workflow 1790599809343	Network	E2E Requester A	HIGH	HIGH	NEW	Unassigned	9/28/2026, 7:50:09 PM	Open Detail
TKT-20260928-000901	9/28/2026, 7:50:09 PM	Responsive layout responsive 1790599809288	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:50:09 PM	Open Detail
TKT-20260928-000902	9/28/2026, 7:50:09 PM	Responsive layout tablet 1790599809282	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	9/28/2026, 7:50:09 PM	Open Detail
TKT-20260928-000900	9/28/2026, 7:49:31 PM	Lab 3 cross-role workflow 1790599770905	Network	E2E Requester A	HIGH	HIGH	NEW	Unassigned	9/28/2026, 7:49:31 PM	Open Detail

Showing page 1 of 21 (202 tickets)

Previous

Next

pagination plus assigned/unassigned, status, and priority badges

Ticket Queue

Ticket Queue

Operational tickets available to Staff and Administrators.

Search Queue

Category

Related System

Requested Priority

IT Priority

Status

Owner

Sort by

Order

Page size

No tickets match the current queue filters.

No-results feedback for the current queue filters

Loading Ticket Queue...

Focused crop of the retained queue screenshot: Apply/Clear filters and Loading Ticket Queue feedback.

Unable to load the staff ticket queue.

Focused crop of the retained failure screenshot: Unable to load the staff ticket queue and the complete Try again action. Repeated filter fields are shown above, not duplicated here.

Ticket Queue

Operational tickets available to Staff and Administrators.

Search Queue

Ticket number, summary, description, or requester...

Category

All categories

Related System

All related systems

Requested Priority

All priorities

IT Priority

All IT priorities

Status

All statuses

Owner

All owners

Sort by

Last updated

Order

Descending

Page size

10

Apply filters

Clear filters

No tickets are currently in the operational queue.

Actual main f6dc6f2 UI on a separate migrated database with zero Tickets: blank search, unrestricted filters and unfiltered empty queue feedback. No existing Tickets were deleted.

Answer Part 7

Working IT Staff Ticket Detail UI

The Staff detail workflow supports ownership, IT Priority, permitted status transitions, Public Comments, private Internal Notes, attachment continuity, and Requester resolution indication. Role restrictions, validation, safe failures, and direct API authorization are verified separately.

Links

Detail UI specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/ui-spec.md#7-it-staff-ticket-detail>
Staff detail API tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/server/tests/lab-03/staff-ticket-detail.api.test.ts>
Comments and notes API tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/server/tests/lab-03/comments-notes.api.test.ts>
Staff workflow E2E: <https://github.com/songt888/toktickit/blob/f6dc6f2/e2e/lab-03/staff-ticket-flow.spec.ts>

Screenshots

Complete desktop Staff Detail — main f6dc6f2

Consecutive native Edge views at 100% browser zoom, 1176 px wide, show the same Ticket TKT-20261002-000021. Each crop ends between complete rows or sections; the lower views continue the same page.

TokTickIT IT Service Desk

E2E Staff UserIT_STAFFLogout

Ticket Queue

Back to Ticket Queue

Operational Ticket Detail

Ticket Information

Ticket Number

TKT-20261002-000021

Created

10/3/2026, 4:04:45 AM

Requester

E2E Requester A (e2e.requester.a@example.com)

Category

Network

Related System

Network and Internet

Owner

Unassigned

Requested Priority

HIGH

IT Priority

HIGH

Current Status

NEW

Problem Appears Resolved

Yes

Desktop 1/4: full authenticated shell and Ticket Information through Problem Appears Resolved.

Summary

Lab 3 cross-role workflow 1790975085611

Description

Verify authenticated requester, staff collaboration, and attachment access.

Last Updated

10/3/2026, 4:04:46 AM

Operational Controls

Assign to

Choose an active Staff or Administrator

Assign Ticket

Claim Ticket

IT Priority

HIGH

Save IT Priority

Status

NEW (current)

Update Status

Desktop 2/4: remaining Summary, Description and Last Updated, followed by complete Operational Controls.

Page 30

Public Comments

Visible to the requester and support staff.

1. **E2E Requester A** 10/3/2026, 4:04:46 AM

Requester update 1790975085611

2. **E2E Staff User** 10/3/2026, 4:04:47 AM

Support update 1790975085611

Add a public comment

Post Public Comment

Desktop 3/4: complete Public Comments, authors/times, comment input and Post Public Comment action.

Internal Notes

Private to IT Staff and Administrators; not visible to Requesters.

1. **E2E Staff User** 10/3/2026, 4:04:47 AM

Private troubleshooting note 1790975085611

Add an internal note

Post Internal Note

Attachments



01-health.png

Active · 124295 bytes

Download

Desktop 4/4: complete Internal Notes, note input/Post Internal Note and attachment metadata/Download action.

Operational Controls

Assign to

E2E Staff User — IT_STAFF

Reassign Ticket

Unassign

IT Priority

HIGH

Save IT Priority

Status

NEW (current)

Update Status

Operational Controls

Assign to

Nattakit Support — IT_STAFF

Reassign Ticket

Unassign

IT Priority

HIGH

Save IT Priority

Status

NEW (current)

Update Status

Operational Controls

Assign to

Choose an active Staff or Administrator

Assign Ticket

Claim Ticket

IT Priority

HIGH

Save IT Priority

Status

NEW (current)

Update Status

claim, reassign, and unassign results

Owner	Unassigned
Requested Priority	HIGH
IT Priority	URGENT
Current Status	IN_PROGRESS
Problem Appears Resolved	Yes
Summary	Lab 3 cross-role workflow 1790599812625
Description	Verify authenticated requester, staff collaboration, and attachment access.
Last Updated	9/29/2026, 12:07:34 AM

Operational Controls

Assign to

Choose an active Staff or Administrator

Assign Ticket

Claim Ticket

IT Priority

Status

Updated IT Priority URGENT and Current Status IN_PROGRESS

Public Comments

Visible to the requester and support staff.

1. E2E Requester A 9/28/2026, 7:50:13 PM

Requester update 1790599812625

2. E2E Staff User 9/28/2026, 7:50:14 PM

Support update 1790599812625

Add a public comment

Post Public Comment

Write a public comment before posting.

*Separate blank-comment validation: message is placed next to the Public Comment action.***Internal Notes**

Private to IT Staff and Administrators; not visible to Requesters.

1. E2E Staff User 10/3/2026, 4:04:47 AM

Private troubleshooting note 1790975085611

Add an internal note

Check the network adapter again; keep this draft if the API is unavailable.

Post Internal Note

Failed to fetch

Attachments

01-health.png

Active · 124295 bytes

Download

Actual network failure after stopping only the isolated capture API: Post Internal Note shows Failed to fetch. The entire draft, existing note and attachment metadata remain visible. No note was saved; this is separate from field validation.

```
Branch: main Commit: 92c88aa
LAB 3 LIVE EXPRESS / SUPERTTEST - session cookie authentication
```

No session

```
GET /api/tickets -> HTTP 401
{"error": "Authentication required"}
```

Requester on Staff queue

```
GET /api/staff/tickets -> HTTP 403
{"error": "Forbidden"}
```

Existing Ticket owned by another Requester

```
GET /api/tickets/1 -> HTTP 404
{"error": "Resource not found"}
```

PASS: 401 / 403 / 404; no protected data returned.

song@MacBook-Air-khxng-Kirakit server %

Retained historical main 92c88aa Lab 3 Express/Supertest capture: no session = 401, Requester on Staff queue = 403, another Requester's existing Ticket = 404. No protected data is returned; session-cookie authentication, not X-Requester-Id. Current main authorization tests also pass in Part 3.

The complete Requester Ticket Detail screenshots in Part 9 show the authenticated shell, owned Ticket, Public Comment and Problem Appears Resolved = Yes. The runtime 404 above demonstrates ownership isolation. The screens show the resulting resolved state, not a before/after action sequence.

Staff attachment continuity and download authorization are covered by the requester-flow E2E test listed in Part 3. The following local browser check additionally demonstrates a completed Staff download.

Staff attachment download in Chrome

Local browser verification from the main ac8a3dd application snapshot after approved PR #60 merged. Nattakit Support (IT_STAFF) downloaded the existing active staff-download-test.pdf attached to TKT-20260919-900002. It was saved as staff-download-main-ac8a3dd.pdf. Chrome shows 1,422 B and Done; its SHA-256 matches the previously verified original. No password or database reset was performed.

TokTickIT IT Service Desk

Nattakit Support **IT_STAFF** [Logout](#)

Actual Chrome screenshot: authenticated Nattakit Support with IT_STAFF role.

Attachments

staff-download-test.pdf

Active · 1422 bytes

[Download](#)

Actual Chrome screenshot: the active PDF attachment and Staff Download action.



Anyone using this device can see
downloaded files



staff-download-main-ac8a3dd.pdf
1,422 B · Done

Actual Chrome download panel: staff-download-main-ac8a3dd.pdf, 1,422 B, Done.

Answer Part 8

Working Administrator User Management UI

The minimalist Administrator screen supports listing, search, role filtering, create/edit, one-role assignment, activation, and initial-password reset. It also proves duplicate/invalid input handling, required next-login password change, Administrator safety rules, forbidden access, safe failure, and responsive behavior.

Links

Admin UI specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/ui-spec.md#8-administrator-user-management>

Admin API tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/server/tests/lab-03/users-admin.api.test.ts>

Admin UI tests: <https://github.com/songt888/toktickit/blob/f6dc6f2/client/tests/lab-03/UserManagement.test.tsx>

Admin E2E: <https://github.com/songt888/toktickit/blob/f6dc6f2/e2e/lab-03/user-administration.spec.ts>

Screenshots

TokTickIT IT Service Desk

E2E Administrator ADMINISTRATOR Logout

Ticket Queue **User Management**

User Management

Manage account details, roles, access, and initial passwords.

Add user

Search name or email

Filter by role

ari.suksan@example.com

All roles

Apply filters

Ari Suksan

ari.suksan@example.com

REQUESTER

Active

Edit

Set New Initial Password

Name, Email, Role, Status, and Edit action

TokTickIT IT Service Desk

E2E Administrator ADMINISTRATOR Logout

Ticket Queue **User Management**

User Management

Manage account details, roles, access, and initial passwords.

Add user

Search name or email

Filter by role

ari.suksan@example.com

REQUESTER

Apply filters

Ari Suksan

ari.suksan@example.com

REQUESTER

Active

Edit

Set New Initial Password

Ben Chaiyo

ben.chaiyo@example.com

REQUESTER

Active

Edit

Set New Initial Password

E2E Administrator

e2e.admin@example.com

ADMINISTRATOR

Active

Edit

Set New Initial Password

E2E First Login User

e2e.first-login.chromium@example.test

REQUESTER

Active

Edit

Set New Initial Password

name/email search and optional role filtering

Ticket Queue User Management

User Management

Manage account details, roles, access, and initial passwords.

Add user

Create user

Name

Lab 3 Evidence Staff

Email

lab3.evidence.staff@example.test

Role

IT STAFF

Active account

☒

Initial password

.....

12-128 characters, including uppercase, lowercase, and a number.

Save user

Cancel

Search name or email

ari.suksan@example.com

Filter by role

REQUESTER

Apply filters

Ari Suksan

ari.suksan@example.com

Edit

Set New Initial Password

create user with one role, activation state, and initial password

User Management

Manage account details, roles, access, and initial passwords.

Add user

Create user

A user with this email already exists.

Name

Lab 3 Evidence Staff

Email

ari.suksan@example.com

Role

IT STAFF

Active account

☒

Initial password

.....

12-128 characters, including uppercase, lowercase, and a number.

Save user

Cancel

User Management

Manage account details, roles, access, and initial passwords.

Add user

Create user

Validation failed

Name

Lab 3 Evidence Staff

Email

not-an-email

Role

IT STAFF

Active account

☒

Initial password

.....

12-128 characters, including uppercase, lowercase, and a number.

Save user

Cancel

duplicate email and invalid-input validation

Ticket QueueUser Management

User Management

Manage account details, roles, access, and initial passwords.

Add user

Edit Lab Administrator

Name

Lab Administrator Review

Email

lab.admin.review@example.com

Role

IT STAFF

Active account

This change affects sign-in access or Administrator availability.

☐ I understand and want to continue.

Save user

Cancel

Search name or email

Filter by role

edit name, email, role, and activation state

Ticket QueueUser Management

User Management

Manage account details, roles, access, and initial passwords.

Add user

Initial password set for Ari Suksan; it must be changed at next sign-in.

Search name or email

Filter by role

All roles

Apply filters

Ari Suksan

ari.suksan@example.com

REQUESTERActive

Edit

Set New Initial Password

Ben Chaiyo

ben.chaiyo@example.com

Edit

Set New Initial Password

Administrator sets a new initial password

Change your password

An initial password must be changed before you can use the application.

Current password

New password

12–128 characters, including uppercase, lowercase, and a number.

Confirm new password

Continue

Signed in as ari.suksan@example.com

reset user is forced to Change Password at next login

Ticket Queue **User Management**

User Management

Manage account details, roles, access, and initial passwords.

Add user

Edit E2E Administrator

You cannot deactivate your own account.

Name

E2E Administrator

Email

e2e.admin@example.com

Role

ADMINISTRATOR

☐ Active account

This change affects sign-in access or Administrator availability.

☒ Understand and want to continue.

Save user Cancel

Search name or email

Filter by role

self-deactivation is prevented

Ticket Queue User Management

User Management

Manage account details, roles, access, and initial passwords.

Add user

Edit E2E Administrator

The last active Administrator cannot be deactivated or demoted.

Name

E2E Administrator

Email

e2e.admin@example.com

Role

IT STAFF

Active account

Active account

This change affects sign-in access or Administrator availability.

☒ I understand and want to continue.

Save user Cancel

last active Administrator cannot be deactivated or demoted

Ticket Queue

Retained Staff shell: IT_STAFF role and Ticket Queue navigation, without User Management. Repeated queue filters omitted.

```
localhost:5173/api/admin/users
{"error": "Forbidden"}
```

Retained real browser API response: /api/admin/users returns Forbidden for that non-Administrator session, without user data.

Edit E2E Requester A

Failed to fetch

Name

E2E Requester A - pending update

Email

e2e.requester.a@example.com

Role

REQUESTER

Active account

Active account

Save user Cancel

Search name or email

Filter by role

All roles

Apply filters

Ari Suksan

ari.suksan@example.com

REQUESTERActive

EditSet New Initial Password

Actual main f6dc6f2 Administrator network failure, not duplicate-email rejection: Failed to fetch appears after Save user while the isolated capture API is stopped. Name, email, role, Active account, controls and loaded user cards remain. No edit was saved.

Answer Part 9

Zen Green UI and Responsive Evidence

The rendered UI specification records the shared Zen Green system, role navigation, badges, validation placement, focus, and completed visual checklist. Responsive E2E checks that document and body widths stay within the configured viewport; the My Tickets table remains in its own horizontal scroll area on wider screens.

The complete desktop Staff Detail is shown once in Part 7, across four readable consecutive views. Tablet and mobile Staff Detail follow below.

Links

UI specification: <https://github.com/songt888/toktickit/blob/f6dc6f2/docs/lab-03/ui-spec.md>

Screenshot folder: <https://github.com/songt888/toktickit/tree/f6dc6f2/artifacts/lab-03/screenshots>

Responsive E2E: <https://github.com/songt888/toktickit/blob/f6dc6f2/e2e/lab-03/responsive.spec.ts>

Accessibility E2E: <https://github.com/songt888/toktickit/blob/f6dc6f2/e2e/lab-03/accessibility.spec.ts>

Screenshots

Lab 3 Zen Green UI Specification

Status: Draft for Issue 1 peer review

1. Design System

Lab 3 extends the Lab 2 Zen Green visual system. Existing color, spacing, typography, form, card, badge, button, validation, and responsive tokens remain the source of truth.

Token	Use
Primary green #006B3C	Application header and primary actions
Secondary green #0B7A46	Links, active controls, and focus accents
Pale green #EAF6EF	Success, selected, and supportive sections
Page background #F5F7F6	Application background
Surface #FFFFFF	Cards, forms, tables, and panels
Charcoal green text	Headings and body copy
Dark red	Errors, invalid fields, and destructive warnings
Amber	Warnings and attention states

Actual ui-spec.md Markdown Preview: the shared Zen Green design system

12. Visual Checklist

- [x] Zen Green tokens are consistent on all Lab 3 screens.
- [x] Authenticated name and role are visible in the shell.
- [x] Navigation is role-specific and marks the active page.
- [x] Requested Priority, IT Priority, status, and role badges are distinct.
- [x] Editable and read-only fields are visibly different.
- [x] Public Comments and Internal Notes are clearly separated.
- [x] Validation is near the relevant field or action.
- [x] Busy, disabled, success, forbidden, and failure states are readable.
- [x] Keyboard focus is visible and all controls are reachable.
- [x] Desktop queue remains readable without a mega-grid.
- [x] Tablet and mobile layouts avoid clipping and overlap.
- [x] No major screen has unintended horizontal overflow.
- [x] Screenshots are readable at normal zoom and grouped by submission part.

These checks were verified with the Issue #40 Playwright runs, UI tests, accessibility assertions, and the screenshot evidence indexed in `docs/lab-03/tests.md`. Final `main` release verification remains tracked separately as `RELEASE-01`.

Actual ui-spec.md Markdown Preview: all 13 repository visual checks; unchanged on main

Login - desktop 1280 x 900

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Email

Password

Sign In

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Login - tablet 820 x 1000

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Email

Password

Sign In

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Login - mobile 390 x 844

TokTickIT IT Service Desk

Sign in

Use your TokTickIT account to continue.

Email

Password

Sign In

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Change Password - desktop 1280 x 900

TokTickIT IT Service Desk

E2E First Login User **REQUESTER** [Logout](#)

Change your password

An initial password must be changed before you can use the application.

Current password

New password

12–128 characters, including uppercase, lowercase, and a number.

Confirm new password

Continue

Signed in as e2e.first-login.auth-desktop@example.test

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Change Password - tablet 820 x 1000

TokTickIT IT Service Desk

E2E First Login User **REQUESTER** [Logout](#)

Change your password

An initial password must be changed before you can use the application.

Current password

New password

12–128 characters, including uppercase, lowercase, and a number.

Confirm new password

Continue

Signed in as e2e.first-login.auth-tablet@example.test

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Change Password - mobile 390 x 844

TokTickIT IT Service Desk

E2E First Login User

REQUESTER

Logout

Change your password

An initial password must be changed before you can use the application.

Current password**New password**

12–128 characters, including uppercase, lowercase, and a number.

Confirm new password**Continue**

Signed in as e2e.first-login.auth-
mobile@example.test

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Requester My Tickets desktop

TokTickIT IT Service Desk

Ari Suksan **REQUESTER** [Logout](#)

My Tickets [Create Ticket](#)

My Tickets

[Create Ticket](#)

Tickets created by Ari Suksan.

Search Tickets

Category

All categories ▾

Related System

All related systems ▾

Requested Priority

All priorities ▾

Status

All statuses ▾

Page size

10 ▾

Sort by

Last updated ▾

Order

Descending ▾

[Apply filters](#)


[Clear filters](#)

Requester My Tickets - desktop Edge 1176 x 804, controls; native Edge capture from the ac8a3dd application snapshot.

Last Updated	Actions
10/1/2026	View details

Requester My Tickets - desktop table, right position with complete View details action; native Edge capture from the ac8a3dd application snapshot.

Requester My Tickets - native Edge 820 x 973, browser zoom 100%, table scrolled right: complete View details button and row context, main f6dc6f2



Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Requester My Tickets - mobile 390 px full page

TokTickIT IT Service Desk

Report QA Requester **REQUESTER** Logout

My Tickets

Create Ticket

My Tickets

Tickets created by Report QA Requester.

Create Ticket

Search Tickets

Ticket number, summary, or descriptic

Category

All categories

Related System

All related systems

Requested Priority

All priorities

Status

All statuses

Page size

10

Sort by

Last updated

Order

Descending

Apply filters Clear filters

TKT-20260930-000016

Application sign-in needs investigation

Category Account and Access

Related System Email and Collaboration

Status NEW

Priority MEDIUM

Last Updated 10/1/2026

View details

TKT-20260930-000015

Printer connection fails after reconnecting

Category Account and Access

Related System Email and Collaboration

Status NEW

Priority MEDIUM

Last Updated 10/1/2026

View details

TKT-20260930-000014

Laptop cannot connect to office Wi-Fi

Category Account and Access

Related System Email and Collaboration

Status NEW

Priority MEDIUM

Last Updated 10/1/2026

View details

Showing page 1 of 1 (3 tickets)

Previous Next

The complete captured image is shown from top to bottom, left panel then right panel. Only surrounding whitespace is removed.

Requester Ticket Detail - desktop 1440 px viewport

TokTickIT IT Service Desk

Ben Chaiyo REQUESTER Logout

My Tickets Create Ticket

[Back to My Tickets](#)

Ticket Detail

Ticket Information

Ticket Number	TKT-20260919-900002
Ticket Date	10/1/2026, 2:24:37 AM
Requester	Ben Chaiyo (ben.chaiyo@example.com)
Category	Hardware
Related System	Laptop and Desktop
Requested Priority	MEDIUM
Current Status	NEW
Summary	External monitor is not detected
Description	The monitor is connected but does not appear in display settings.
Created	10/1/2026, 2:24:37 AM
Last Updated	10/1/2026, 2:24:37 AM

Problem Appears Resolved

This is a requester indication only. It does not formally resolve or close the Ticket.

You marked this problem as appearing resolved.

[Clear resolved indication](#)

Actual browser viewport capture fitted inside the portrait page; complete captured shell retained.

My Tickets Create Ticket

Back to My Tickets

Ticket Detail

Ticket Information

Ticket Number	TKT-20260919-900002
Ticket Date	10/1/2026, 2:24:37 AM
Requester	Ben Chaiyo (ben.chaiyo@example.com)
Category	Hardware
Related System	Laptop and Desktop
Requested Priority	MEDIUM
Current Status	NEW
Summary	External monitor is not detected
Description	The monitor is connected but does not appear in display settings.
Created	10/1/2026, 2:24:37 AM
Last Updated	10/1/2026, 2:24:37 AM

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Requester Ticket Detail - tablet 768 px full page — 2/2

Problem Appears Resolved

This is a requester indication only. It does not formally resolve or close the Ticket.

You marked this problem as appearing resolved.

[Clear resolved indication](#)

Public Comments

Comments are visible to permitted users and are saved as plain text.

1.

Ben Chaiyo (ben.chaiyo@example.com)

10/1/2026, 2:24:37 AM

I can reproduce this after reconnecting the cable.

Add Public Comment

1–4000 characters. Markup is displayed as text.

[Add Public Comment](#)

Attachments

Active files: 0/5

Upload attachment

[Choose File](#)

No file chosen

[Upload](#)

JPG, JPEG, PNG, WEBP, or PDF; up to 5 MB each and 5 active files.

No attachments for this ticket.

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Requester Ticket Detail - mobile 440 px full page

TokTickIT IT Service Desk

Ben Chaiyo **REQUESTER** [Logout](#)

My Tickets

[Create Ticket](#)[Back to My Tickets](#)

Ticket Detail

Ticket Information

Ticket Number

TKT-20260919-900002

Ticket Date

10/1/2026, 2:24:37 AM

Requester

Ben Chaiyo (ben.chaiyo@example.com)

Category

Hardware

Related System

Laptop and Desktop

Requested Priority**MEDIUM****Current Status****NEW****Summary**

External monitor is not detected

Description

The monitor is connected but does not appear in display settings.

Created

10/1/2026, 2:24:37 AM

Last Updated

10/1/2026, 2:24:37 AM

Problem Appears Resolved

This is a requester indication only. It does not formally resolve or close the Ticket.

You marked this problem as appearing resolved.

[Clear resolved indication](#)

Public Comments

Comments are visible to permitted users and are saved as plain text.

1.

Ben Chaiyo (ben.chaiyo@example.com)

10/1/2026, 2:24:37 AM

I can reproduce this after reconnecting the cable.

Add Public Comment

1–4000 characters. Markup is displayed as text.

[Add Public Comment](#)

Attachments

Active files: 0/5

Upload attachment

[Choose File](#)

No file chosen

[Upload](#)

JPG, JPEG, PNG, WEBP, or PDF; up to 5 MB each and 5 active files.

No attachments for this ticket.

The complete captured image is shown from top to bottom, left panel then right panel. Only surrounding whitespace is removed.

Requester Create Ticket - desktop 1280 px

TokTickIT IT Service Desk

Report QA Requester

REQUESTER

Logout

My Tickets

Create Ticket

Create Ticket

Requester context selected

Describe the issue for the IT Service Desk.

Requester

Report QA Requester (report-qa-20261001@example.test)

Authenticated requester

Category *

Select a category...

Related System *

Select a related system...

Summary *

Description *

Requested Priority *

Select requested priority...

Attachments

Choose Files

No file chosen

JPG, JPEG, PNG, WEBP, or PDF; up to 5 MB each and 5 files. Files upload after the Ticket is created.

Create Ticket

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Requester Create Ticket - tablet 820 px

TokTickIT IT Service Desk

Report QA Requester

REQUESTER

Logout

My Tickets

Create Ticket

Create Ticket

Requester context selected

Describe the issue for the IT Service Desk.

Requester

Report QA Requester (report-qa-20261001@example.test)

Authenticated requester

Category *

Select a category...

Related System *

Select a related system...

Summary *

Description *

Requested Priority *

Select requested priority...

Attachments

Choose Files

No file chosen

JPG, JPEG, PNG, WEBP, or PDF; up to 5 MB each and 5 files. Files upload after the Ticket is created.

Create Ticket

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Requester Create Ticket - mobile 390 px full page

TokTickIT IT Service Desk

Report QA Requester **REQUESTER** Logout

My Tickets

Create Ticket

Create Ticket

Describe the issue for the IT Service Desk.

Requester context selected

Requester

Report QA Requester (report-qa-2026100'

Authenticated requester

Category *

Select a category... ▾

Related System *

Select a related system... ▾

Summary *

Description *

Requested Priority *

Select requested priority... ▾

Attachments

Choose Files

No file chosen

JPG, JPEG, PNG, WEBP, or PDF; up to 5 MB each and 5 files. Files upload after the Ticket is created.

Create Ticket

The complete captured image is shown from top to bottom, left panel then right panel. Only surrounding whitespace is removed.

Staff Ticket Queue - desktop 1280 px

Ticket Queue

Ticket Queue

Operational tickets available to Staff and Administrators.

Search Queue

Responsive desktop 1790929294315

Category

All categories

Related System

All related systems

Requested Priority

All priorities

IT Priority

All IT priorities

Status

All statuses

Owner

All owners

Sort by

Last updated

Order

Descending

Page size

10

Apply filters

Clear filters

Ticket Number	Created	Summary	Category	Requester	Requested	IT Priority	Status	Owner	Updated	
TKT-20261002-000035	10/2/2026, 3:21:34 PM	Responsive desktop 1790929294315	Network	E2E Requester A	MEDIUM	MEDIUM	NEW	Unassigned	10/2/2026, 3:21:34 PM	Open Detail

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Ticket Queue

Ticket Queue

Operational tickets available to Staff and Administrators.

Search Queue

Responsive tablet 1790929296509

Category

All categories

Related System

All related systems

Requested Priority

All priorities

IT Priority

All IT priorities

Status

All statuses

Owner

All owners

Sort by

Last updated

Order

Descending

Page size

10

Apply filters

Clear filters

TKT-20261002-000037

NEW

Created:

10/2/2026, 3:21:36 PM

Summary:

Responsive tablet 1790929296509

Category:

Network

Requester:

E2E Requester A

Requested Priority:

MEDIUM

IT Priority:

MEDIUM

Status:

NEW

Owner:

Unassigned

Last Updated:

10/2/2026, 3:21:36 PM

Open Detail

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Staff Ticket Queue - mobile 390 px full-page local capture

TokTickIT IT Service Desk

Nattakit Support **IT_STAFF** [Logout](#)

Ticket Queue

Ticket Queue

Operational tickets available to Staff and Administrators.

Search Queue

Category

Related System

Requested Priority

IT Priority

Status

Owner

Sort by

Order

Page size

[Apply filters](#)[Clear filters](#)

TKT-20260919-900002

NEW**Created:** 10/1/2026, 2:24:37 AM**Summary:** External monitor is not detected**Category:** Hardware**Requester:** Ben Chaiyo**Requested Priority:** **MEDIUM****IT Priority:** **MEDIUM****Status:** **NEW****Owner:** Unassigned**Last Updated:** 10/1/2026, 2:24:37 AM[Open Detail](#)

TKT-20260919-900001

IN_PROGRESS**Created:** 10/1/2026, 2:24:37 AM**Summary:** Laptop battery drains quickly**Category:** Hardware**Requester:** Ari Suksan**Requested Priority:** **HIGH****IT Priority:** **HIGH****Status:** **IN_PROGRESS****Owner:** Nattakit Support**Last Updated:** 10/1/2026, 2:24:37 AM[Open Detail](#)

Showing page 1 of 1 (2 tickets)

[Previous](#)[Next](#)

The complete captured image is shown from top to bottom, left panel then right panel. Only surrounding whitespace is removed.

Ticket Queue

[Back to Ticket Queue](#)

Operational Ticket Detail

Ticket Information

Ticket Number	TKT-20261002-000037
Created	10/2/2026, 3:21:36 PM
Requester	E2E Requester A (e2e.requester.a@example.com)
Category	Network
Related System	Network and Internet
Owner	Unassigned
Requested Priority	MEDIUM
IT Priority	MEDIUM
Current Status	NEW
Problem Appears Resolved	No
Summary	Responsive tablet 1790929296509
Description	Ticket fixture for responsive screen verification.
Last Updated	10/2/2026, 3:21:36 PM

Operational Controls

Assign to

Choose an active Staff or Administrator

Assign Ticket

Claim Ticket

IT Priority

MEDIUM

Save IT Priority

Status

NEW (current)

Update Status

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Staff Ticket Detail - tablet 820 px full page — 2/2

Public Comments

Visible to the requester and support staff.

No public comments yet.

Add a public comment[Post Public Comment](#)**Internal Notes**

Private to IT Staff and Administrators; not visible to Requesters.

No internal notes yet.

Add an internal note[Post Internal Note](#)**Attachments**

No attachments for this Ticket.

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Staff Ticket Detail - mobile 390 px full page — upper screen

TokTickIT IT Service Desk

E2E Staff User **IT_STAFF** [Logout](#)

Ticket Queue

[Back to Ticket Queue](#)

Operational Ticket Detail

Ticket Information

Ticket Number

TKT-20260919-900001

Created

10/1/2026, 2:24:37 AM

Requester

Ari Suksan (ari.suksan@example.com)

Category

Hardware

Related System

Laptop and Desktop

Owner

Nattakit Support

Requested Priority

HIGH

IT Priority

HIGH

Current Status

IN_PROGRESS

Problem Appears Resolved

No

Summary

Laptop battery drains quickly

Description

The battery falls below 20 percent after a short session.

Last Updated

10/1/2026, 2:24:37 AM

Same actual mobile capture: shell and complete Ticket information.

Staff Ticket Detail - mobile 390 px full page — continued, left then right

Operational Controls

Assign to

Nattakit Support — IT_STAFF ▾

Reassign Ticket Unassign

IT Priority

HIGH ▾

Save IT Priority

Status

IN_PROGRESS (current) ▾

Update Status

Public Comments

Visible to the requester and support staff.

1. **Ari Suksan** 10/1/2026, 2:24:37 AM

The issue started after the latest update.

Add a public comment

Post Public Comment

Internal Notes

Private to IT Staff and Administrators; not visible to Requesters.

1. **Nattakit Support** 10/1/2026, 2:24:37 AM

Checked device inventory; replacement is available.

Add an internal note

Post Internal Note

Attachments

No attachments for this Ticket.

Continuation of the same capture: full Operational Controls and Public Comments (left); complete Internal Note input, Post Internal Note button and Attachments (right). No capture pixels are omitted between panels.

Administrator User Management - desktop viewport

Ticket Queue

User Management

TokTickIT IT Service Desk

E2E AdministratorADMINISTRATORLogout

Ticket Queue

User Management

User Management

Manage account details, roles, access, and initial passwords.

Add user

Search name or email

Filter by role

All roles

Apply filters

Ari Suksan

ari.suksan@example.com

REQUESTERActive

EditSet New Initial Password

Ben Chaiyo

ben.chaiyo@example.com

REQUESTERActive

EditSet New Initial Password

E2E Administrator

e2e.admin@example.com

ADMINISTRATORActive

EditSet New Initial Password

E2E Requester A

e2e.requester.a@example.com

REQUESTERActive

EditSet New Initial Password

E2E Requester B

e2e.requester.b@example.com

REQUESTERActive

EditSet New Initial Password

E2E Staff User

e2e.staff@example.com

IT STAFFActive

EditSet New Initial Password

Actual browser viewport capture fitted inside the portrait page; complete captured shell retained.

Administrator User Management - tablet 820 px

TokTickIT IT Service Desk

E2E Administrator

ADMINISTRATOR

Logout

Ticket Queue

User Management

User Management

Manage account details, roles, access, and initial passwords.

Add user

Search name or email

Filter by role

ari.suksan@example.com

All roles

Apply filters

Ari Suksan

ari.suksan@example.com

Edit

Set New Initial Password

REQUESTER

Active

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Administrator User Management - mobile 390 px full page

TokTickIT IT Service Desk

E2E Administrator **ADMINISTRATOR** [Logout](#)

Ticket Queue

User Management**User Management**

Manage account details, roles, access, and initial passwords.

[Add user](#)

Search name or email

Filter by role

[Apply filters](#)**Ari Suksan**

ari.suksan@example.com

REQUESTER**Active**[Edit](#)[Set New Initial Password](#)

Actual browser capture; outer whitespace removed. Continued segments show the rest of this same capture.

Actual keyboard focus

TokTickIT IT Service Desk

Report QA Requester

REQUESTER

Logout

My Tickets Create Ticket

Create Ticket

Requester context selected

Describe the issue for the IT Service Desk.

Requester

Report QA Requester (report-qa-20261001@example.test)

Authenticated requester

Category *

Select a category...



Related System *

Select a related system...



Summary *

Description *

Requested Priority *

Select requested priority...



Attachments

Choose Files

No file chosen

JPG, JPEG, PNG, WEBP, or PDF; up to 5 MB each and 5 files. Files upload after the Ticket is created.

Actual browser capture after pressing Tab: the Category field has the native blue focus ring. No annotation is added.

Responsive automated assertions compare `document.documentElement.scrollWidth` and `document.body.scrollWidth` with the viewport width. These assertions demonstrate no page-level horizontal overflow; they do not by themselves prove the absence of clipping, overlap or hidden controls. The full-page screenshots above provide a separate visual record. The wider My Tickets table uses an internal horizontal scroll area.