Cucumber Report

| Start : Jan 21, 9:35:46.837 am	End : Jan 21, 9:37:13.115 am	Duration : 1 m 26.278 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 4 FAILED - 4 SKIPPED - 4

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test Background Feature	*1 m 26.278 s*	4	0	4	0	12	4	4	4

#	Feature Name	Scenario Name
1	*Test Background Feature*	*Login with valid credentials*
2		*Login with invalid credentials*
3		*Login with invalid credentials*
4		*Login with invalid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Test Background Feature	4	0	4	0	1 m 26.278 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Background Feature	Login with valid credentials	3	1	1	1	23.536 s
2		Login with invalid credentials	3	1	1	1	21.095 s
3		Login with invalid credentials	3	1	1	1	20.244 s
4		Login with invalid credentials	3	1	1	1	21.330 s

Test Background Feature

FAILED	DURATION - 1 m 26.278 s			
/ 9:35:46.837 am // 9:37:13.115 am /				

Scenarios
Total - 4
Pass - 0
Fail - 4
Skip - 0

4

Steps
Total - 12
Pass - 4
Fail - 4
Skip - 4

12

Login with valid credentials

FAILED	DURATION - 23.536 s
/ 9:35:46.845 am // 9:36:10.381 am /	
Test Background Feature	
@ValidCredentials	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	4.571 s
2	When User enters username as "Admin" and password as "admin123"	FAILED	15.048 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=120.0.6099.225) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [739c204c294e44a5bb5db64255ee2f9a, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58156/devtoo..., se:cdpVersion: 120.0.6099.225, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 739c204c294e44a5bb5db64255ee2f9a
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy24.sendKeys(Unknown Source)		
	at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26)		
	at org.harender.actions.LoginPageActions.login(LoginPageActions.java:76)		
	at org.harender.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26)		
	at ?.User enters username as "Admin" and password as "admin123"(file:///C:/Users/User/Documents/GitHub/SeleniumWithTestng/src/test/resources/features/loginTest.feature:10) * Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.000 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario) Login with valid credentials	PASSED	0.577 s

Login with invalid credentials

FAILED	DURATION - 21.095 s		Steps
/ 9:36:10.424 am // 9:36:31.519 am /			Total - 3
Test Background Feature			Pass - 1
@InvalidCredentials			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	3.129 s
2	When User enters username as "Admin" and password as "admin12$$"	FAILED	15.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=120.0.6099.225) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b49a53a72b10dd04bb988d54e3c1fa2, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58179}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58179/devtoo..., se:cdpVersion: 120.0.6099.225, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b49a53a72b10dd04bb988d54e3c1fa2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy24.sendKeys(Unknown Source) at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26) at org.harender.actions.LoginPageActions.login(LoginPageActions.java:76) at org.harender.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26) at ?.User enters username as "Admin" and password as "admin12$$"(file:///C:/Users/User/Documents/GitHub/SeleniumWithTestng/src/test/resources/features/loginTest.feature:16) * Not displayable characters are replaced by '?'.		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.509 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration

Login with invalid credentials

FAILED	DURATION - 20.244 s
/ 9:36:31.529 am // 9:36:51.773 am /	
Test Background Feature	
@InvalidCredentials	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	3.229 s
2	When User enters username as "admin$$" and password as "admin123"	FAILED	15.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=120.0.6099.225) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6544ff9786d3ba85eca2f7e14ece121f, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58199}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58199/devtoo..., se:cdpVersion: 120.0.6099.225, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6544ff9786d3ba85eca2f7e14ece121f 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy24.sendKeys(Unknown Source) at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26) at org.harender.actions.LoginPageActions.login(LoginPageActions.java:76) at org.harender.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26) at ?.User enters username as "admin$$" and password as "admin123"(file:///C:/Users/User/Documents/GitHub/SeleniumWithTestng/src/test/resources/features/loginTest.feature:16) * Not displayable characters are replaced by '?'.		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario) Login with invalid credentials	PASSED	0.445 s

Login with invalid credentials

FAILED	DURATION - 21.330 s		Steps	
/ 9:36:51.785 am // 9:37:13.115 am /			Total - 3	
Test Background Feature			Pass - 1 Fail - 1	
@InvalidCredentials			Skip - 1	3

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	3.750 s
2	When User enters username as "abc123" and password as "xyz$$"	FAILED	15.065 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=120.0.6099.225) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [4d73e3cc1485facd88abd2b60037afcd, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58220}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58220/devtoo..., se:cdpVersion: 120.0.6099.225, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4d73e3cc1485facd88abd2b60037afcd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy24.sendKeys(Unknown Source)
	    at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26)
	    at org.harender.actions.LoginPageActions.login(LoginPageActions.java:76)
	    at org.harender.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26)
	    at ?.User enters username as "abc123" and password as "xyz$$"(file:///C:/Users/User/Documents/GitHub/SeleniumWithTestng/src/test/resources/features/loginTest.feature:16)
	* Not displayable characters are replaced by '?'.		

3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.001 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.591 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration