

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test Background Feature	1 m 24.070 s	4	0	4	0	12	4	4	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Test Background Feature	Login with valid credentials
2		Login with invalid credentials
3		Login with invalid credentials
4		Login with invalid credentials


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	3	0	3	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Test Background Feature	4	0	4	0	1 m 24.070 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Background Feature	Login with valid credentials	3	1	1	1	22.131 s
2		Login with invalid credentials	3	1	1	1	20.207 s
3		Login with invalid credentials	3	1	1	1	20.162 s
4		Login with invalid credentials	3	1	1	1	21.506 s

DETAILED SECTION -- 7 -

Test Background Feature

FAILED	DURATION - 1 m 24.070 s	Scenarios		Steps	
		Total - 4		Total - 12	
/ 9:32:01.595 am // s	9:33:25.665 am /	Pass - 0	4	Pass - 4	12
		Fail - 4		Fail - 4	🦊 '- 🖊
		Skip - 0		Skip - 4	


Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	3.948 s
2	When User enters username as "Admin" and password as "admin123"	FAILED	15.105 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"*[name='username]"} (Session info: chrome=120.0.6099.218) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [bd2346626dd10a222b2aaf5fd47234e2, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.218, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\WINDOWS\SystemTemp\scope)}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57905}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57905/devtoo, se:cdpVersion: 120.0.6099.218, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bd2346626dd10a222b2aaf5fd47234e2 at java.base/java.lang.reflect.Constructor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.Internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.sendKeys(Unknown Source) at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26) at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26) at org.harender.actions.LoginPageActions.goToHomePage(LoginPageDefinitions.java:26) at org.harender.definitions.LoginPageActions.goToHomePage(LoginPageDefinitions.java:26) at ?User enters username as "Admin" and password as "admin123"(file:///C:/Users/Users/Documents/GitHub/SeleniumWithTestng/src/test/resources/features/loginTest.feature:10) * Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.001 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario) Login with valid credentials Lample Domain Lample Domain Lample Lample D	PASSED	0.370 s

Login with invalid credentials




DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	2.919 s
2	When User enters username as "Admin" and password as "admin12\$\$"	FAILED	15.050 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"css selector","selector","fname='username]"} (Session info: chrome=120.0.6099.218) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [03d6e569d7dba5b176f5e9f357b58f10, findElement (using=name, value=username]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.218, chrome: (chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir. C:WWINDOWSSystemTemplscope), fedcm:accounts: true, goog:chromedptions: (debuggerAddress: localhost57923), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, prosy; Prosy(), sec.dp: ws://localhost57923/devtoo, sec.dp/version: 120.0.6099.218, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 300000), unhandledPromptBehavior: dismiss and notify, webauthn:extension.prf: true, webauthn:virtualAuthenticators: true) Session ID: 03d6e569d7dba5b176f5se9f357b58f10 at java.base/java.lang.reflect.Constructor newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.exter.withgresponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.exter.com/secutor.execute(PriverCommandExecutor.java:191) at org.openqa.selenium.remote.executor.piverCommandExecutor.java:191) at org.openqa.selenium.remote.executor.piverCommandExecutor.java:191) at org.openqa.selenium.remote.executor	TAILLD	15.050 \$
	* Not displayable characters are replaced by '?'. Then blear should be able to see error massage "Invalid cradentials".	CKIDDED	0.001.6
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.001 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.544 s

#	Step / Hook Details	Status	Duration
	Example Domain The first has been desired sensitive from the control of the cont		


Login with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	3.262 s
2	When User enters username as "admin\$\$" and password as "admin123"	FAILED	15.093 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"selector;"selector; selector; select		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.sendKeys(Unknown Source) at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26) at org.harender.actions.LoginPageActions.login(LoginPageActions.java:76) at org.harender.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26) at ?.User enters username as "admin\$\$" and password as "admin123"(file:///C:/Users/User/Documents/GitHub/SeleniumWithTestng/src/test/resources/features/loginTest.feature:16) * Not displayable characters are replaced by '?'.		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.001 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario) Login with invalid credentials Login with invalid credentials	PASSED	0.445 s

Login with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://example.com"	PASSED	3.812 s
2	When User enters username as "abc123" and password as "xyz\$\$"	FAILED	15.027 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username]"} (Session info: chrome=120.0.6099.218) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [7ff91623b7c6ed90b448f3bd3e1468e2, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.218, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\WINDOWS\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57963}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57963/devtoo, se:cdpVersion: 120.0.6099.218, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Socien ID: 7ff01623b7c6cd00b448f3bd3c1468e3		
	true} Session ID: 7ff91623b7c6ed90b448f3bd3e1468e2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy24.sendKeys(Unknown Source)		
	at org.harender.actions.LoginPageActions.setUserName(LoginPageActions.java:26)		
	at org.harender.actions.LoginPageActions.login(LoginPageActions.java:76)		
	at org.harender.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26)		
	at ?.User enters username as "abc123" and password as "xyz\$\$"(file:///C:/Users/User/Documents/GitHub/SeleniumWithTestng/src/test/		
	resources/features/loginTest.feature:16) * Not displayable characters are replaced by '?'.		
_		0.005 ==	0.000
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - org.harender.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.786 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration
	Example Domain **Date of the Assessment of the Control of the Con		