quiet bands

AUTOMATION 01 · FREE GUIDE

Your first automation.

The **8 AM Weather Bot.** One trigger, one action. About 20 minutes. No code.

TESTED ON A LIVE WORKFLOW

Something happens. Something fires.

Every automation people flex — the n8n builds, the WhatsApp bots, the "AI agents" — is the same skeleton underneath: a **trigger** and an **action**, stacked.

So don't start with Python, a $2,000 course or 20 hours of tutorials. Start with one small workflow that runs on its own. This is it:



Every day 8:00
SCHEDULE

Get forecast
HTTP REQUEST

Send message
TELEGRAM

Every morning at 8, your phone gets today's high and the chance of rain. You never touch it again.

You'll need

- **Telegram** on your phone.
- An **n8n** account (n8n.io). Use Cloud so it keeps running when your laptop is shut. It's paid after the free trial, so check current pricing.

THE REAL TEST

Build it, publish it, then don't touch it for three days. The first time it fires while you're asleep, it clicks.

STEP 01

3 min

Make your bot.


1. In Telegram, search **@BotFather**. Pick the one with the blue check.
2. Send `/newbot`.
3. Give it a name, then a username ending in `bot` (e.g. `mymorning_bot`).
4. BotFather replies with your **token**. It looks like `7123456789:AAHk3x9…`

LOST IT?

Message BotFather `/mybots` → your bot → **API Token**.

KEEP IT PRIVATE

Anyone with the token controls your bot. Blur it in every screenshot. If it leaks, hit **Revoke current token** on that same screen.



The real reply. Token blacked out — do the same.

STEP 02

2 min

Get your Chat ID.

1. **Open your new bot — not BotFather — tap Start, and send it "hi".** A bot can't message you until you've messaged it. Skip this and nothing works.
2. In your browser, open this (your token goes where it says, right after the word `bot`):

```
https://api.telegram.org/bot<YOUR_TOKEN>/getUpdates
```

3. Find `"chat":{"id":` and copy the number after it.

TWO NUMBERS. DON'T SWAP THEM.

Token has a colon — `7123456789:AAH…` — and goes in the **credential**.
Chat ID is just digits — `583920471` — and goes in the node's **Chat ID** field.

Page shows "result":[] ? Message your bot again and refresh.

EXAMPLE

api.telegram.org/bot<YOUR_TOKEN>/getUpdates

{"ok":true,"result":[{"update_id":100000001,
"message":{"message_id":2,"from":{...},
"chat":{"id":583920471,"first_name":"You",
"type":"private"},"text":"hi"}}]}

Example illustration, made-up ID, not a real screenshot.

STEP 03 · THE TRIGGER

2 min

8 AM, every day.

1. In n8n, create a new workflow.
2. Add a **Schedule Trigger**: every **Day**, hour **8**, minute **0**.
3. Open the workflow's **Settings** and set **Timezone** to your city. Skip it and it fires at 8 on the server's clock.

STEP 04 · THE DATA

3 min

Get the forecast.

1. Add an **HTTP Request** node. Method: **GET**.
2. URL — this one's New York; swap in your city's latitude, longitude and timezone:

```
https://api.open-meteo.com/v1/forecast?latitude=40.71&longitude=-74.01&daily=temperature_2m_max,precipitation_probability_max&temperature_unit=fahrenheit&timezone=America%2FNew_York&forecast_days=1
```

3. **Test step.** You should see `temperature_2m_max` and `precipitation_probability_max`.

Open-Meteo: free, no API key, for personal non-commercial use.

STEP 05 · THE ACTION


5 min

Send it to your phone.

1. Add a **Telegram** node → **Send a text message**.
2. **Credential to connect with → Create new.** Paste your **token** into **Access Token**. Look for "Connection tested successfully."
3. **Chat ID:** paste your Chat ID.
4. **Text:** switch the field to **Expression** and paste:

```
Good morning.
High {{ $json.daily.temperature_2m_max[0] }}°F · {{ $json.daily.precipitatio
n_probability_max[0] }}% chance of rain
```

5. **Add Field → Append n8n Attribution → off**, to drop the "sent with n8n" footer.
6. **Test step.** Your phone should buzz.



Example illustration, not a real screenshot.


STEP 06

10 sec

Publish it. Walk away.

Click **Publish**, top right. **Save** only keeps a draft — nothing runs on schedule until you publish. Edit it later? Publish again.

Then leave it alone for three mornings. If a message doesn't land, open the **Executions** tab: it shows whether it ran and where it stopped.



Three nodes, all green. That's the whole build.

EXAMPLE

Day 1 · 8:00:00	Succeeded
Day 2 · 8:00:00	Succeeded
Day 3 · 8:00:00	Succeeded

Example illustration, what the Executions tab tells you.

It's one of these.

ERROR	FIX
Chat not found	Send your bot "hi", then get the Chat ID again from `getUpdates`. It must be your chat with *your* bot, not BotFather.
Bad request — check your parameters	Open the error's **Details**. It's almost always "chat not found" (above) or an empty message (below).
Unauthorized	Wrong token, or a Chat ID pasted where the token goes. Re-copy it: `/mybots` → your bot → API Token.
Message is empty or says undefined	The expression can't find the data. Run the HTTP Request step first and check the field names match.
Nothing came at 8 AM	Did you hit **Publish**? Is the timezone set? Check **Executions**.

HONEST NOTE


The first two rows are the exact walls I hit building this one. Everyone hits them. They're not you.

AUTOMATION 02

Stack the next one.

Put an **IF** node between the forecast and Telegram, and only let the message through when rain is over 50%.

Same skeleton, one more step. Now it isn't a daily report — it's an alert that only speaks when it matters.



Built yours? Post the screenshot and tag **@flighty.builds**. The next build drops on the feed.