



Set of scripts for ragdoll from the parameters (in particular limits for bones) used in Mecanim humanoid models, and also to create and edit colliders for ragdoll.

Contacts:





Forum



Buy me a coffee



How to use

First, what need, that the animation type in the model should be “**Humanoid**”. Two model prefabs are required: **T-pose** and the “**Muscle & Settings**”-pose.




Also, in the model must be “**Animator**”.

Select the desired model in the editor hierarchy and select “**Mecanim to ragdoll**” from the menu “**Component -> Physics**”. The “MecanimToRagdoll.cs” script will be added to the model.



Put the prefabs in the defined object fields.



Now you can choose one of the types of rag doll and adjust the desired parameters “**Rigidbody**” and “**Character Joint**” on the bones.

If the model does not have “**Rigidbody**” then you can set the weight in field “**Mass**”. If the model has a “**Rigidbody**” then the mass is indicated in the “**Rigidbody**”.



If «Generate Colliders On Start» is checked, then it will be created colliders according to the “**Animator's Avatar**” in the start of game mode. If unchecked, then the button “**Generate Colliders**” will be visible.

The button “**Create Ragdoll**” will fix the parameters of the script “MecanimToRagdoll.cs” and replace it with the script “MTR_Controls.cs” (the parameters of the ragdoll can not be changed in the future). This action is optional but may speed up the start of gameplay.

Colliders

The “**Generate Colliders**” button will be visible if “**Generate Colliders On Start**” is not active.


The “**Generate Colliders**” button creates a series of objects, with a “**Capsule Collider**”, attached to each bone of a humanoid model (the bones are selected from the model's settings in **Mecanim**).



“**Generate Colliders On Start**” and “**Generate Colliders**” disappear, and instead of “**Show Colliders**” and “**Delete Colliders**” buttons appear.

Clicking on the “**Remove Colliders**” button will destroy the “new” objects with included colliders and return “**Generate Colliders On Start**” and “**Generate Colliders**”.

And clicking on the “**Show Colliders**” button will hide this button and show the “**Hide Colliders**” button and the sketchy “green man” from Mecanim. :)



Legend:



- a schematic “green man” taken from Mecanim.

• - bones that have a collider object (selectable).

• - bones that have no collider facility (non-selectable).

○ - selected bone.

If the bone is selected on the scheme, under the “green man” will be the position and direction settings (the “**Default**” button in the picture on the right) and the collider settings of that bone. If you click on “**Default**”, the “**At next bone**” button will appear instead, which means that the collider object will “look at” the next bone (counting from the hips).

The “**Edit**” button will allow you to edit the colliders and their holder in the “Scene” window. There are two types of such “position” and “size” editing.





Types are switched on the editor toolbar.

The “**Mirror**” toggle will allow you to edit and adjust the collider holders and their colliders on the left and right sides at the same time.

You can add colliders using the buttons under the heading “**Add Collider**”. “**Box**”, “**Sphere**” and “**Capsule**” primitives are available.

This tool will allow you to customize colliders to taste.



If you move the mouse over the text of the parameter, you can see tooltips.