

ZYRO

ZYRO Cam

Low-Latency Analog FPV Camera / Product Brief



Product image

Beyond Distance, In Real Time

01 Product Overview

ZYRO Cam is a low-latency analog camera designed for FPV drones, industrial UAVs, and robotic platforms. With end-to-end image latency as low as 35 ms, Super WDR technology, and ultra-low-light night vision capability, it delivers stable and clear real-time video in high-speed flight and difficult lighting conditions.

02 Key Features

Ultra-low latency End-to-end image latency is as low as 35 ms for more immediate visual feedback during high-speed operation.	Super WDR Maintains image detail in strong backlight, mixed highlight/shadow scenes, and sunset environments.
Ultra-low-light performance	Lightweight design

Minimum illumination down to 0.00001 Lux helps preserve visible imagery in weak-light and nighttime scenarios.	Standard 19 × 19 mm mounting format with total weight of only about 9 g.
Compact integration Designed for easy installation in compact drones and embedded vision systems.	Stable analog video output Optimized for real-time analog video scenarios that prioritize responsiveness.

03 Technical Specifications

Parameter	Value
Image sensor	1/2.9" CMOS
Resolution	1800 TVL
Latency	35 ms
Lens	5 MP
Field of view	125°
Minimum illumination	0.00001 Lux
Image technology	Super WDR
Video output	Analog video
Input voltage	4.5 V - 24 V
Power consumption	< 1 W
Dimensions	19 × 19 mm
Weight	9 g

04 Application Scenarios



Front view

- FPV racing and freestyle drones
- Industrial UAV inspection
- Robot vision systems
- Security monitoring and live observation