



S.D.M Jain matt Trust®



A.G.M RURAL COLLEGE OF ENGINEERING AND TECHNOLOGY, VARUR

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

DEPARTMENT OF PHYSICAL EDUCATION AND SPORTS

BPEK658

Name of Student	Sonu Parshuram Balagavi
USN	2AV23CS104
Division	B
Topic	Reduced Flexibility Affects Movement

S.No	Component	Max Marks	Marks Obtained
01	Quality of Technical Content and Novelty	5	
02	Seminar Report and References	5	
03	Presentation Style and Confidence	5	
04	Quality of PPT/Visual Aids	3	
05	Question and Answer Handling	2	
	TOTAL	20	

**Physical
Director**

Principal

Seminar Topic: Reduced Flexibility Affects Movement

Introduction

The human body is designed to move efficiently, smoothly, and without pain through the coordinated functioning of muscles, joints, bones, and connective tissues. One of the most important factors that enables this smooth movement is flexibility. Flexibility refers to the ability of muscles and joints to move through their complete range of motion without restriction or discomfort.

In modern lifestyles, however, flexibility is gradually decreasing due to factors such as prolonged sitting, lack of physical activity, improper posture, and increased screen time. Many individuals, especially students and office workers, spend long hours sitting in one position, which leads to muscle tightness and reduced joint mobility. Over time, this lack of movement causes the muscles to become stiff and less adaptable, resulting in reduced flexibility.

Reduced flexibility has a direct impact on movement. When muscles and joints lose their ability to move freely, even simple activities such as walking, bending, reaching, or turning become difficult and less efficient. People may experience discomfort, stiffness, muscle fatigue, and reduced coordination during daily tasks.

Furthermore, reduced flexibility can cause muscle imbalances, where some muscles become tight while others become weak. These imbalances affect body posture and movement patterns, increasing the risk of pain and injuries. Reduced flexibility also places additional stress on joints and surrounding tissues, especially in areas such as the neck, shoulders, lower back, hips, and knees.

Structure of the Human Spine

The human spine is an important part of the body that supports movement, balance, and posture. It also protects the spinal cord, which carries messages between the brain and the rest of the body. The spine helps us stand, walk, bend, and move smoothly.

The spine is made up of 33 small bones called vertebrae. Between these bones are soft discs that reduce pressure and help in smooth movement. The spine is divided into five regions:

- **Cervical Region** – Supports the head and allows neck movement
- **Thoracic Region** – Connected to the ribs and provides stability
- **Lumbar Region** – Supports most of the body weight
- **Sacral Region** – Connects the spine to the pelvis
- **Coccyx** – Also called the tailbone

The spine works together with muscles, ligaments, tendons, and joints to maintain flexibility and body movement. A healthy spine is important for good posture, balance, and pain-free movement.

What is Reduced Flexibility?

Reduced flexibility is a condition in which muscles become tight and joints lose their normal range of motion. This makes it difficult for the body to perform movements that require stretching, bending, or rotation.

When flexibility is reduced, the body feels stiff, and movements become uncomfortable. Simple activities such as touching the toes, bending down, or turning the body may become difficult.

It leads to several issues such as muscle stiffness, limited joint movement, and difficulty in performing physical activities. Over time, reduced flexibility can affect posture, balance, and overall body coordination.

Causes of Reduced Flexibility

There are several factors that contribute to reduced flexibility.

Lack of physical activity is one of the main causes. When muscles are not used regularly, they become tight and lose their ability to stretch.

Prolonged sitting is very common among students and office workers. Sitting for long hours keeps the body in one position, which reduces movement and causes stiffness.

Poor posture also affects flexibility. Incorrect sitting or standing positions put stress on certain muscles, making them tight and unbalanced.

Muscle imbalance occurs when some muscles become tight while others become weak. This imbalance reduces overall flexibility and affects movement.

Aging naturally reduces flexibility, as muscles lose elasticity over time.

Injuries can also limit movement and cause stiffness, reducing flexibility in affected areas.

How Reduced Flexibility Affects Movement

Reduced flexibility has a direct and significant impact on body movement.

When flexibility decreases, the **range of motion becomes limited**, meaning joints cannot move fully. This restricts movements like bending, stretching, or rotating.

Movements become **stiff and uncomfortable**, making even simple tasks difficult to perform. The body requires **more effort and energy** to perform basic activities, which leads to quicker fatigue.

Coordination is affected, and movements become less smooth and controlled.

As a result, movements become **slower and less efficient**, reducing overall physical performance

Biomechanics

Biomechanics is the study of how the body moves and how forces act on it.

In a flexible body, movements are smooth, coordinated, and efficient. Forces generated during movement are evenly distributed across muscles and joints, reducing stress on any single part.

In a body with reduced flexibility, movements become rigid and less controlled. Forces are not distributed properly, and certain areas experience more stress.

This increases the risk of discomfort, fatigue, and injury. Thus, flexibility plays a key role in maintaining proper movement mechanics and efficiency.

Effects on the Body

Reduced flexibility can lead to several negative effects on the body.

It can cause **muscle fatigue**, as more effort is required for movement.

Joint pain may develop due to increased stress on joints.

Physical performance decreases, making activities more difficult.

The **risk of injuries** such as muscle strains and sprains increases because tight muscles cannot stretch properly.

It can also affect **balance and stability**, making movements less controlled. Over time, these issues can affect overall health and daily functioning.

Relationship with Posture

Flexibility is closely connected to posture. When flexibility is reduced, muscles become tight and pull the body out of proper alignment.

This can lead to postural problems such as flat back posture. The spine becomes less flexible and cannot move properly.

As a result, the body's ability to absorb shock decreases, and more stress is placed on muscles, joints, and the spine.

Poor posture combined with reduced flexibility can lead to long-term discomfort and movement problems.

Prevention and Improvement

Reduced flexibility can be improved and prevented by adopting healthy habits.

Regular **stretching exercises** help keep muscles flexible and improve range of motion.

Yoga is very effective in improving flexibility, balance, and posture.

Maintaining **correct posture** while sitting, standing, and walking reduces stress on muscles. Staying **physically active** helps prevent stiffness and keeps the body flexible.

Performing **warm-up and cool-down exercises** before and after physical activity also helps maintain flexibility.

Signs and Symptoms of Reduced Flexibility

- Feeling stiffness in muscles, especially after rest
- Difficulty in bending, stretching, or turning
- Pain during movement
- Reduced range of motion in joints
- Muscle tightness

Real-Life Examples

- Students feel back and neck stiffness due to long sitting
- Office workers develop tight shoulders and neck pain
- Athletes may get injuries if they skip stretching

Conclusion

Flexibility is an essential part of physical fitness that helps the body move smoothly, efficiently, and without discomfort. It allows muscles and joints to perform their full range of motion, which is important for both daily activities and physical performance. When flexibility is reduced, the body becomes stiff, movements become restricted, and more effort is required to perform even simple tasks.

Reduced flexibility not only affects movement but also impacts posture, balance, and coordination. It can lead to muscle tightness, joint pain, fatigue, and an increased risk of injuries. Over time, it may also cause long-term problems such as poor posture and reduced physical performance.

However, reduced flexibility can be improved and prevented by adopting healthy habits. Regular stretching exercises, yoga, physical activity, and maintaining correct posture play a key role in keeping the body flexible and active.