

Autism Behavior Screening Survey

Purpose: To help determine if a child's current behaviors are appropriate for assessment and services at this clinic or if referral to a higher-level behavior program is recommended.

Instructions: Parents/caregivers rate how often each behavior occurs.

Rating Scale: 0 = Never 1 = Rarely 2 = Sometimes 3 = Often 4 = Very Often

Behavior Frequency and Impact

#	Item	0	1	2	3	4
1	Tantrums/meltdowns when denied access to items or activities	☐	☐	☐	☐	☐
2	Screaming, yelling, or crying when upset	☐	☐	☐	☐	☐
3	Hitting, kicking, biting, or scratching others	☐	☐	☐	☐	☐
4	Throwing or swiping items during demands	☐	☐	☐	☐	☐
5	Attempts to run away or leave area without permission	☐	☐	☐	☐	☐
6	Behaviors occur when demands are placed	☐	☐	☐	☐	☐
7	Behaviors occur when attention is removed	☐	☐	☐	☐	☐
8	Behaviors occur when preferred items are taken away	☐	☐	☐	☐	☐
9	Difficulty with transitions or changes in routine	☐	☐	☐	☐	☐
10	Difficulty calming down once upset	☐	☐	☐	☐	☐

11	Behavior causes injury to self or others	☐	☐	☐	☐	☐
12	Behavior disrupts learning or daily routines	☐	☐	☐	☐	☐
13	Requires physical assistance to maintain safety	☐	☐	☐	☐	☐
14	Causes family stress or limits community participation	☐	☐	☐	☐	☐
15	Takes a long time to recover after becoming upset	☐	☐	☐	☐	☐

Total Score (0–60): _____

Age of the time of survey _____

Additional Information Required for Ratings of 3 (Often)

If any item is rated a 3, please answer the following questions for that behavior.

1. What does the behavior look like?

2. How often does this behavior occur daily?

3. How long does the behavior usually last?

4. Where does the behavior occur most often?

5. Who is usually present when the behavior occurs?

6. What usually happens before the behavior?

7. What usually happens after the behavior?

8. What helps your child calm down?

9. How does your child communicate wants/needs when upset?

10. Does the behavior interfere with learning, therapy, school, or home routines?

11. Has the behavior increased, decreased, or stayed the same over time?

12. Are there specific triggers that almost always lead to the behavior?

Additional Information Required for Ratings of 4 (Very Often)

If any item is rated a 4, please answer the following questions for that behavior.

13. What does the behavior look like?

14. How often does this behavior occur daily?

15. How long does the behavior usually last?

16. Where does the behavior occur most often?

17. Who is usually present when the behavior occurs?

18. What usually happens before the behavior?

19. What usually happens after the behavior?

20. What helps your child calm down?

21. How does your child communicate wants/needs when upset?

22. Does the behavior create a safety concern?

23. Has anyone been injured due to the behavior?

24. Does your child require physical assistance to stay safe?

25. Has the behavior resulted in removal from school, daycare, community settings, or activities?

26. Does the behavior limit family outings, school participation, therapy participation, or community activities?

27. Has the behavior caused damage to property or belongings?

28. Has the family previously received behavioral services for these concerns?

29. What are the family's biggest concerns regarding this behavior?

Scoring Considerations & Recommendations for Proceeding to Assessment

- **0–15: Mild Concerns**

Child may proceed with a comprehensive ABA assessment.

- **16–30: Moderate Concerns**

Child is appropriate to proceed with a comprehensive ABA assessment

- **31–45: Significant Behavioral Concerns- If high counts of aggression or SIB send to Danielle to review**

Child is appropriate to proceed with a comprehensive ABA assessment due to behaviors significantly impacting learning, communication, adaptive functioning, social participation, and/or safety.

- **46–60: Severe Behavioral Concerns - Send to Danielle to review may not be appropriate for services**

Child may require additional clinical review prior to proceeding with assessment to determine whether the current clinic setting is appropriate or if referral for a higher level of behavioral support, intensive services, or additional medical/psychiatric evaluation is recommended based on safety concerns and severity of behaviors.