

```

, #_
~\ ####_ Amazon Linux 2023
~~ \#####\
~~ \###|
~~ \#/ __ https://aws.amazon.com/linux/amazon-linux-2023
~~ V~' '->
~~~ /
~~~ _./ _/
    _/_/
    _/m/'

```

Last login: Wed Oct 8 08:48:14 2025 from 13.48.4.203

```
[ec2-user@ip-172-31-18-146 ~]$ ls
```

india

```
[ec2-user@ip-172-31-18-146 ~]$ cd india
```

```
[ec2-user@ip-172-31-18-146 india]$ ls
```

AP Tamilnadu karnataka maharasthra

```
[ec2-user@ip-172-31-18-146 india]$ cd Ap
```

-bash: cd: Ap: No such file or directory

```
[ec2-user@ip-172-31-18-146 india]$ ls
```

AP Tamilnadu karnataka maharasthra

```
[ec2-user@ip-172-31-18-146 india]$ cd AP
```

```
[ec2-user@ip-172-31-18-146 AP]$ ls
```

chittoor.txt tirupathi.txt vizag.txt

```
[ec2-user@ip-172-31-18-146 AP]$ nano chittoor.txt
```

```
[ec2-user@ip-172-31-18-146 AP]$ nano tirupathi.txt
```

```
[ec2-user@ip-172-31-18-146 AP]$ nano vizag.txt
```

```
[ec2-user@ip-172-31-18-146 AP]$ cat vizag.txt
```

this file for vizag

```
[ec2-user@ip-172-31-18-146 AP]$ cat chittoor.txt
```

hello this file for chittoor

```
c2-user@ip-172-31-18-146 AP]$ cat tirupathi.txt
```

this file for tirupathi

```
[ec2-user@ip-172-31-18-146 AP]$ cd ..
```

```
[ec2-user@ip-172-31-18-146 india]$ cd Tamilnadu
```

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ ls
```

chennai.txt madurai.txt vellore.txt

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ nano chennai.txt
```

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ nano madurai.txt
```

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ nano vellore.txt
```

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ cat chennai.txt
```

hello this file for chennai in city of tamilnadu

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ cat vellore.txt
```

this file for vellore

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ cat madurai.txt
```

this file for madurai

```
[ec2-user@ip-172-31-18-146 Tamilnadu]$ cd ..
```

```
[ec2-user@ip-172-31-18-146 india]$ cd karnataka
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ ls
```

Bangalore.txt hubli.txt mysore.txt

```
[ec2-user@ip-172-31-18-146 karnataka]$ nano Bangalore.txt
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ nano hubli.txt
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ nano mysore.txt
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ cat Bangalore.txt
```

this file for Bangalore

```
[ec2-user@ip-172-31-18-146 karnataka]$ ls
```

Bangalore.txt hubli.txt mysore.txt

```
[ec2-user@ip-172-31-18-146 karnataka]$ cd ..
```

```
[ec2-user@ip-172-31-18-146 india]$ cd maharashtra
```

```
[ec2-user@ip-172-31-18-146 maharashtra]$ ls
```

mumbai.txt nasik.txt pune.txt

```
[ec2-user@ip-172-31-18-146 maharashtra]$ nano mumbai.txt
```

```
[ec2-user@ip-172-31-18-146 maharashtra]$ nano nasik.txt
```

```
[ec2-user@ip-172-31-18-146 maharashtra]$ nano pune.txt
[ec2-user@ip-172-31-18-146 maharashtra]$ ls
mumbai.txt  nasik.txt  pune.txt
[ec2-user@ip-172-31-18-146 maharashtra]$ cd ..
[ec2-user@ip-172-31-18-146 india]$ pwd
/home/ec2-user/india
[ec2-user@ip-172-31-18-146 india]$ cp /home/ec2-user/india/AP/tirupathi.txt /home/ec2-
user/india/Tamilnadu
[ec2-user@ip-172-31-18-146 india]$ cd Tamilnadu
[ec2-user@ip-172-31-18-146 Tamilnadu]$ ls
chennai.txt  madurai.txt  tirupathi.txt  vellore.txt
[ec2-user@ip-172-31-18-146 Tamilnadu]$ cd ..
[ec2-user@ip-172-31-18-146 india]$ cp /home/ec2-user/india/Tamilnadu/chennai.txt /home/ec2-
user/india/karnataka
[ec2-user@ip-172-31-18-146 india]$ cd karnataka
[ec2-user@ip-172-31-18-146 karnataka]$ ls
Bangalore.txt  chennai.txt  hubli.txt  mysore.txt
[ec2-user@ip-172-31-18-146 karnataka]$ cd ..
[ec2-user@ip-172-31-18-146 india]$ cp /home/ec2-user/india/karnataka/Bangalore.txt /home/ec2-
user/india/maharashtra
[ec2-user@ip-172-31-18-146 india]$ cd maharashtra
[ec2-user@ip-172-31-18-146 maharashtra]$ ls
Bangalore.txt  mumbai.txt  nasik.txt  pune.txt
[ec2-user@ip-172-31-18-146 maharashtra]$ cp /home/ec2-user/india/maharashtra/mumbai.txt
/home/ec2-user/india/AP
[ec2-user@ip-172-31-18-146 maharashtra]$ cd AP
-bash: cd: AP: No such file or directory
[ec2-user@ip-172-31-18-146 maharashtra]$ ls
Bangalore.txt  mumbai.txt  nasik.txt  pune.txt
[ec2-user@ip-172-31-18-146 maharashtra]$ cd ..
[ec2-user@ip-172-31-18-146 india]$ cd AP
[ec2-user@ip-172-31-18-146 AP]$ ls
```

chittoor.txt mumbai.txt tirupathi.txt vizag.txt

[ec2-user@ip-172-31-18-146 AP]\$ ls

chittoor.txt mumbai.txt tirupathi.txt vizag.txt

[ec2-user@ip-172-31-18-146 AP]\$ ls

chittoor.txt mumbai.txt tirupathi.txt vizag.txt

[ec2-user@ip-172-31-18-146 AP]\$ cd ..

[ec2-user@ip-172-31-18-146 india]\$ ls

AP Tamilnadu karnataka maharashtra

[ec2-user@ip-172-31-18-146 india]\$ mv /home/ec2-user/india/AP/chittoor.txt /home/ec2-user/india/Tamilnadu

[ec2-user@ip-172-31-18-146 india]\$ mv /home/ec2-user/india/Tamilnadu/madurai.txt /home/ec2-user/india/karnataka

[ec2-user@ip-172-31-18-146 india]\$ mv /home/ec2-user/india/karnataka/mysore.txt /home/ec2-user/india/maharashtra

[ec2-user@ip-172-31-18-146 india]\$ mv /home/ec2-user/india/karnataka/pune.txt /home/ec2-user/india/AP

mv: cannot stat '/home/ec2-user/india/karnataka/pune.txt': No such file or directory

[ec2-user@ip-172-31-18-146 india]\$ mv /home/ec2-user/india/maharashtra/pune.txt /home/ec2-user/india/AP

[ec2-user@ip-172-31-18-146 india]\$ cd AP

[ec2-user@ip-172-31-18-146 AP]\$ ls

mumbai.txt pune.txt tirupathi.txt vizag.txt

[ec2-user@ip-172-31-18-146 AP]\$ mv mumbai.txt bumbai.txt

[ec2-user@ip-172-31-18-146 AP]\$ ls

bumbai.txt pune.txt tirupathi.txt vizag.txt

[ec2-user@ip-172-31-18-146 AP]\$ cd ..

[ec2-user@ip-172-31-18-146 india]\$ cd Tamilnadu

[ec2-user@ip-172-31-18-146 Tamilnadu]\$ ls

chennai.txt chittoor.txt tirupathi.txt vellore.txt

[ec2-user@ip-172-31-18-146 Tamilnadu]\$ mv chennai.txt madras.txt

[ec2-user@ip-172-31-18-146 Tamilnadu]\$ ls

chittoor.txt madras.txt tirupathi.txt vellore.txt

[ec2-user@ip-172-31-18-146 Tamilnadu]\$ cd ..

```
[ec2-user@ip-172-31-18-146 india]$ cd karnataka
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ ls
```

```
Bangalore.txt chennai.txt hubli.txt madurai.txt
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ mv hubli.txt jubli.txt
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ ls
```

```
Bangalore.txt chennai.txt jubli.txt madurai.txt
```

```
[ec2-user@ip-172-31-18-146 karnataka]$ cd ..
```

```
[ec2-user@ip-172-31-18-146 india]$ cd maharasthra
```

```
[ec2-user@ip-172-31-18-146 maharasthra]$ ls
```

```
Bangalore.txt mumbai.txt mysore.txt nasik.txt
```

```
[ec2-user@ip-172-31-18-146 maharasthra]$ mv nasik.txt masik.txt
```

```
[ec2-user@ip-172-31-18-146 maharasthra]$ ls
```

```
Bangalore.txt masik.txt mumbai.txt mysore.txt
```

```
[ec2-user@ip-172-31-18-146 inida]$ sudo yum install git -y
```

Amazon Linux 2023 Kernel Livepatch repository

237 kB/s | 26 kB 00:00

Dependencies resolved.

=====			
=====			
===			
Package	Architecture	Version	Repository
Size			
=====			
=====			
===			

Installing:

git	x86_64	2.50.1-1.amzn2023.0.1	amazonlinux
53 k			

Installing dependencies:

git-core	x86_64	2.50.1-1.amzn2023.0.1	amazonlinux
4.9 M			
git-core-doc	noarch	2.50.1-1.amzn2023.0.1	
amazonlinux	2.8 M		

perl-Error amazonlinux	noarch 41 k	1:0.17029-5.amzn2023.0.2	
perl-File-Find amazonlinux	noarch 25 k	1.37-477.amzn2023.0.7	
perl-Git 41 k	noarch	2.50.1-1.amzn2023.0.1	amazonlinux
perl-TermReadKey amazonlinux	x86_64 36 k	2.38-9.amzn2023.0.2	
perl-lib 15 k	x86_64	0.65-477.amzn2023.0.7	amazonlinux

### Transaction Summary

```
=====
=====
===
```

Install 8 Packages

Total download size: 7.9 M

Installed size: 41 M

Downloading Packages:

```
(1/8): git-2.50.1-1.amzn2023.0.1.x86_64.rpm 1.4
MB/s | 53 kB 00:00

(2/8): git-core-doc-2.50.1-1.amzn2023.0.1.noarch.rpm
41 MB/s | 2.8 MB 00:00

(3/8): perl-Error-0.17029-5.amzn2023.0.2.noarch.rpm
849 kB/s | 41 kB 00:00

(4/8): perl-File-Find-1.37-477.amzn2023.0.7.noarch.rpm
1.1 MB/s | 25 kB 00:00

(5/8): git-core-2.50.1-1.amzn2023.0.1.x86_64.rpm
39 MB/s | 4.9 MB 00:00

(6/8): perl-Git-2.50.1-1.amzn2023.0.1.noarch.rpm
965 kB/s | 41 kB 00:00

(7/8): perl-TermReadKey-2.38-9.amzn2023.0.2.x86_64.rpm
923 kB/s | 36 kB 00:00

(8/8): perl-lib-0.65-477.amzn2023.0.7.x86_64.rpm
769 kB/s | 15 kB 00:00
```

-----  
-----  
Total  
00:00

45 MB/s | 7.9 MB

Running transaction check

Transaction check succeeded.

Running transaction test

Transaction test succeeded.

Running transaction

Preparing : 1/1

Installing : git-core-2.50.1-1.amzn2023.0.1.x86\_64  
1/8

Installing : git-core-doc-2.50.1-1.amzn2023.0.1.noarch  
2/8

Installing : perl-lib-0.65-477.amzn2023.0.7.x86\_64  
3/8

Installing : perl-TermReadKey-2.38-9.amzn2023.0.2.x86\_64  
4/8

Installing : perl-File-Find-1.37-477.amzn2023.0.7.noarch  
5/8

Installing : perl-Error-1:0.17029-5.amzn2023.0.2.noarch  
6/8

Installing : perl-Git-2.50.1-1.amzn2023.0.1.noarch  
7/8

Installing : git-2.50.1-1.amzn2023.0.1.x86\_64  
8/8

Running scriptlet: git-2.50.1-1.amzn2023.0.1.x86\_64  
8/8

Verifying : git-2.50.1-1.amzn2023.0.1.x86\_64  
1/8

Verifying : git-core-2.50.1-1.amzn2023.0.1.x86\_64  
2/8

Verifying : git-core-doc-2.50.1-1.amzn2023.0.1.noarch  
3/8

Verifying : perl-Error-1:0.17029-5.amzn2023.0.2.noarch  
4/8

Verifying : perl-File-Find-1.37-477.amzn2023.0.7.noarch  
5/8

Verifying : perl-Git-2.50.1-1.amzn2023.0.1.noarch  
6/8

Verifying : perl-TermReadKey-2.38-9.amzn2023.0.2.x86\_64  
7/8

Verifying : perl-lib-0.65-477.amzn2023.0.7.x86\_64  
8/8

Installed:

git-2.50.1-1.amzn2023.0.1.x86_64	git-core-2.50.1-1.amzn2023.0.1.x86_64
git-core-doc-2.50.1-1.amzn2023.0.1.noarch	
perl-Error-1:0.17029-5.amzn2023.0.2.noarch	perl-File-Find-1.37-477.amzn2023.0.7.noarch
perl-Git-2.50.1-1.amzn2023.0.1.noarch	
perl-TermReadKey-2.38-9.amzn2023.0.2.x86_64	perl-lib-0.65-477.amzn2023.0.7.x86_64

Complete!

[ec2-user@ip-172-31-18-146 india]\$ git init

hint: Using 'master' as the name for the initial branch. This default branch name

hint: is subject to change. To configure the initial branch name to use in all

hint: of your new repositories, which will suppress this warning, call:

hint:

hint: git config --global init.defaultBranch <name>

hint:

hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and

hint: 'development'. The just-created branch can be renamed via this command:

hint:

hint: git branch -m <name>

hint:

hint: Disable this message with "git config set advice.defaultBranchName false"

Initialized empty Git repository in /home/ec2-user/india/.git/

[ec2-user@ip-172-31-18-146 india]\$ git remote add origin https://github.com/sonugupta4166/aws-git.git



```
[ec2-user@ip-172-31-18-146 india]$ git add .
```

```
[ec2-user@ip-172-31-18-146 india]$ git status
```

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: AP/bumbai.txt

new file: AP/pune.txt

new file: AP/tirupathi.txt

new file: AP/vizag.txt

new file: Tamilnadu/chittoor.txt

new file: Tamilnadu/madras.txt

new file: Tamilnadu/tirupathi.txt

new file: Tamilnadu/vellore.txt

new file: karnataka/Bangalore.txt

new file: karnataka/chennai.txt

new file: karnataka/jubli.txt

new file: karnataka/madurai.txt

new file: maharashtra/Bangalore.txt

new file: maharashtra/masik.txt

new file: maharashtra/mumbai.txt

new file: maharashtra/mysore.txt

```
[ec2-user@ip-172-31-18-146 india]$ git remote
```

Origin

```
[ec2-user@ip-172-31-18-146 india]$ git push origin master
```

Username for 'https://github.com': sonugupta4166

Password for 'https://sonugupta4166@github.com':

Enumerating objects: 18, done.

Counting objects: 100% (18/18), done.

Delta compression using up to 2 threads

Compressing objects: 100% (6/6), done.

Writing objects: 100% (18/18), 1.26 KiB | 1.26 MiB/s, done.

Total 18 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

remote:

remote: Create a pull request for 'master' on GitHub by visiting:

remote: <https://github.com/sonugupta4166/aws-git/pull/new/master>

remote:

To <https://github.com/sonugupta4166/aws-git.git>

\* [new branch] master -> master