```
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git init
Initialized empty Git repository in C:/Users/sonug/OneDrive/Pictures/Desktop/git_task2/
.git/
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git remote add origin https://github.com/sonugupta4166/gitTask2.git
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ toush file1.txt file2.txt file3.txt
bash: toush: command not found
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ touch file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ ls
file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git init
Reinitialized existing Git repository in C:/Users/sonug/OneDrive/Pictures/Desktop/git_tas
k2/.git/
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git status
On branch master
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
   file1.txt
   file2.txt
    file3.txt
nothing added to commit but untracked files present (use "git add" to track)
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git task2 (master)
$ git add.
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git commit -m 'added 3file'
[master 298274a] added 3file
3 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
create mode 100644 file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git push origin master
git: 'credential-manager-core' is not a git command. See 'git --help'.
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 253 bytes | 253.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

```
To https://github.com/sonugupta4166/gitTask2.git
 09777fe..298274a master -> master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git checkout -b feature_branch
fatal: a branch named 'feature_branch' already exists
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git task2 (master)
$ git branch
feature_branch
* master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git switch feature_branch
Switched to branch 'feature_branch'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ ls
file1 file2 file3
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git rm file1 file2 file3
rm 'file1'
rm 'file2'
rm 'file3'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
```

```
$ git switch master
Switched to branch 'master'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git commit -m 'deleting file'
[master 09777fe] deleting file
3 files changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 file1
delete mode 100644 file2
delete mode 100644 file3
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git push origin master
git: 'credential-manager-core' is not a git command. See 'git --help'.
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100\% (1/1), done.
Writing objects: 100% (2/2), 197 bytes | 197.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sonugupta4166/gitTask2.git
 6ba778b..09777fe master -> master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ ls
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git task2 (master)
```

```
$ toush file1.txt file2.txt file3.txt
bash: toush: command not found
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ touch file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ ls
file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git init
Reinitialized existing Git repository in C:/Users/sonug/OneDrive/Pictures/Desktop/git_tas
k2/.git/
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git status
On branch master
Untracked files:
(use "git add <file>..." to include in what will be committed)
   file1.txt
   file2.txt
   file3.txt
nothing added to commit but untracked files present (use "git add" to track)
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
```

```
$ git add.
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git commit -m 'added 3file'
[master 298274a] added 3file
3 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
create mode 100644 file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git push origin master
git: 'credential-manager-core' is not a git command. See 'git --help'.
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100\% (2/2), done.
Writing objects: 100% (3/3), 253 bytes | 253.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sonugupta4166/gitTask2.git
 09777fe..298274a master -> master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git checkout -b feature_branch
fatal: a branch named 'feature_branch' already exists
```

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)

```
$ git branch
feature_branch
* master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git switch feature_branch
Switched to branch 'feature_branch'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ ls
file1 file2 file3
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git rm file1 file2 file3
rm 'file1'
rm 'file2'
rm 'file3'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ ls
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git switch master
Switched to branch 'master'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git branch -d feature_branch
```

```
Deleted branch feature_branch (was 6ba778b).
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git branch
* master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git branch feature branch
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ ls
file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git switch feature_branch
Switched to branch 'feature branch'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ ls
file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ touch File1.txt File2.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git add.
```

```
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git commit -m 'added file in featuea_branch'
On branch feature_branch
nothing to commit, working tree clean
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git task2 (feature branch)
$ git status
On branch feature branch
nothing to commit, working tree clean
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git push origin feature_branch
git: 'credential-manager-core' is not a git command. See 'git --help'.
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature_branch' on GitHub by visiting:
          https://github.com/sonugupta4166/gitTask2/pull/new/feature_branch
remote:
remote:
To https://github.com/sonugupta4166/gitTask2.git
* [new branch] feature_branch -> feature_branch
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ echo "hello this is feature_branch" > File1.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ cat File1.txt
hello this is feature branch
```

```
sonug@SilentBOy MINGW64 \sim/OneDrive/Pictures/Desktop/git_task2 (feature_branch) $ git add .
```

warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the next time Git tou ches it

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ git status

On branch feature_branch

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: file1.txt

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ git commit -m 'file content added by feature_branch'

[feature_branch 70872ca] file content added by feature_branch

1 file changed, 1 insertion(+)

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ git push origin feature_branch

git: 'credential-manager-core' is not a git command. See 'git --help'.

Enumerating objects: 5, done.

Counting objects: 100% (5/5), done.

Delta compression using up to 16 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 324 bytes | 324.00 KiB/s, done.

```
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sonugupta4166/gitTask2.git
 298274a..70872ca feature_branch -> feature_branch
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git switch master
Switched to branch 'master'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git merge feature_branch
Updating 298274a..70872ca
Fast-forward
file1.txt | 1 +
1 file changed, 1 insertion(+)
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git task2 (master)
$ git switch feature_branch
Switched to branch 'feature_branch'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git branch -d master
Deleted branch master (was 70872ca).
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git push origin feature_branch
git: 'credential-manager-core' is not a git command. See 'git --help'.
Everything up-to-date
```

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ git branch

* feature_branch

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ ls

file1.txt file2.txt file3.txt

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ git fetch master

fatal: 'master' does not appear to be a git repository

fatal: Could not read from remote repository.

Please make sure you have the correct access rights

and the repository exists.

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

\$ git fetch origin

remote: Enumerating objects: 3, done.

remote: Counting objects: 100% (3/3), done.

remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

Unpacking objects: 100% (3/3), 871 bytes | 96.00 KiB/s, done.

From https://github.com/sonugupta4166/gitTask2

* [new branch] main -> origin/main

sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)

```
$ git branch
* feature_branch
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ ls
file1.txt file2.txt file3.txt
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git branch -r
 origin/HEAD -> origin/main
origin/feature_branch
 origin/main
 origin/master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (feature_branch)
$ git checkout -b master
Switched to a new branch 'master'
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ git branch
feature_branch
* master
sonug@SilentBOy MINGW64 ~/OneDrive/Pictures/Desktop/git_task2 (master)
$ ls
file1.txt file2.txt file3.txt
```