

Cucumber Report

28 Mar, 2021 8:48:06 AM

Start : Mar 28, 8:47:56.251 AM

End : Mar 28, 8:48:04.837 AM

Duration : 8.586 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 17





FAILED - 1

SKIPPED - 0

PASSED - 63


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Foreign exchange rates with currency conversion for past data	9	9	0	0	4.458 s
2	Foreign exchange rates with currency conversion for latest data	9	8	1	0	8.567 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get exchange rate for PPP against USD for "2021-03-23"</u>	3	3	0	0	4.086 s
2	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get exchange rate for SSS against EUR for "2021-03-23"</u>	3	3	0	0	4.079 s
3	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get all exchange rates against CNY for "2021-03-23"</u>	4	4	0	0	4.444 s
4	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get all exchange rates for saturday with date "2021-03-20"</u>	4	4	0	0	4.443 s
5	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get exchange rate for USD against EUR for "2021-03-23"</u>	4	4	0	0	4.444 s
6	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get all exchange rates for "2021-03-22"</u>	4	4	0	0	4.445 s
7	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get exchange rate for GBP against USD for "2021-03-23"</u>	4	4	0	0	4.434 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get all exchange rates for sunday with date "2021-03-21"</u>	4	4	0	0	4.435 s
9	<u>Foreign exchange rates with currency conversion for past data</u>	<u>Get all exchange rates against ZXZ for "2021-03-23"</u>	3	3	0	0	4.062 s
10	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get all exchange rates for latest date</u>	4	4	0	0	4.437 s
11	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get exchange rate for USD against EUR</u>	4	4	0	0	0.662 s
12	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get all exchange rates for latest and future date</u>	4	4	0	0	1.333 s
13	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get all exchange rates against INR</u>	4	4	0	0	0.667 s
14	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get exchange rate for BRL against INR</u>	4	4	0	0	0.592 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Validate Get all exchange rates with incorrect url</u>	3	1	1	1	4.115 s
16	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get all exchange rates against TYT</u>	3	3	0	0	0.887 s
17	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get exchange rate for 123 against USD</u>	3	3	0	0	0.882 s
18	<u>Foreign exchange rates with currency conversion for latest data</u>	<u>Get exchange rate for US against EUR</u>	3	3	0	0	0.850 s

(F)- Foreign exchange rates with currency conversion for past data



PASSED	DURATION - 4.458 s	Scenarios		Steps	
/ 8:47:56.251 AM // 8:48:00.709 AM /		Total - 9		Total - 33	
		Pass - 9		Pass - 33	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Get exchange rate for PPP against USD for "2021-03-23"

<div>PASSED</div> <div>DURATION - 4.086 s</div>	 <table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>3</td></tr><tr><td>3</td><td>0</td></tr></tbody></table>	Step	Count	1	1	2	3	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step		Count								
1		1								
2		3								
3	0									
/ 8:47:56.255 AM // 8:48:00.341 AM /										
Foreign exchange rates with currency conversion for past data										
@negative @regression										



#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.570 s
2	When - When I hit URL with query parameters "base" as "USD" and "symbols" as "PPP" with date as "2021-03-23"	PASSED	3.460 s
	-->URL:: https://api.ratesapi.io/api/2021-03-23 -->Query Parameters:: base=USD,symbols=symbols -->statusCode:: 400 -->responseBody:: {"error":"Symbols 'PPP' are invalid for date 2021-03-23."}		
3	Then - Then API returns the response with status code as 400	PASSED	0.001 s

(S)- Get exchange rate for SSS against EUR for "2021-03-23"

<div>PASSED</div> <div>DURATION - 4.079 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:47:56.264 AM // 8:48:00.343 AM /				
Foreign exchange rates with currency conversion for past data				
@negative @regression				

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.574 s
2	When - When I hit URL with query parameter "symbols" as "SSS" with date as "2021-03-23"	PASSED	3.458 s
	-->URL:: https://api.ratesapi.io/api/2021-03-23 -->Query Parameters:: symbols=SSS -->statusCode:: 400 -->responseBody:: {"error": "Symbols 'SSS' are invalid for date 2021-03-23."}		
3	Then - Then API returns the response with status code as 400	PASSED	0.000 s



(S)- Get all exchange rates against CNY for "2021-03-23"

<div>PASSED</div> <div>DURATION - 4.444 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:47:56.264 AM // 8:48:00.708 AM /</div>			
<div>Foreign exchange rates with currency conversion for past data</div>			
<div>@regression @positive</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.572 s
2	When - When I hit URL with query parameter "base" as "CNY" with date as "2021-03-23"	PASSED	3.381 s
	-->URL:: https://api.ratesapi.io/api/2021-03-23 -->Query Parameters:: base=CNY -->statusCode:: 200 -->responseBody:: {"base": "CNY", "rates": {"GBP": 0.1114144273, "HKD": 1.1928858557, "IDR": 2210.9659157005, "ILS": 0.5053705068, "DKK": 0.9611332997, "INR": 11.1290989698, "CHF": 0.1430325591, "MXN": 3.1786937583, "CZK": 3.3861982499, "SGD": 0.2062248762, "THB": 4. * * Each log length is trimmed to 2 lines to fit in the available space.		

#	Step / Hook Details	Status	Duration
3	Then - Then API returns the response with status code as 200	PASSED	0.041 s
4	And - And All exchange rates are returned against base "CNY"	PASSED	0.402 s

(S)- Get all exchange rates for saturday with date "2021-03-20"

<div>PASSED</div> <div>DURATION - 4.443 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.5</td></tr><tr><td>2</td><td>3.4</td></tr><tr><td>3</td><td>0.0</td></tr><tr><td>4</td><td>0.4</td></tr></tbody></table></div>	Step	Duration (s)	1	0.5	2	3.4	3	0.0	4	0.4	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.5											
2		3.4											
3	0.0												
4	0.4												
<div>/ 8:47:56.264 AM // 8:48:00.707 AM /</div>													
<div>Foreign exchange rates with currency conversion for past data</div>													
<div>@regression @positive</div>													

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.571 s
2	When - When I hit URL with date as "2021-03-21" -->URL:: https://api.ratesapi.io/api/2021-03-21 -->statusCode:: 200 -->responseBody:: {"base":"EUR","rates":{"GBP":0.85763,"HKD":9.2352,"IDR":17128.99,"ILS":3.9213,"DKK":7.4364,"INR":86.2155,"CHF":1.1066,"MXN":24.16,"CZK":26.127,"SGD":1.597,"THB":36.672,"HRK":7.5758,"MYR":4.8842,"NOK":10.2018,"CNY":7.7413,"BGN":1.9558,* * Each log length is trimmed to 2 lines to fit in the available space.	PASSED	3.376 s
3	Then - Then API returns the response with status code as 200	PASSED	0.038 s
4	And - And All exchange rates are returned against base "EUR"	PASSED	0.403 s

(S)- Get exchange rate for USD against EUR for "2021-03-23"

<div>PASSED</div> <div>DURATION - 4.444 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.5</td></tr><tr><td>2</td><td>3.4</td></tr><tr><td>3</td><td>0.0</td></tr><tr><td>4</td><td>0.4</td></tr></tbody></table></div>	Step	Duration (s)	1	0.5	2	3.4	3	0.0	4	0.4	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.5											
2		3.4											
3	0.0												
4	0.4												
<div>/ 8:47:56.264 AM // 8:48:00.708 AM /</div>													
<div>Foreign exchange rates with currency conversion for past data</div>													
<div>@regression @positive</div>													

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.571 s

#	Step / Hook Details	Status	Duration
2	When - When I hit URL with query parameter "symbols" as "USD" with date as "2021-03-23" -->URL:: https://api.ratesapi.io/api/2021-03-23 -->Query Parameters:: symbols=USD -->statusCode:: 200 -->responseBody:: {"base":"EUR","rates":{"USD":1.1883},"date":"2021-03-23"}	PASSED	3.384 s
3	Then - Then API returns the response with status code as 200	PASSED	0.040 s
4	And - And Response should contain rate for "USD" against base "EUR"	PASSED	0.401 s

(S)- Get all exchange rates for "2021-03-22"

<div>PASSED</div> <div>DURATION - 4.445 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.5</td></tr><tr><td>2</td><td>3.4</td></tr><tr><td>3</td><td>0.0</td></tr><tr><td>4</td><td>0.4</td></tr></tbody></table></div>	Step	Duration (s)	1	0.5	2	3.4	3	0.0	4	0.4	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.5											
2		3.4											
3	0.0												
4	0.4												
<div>/ 8:47:56.264 AM // 8:48:00.709 AM /</div>													
<div>Foreign exchange rates with currency conversion for past data</div>													
<div>@regression @positive @sanity</div>													

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.570 s
2	When - When I hit URL with date as "2021-03-23" -->URL:: https://api.ratesapi.io/api/2021-03-23 -->statusCode:: 200 -->responseBody:: {"base":"EUR","rates":{"GBP":0.86198,"HKD":9.229,"IDR":17105.58,"ILS":3.9099,"DKK":7.436,"INR":86.1025,"CHF":1.1066,"MXN":24.5926,"CZK":26.198,"SGD":1.5955,"THB":36.819,"HRK":7.5755,"MYR":4.8988,"NOK":10.1783,"CNY":7.7367,"BGN":1.9558, * * Each log length is trimmed to 2 lines to fit in the available space.	PASSED	3.375 s
3	Then - Then API returns the response with status code as 200	PASSED	0.046 s
4	And - And All exchange rates are returned against base "EUR"	PASSED	0.401 s

(S)- Get exchange rate for GBP against USD for "2021-03-23"

<div>PASSED</div> <div>DURATION - 4.434 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.575</td></tr><tr><td>2</td><td>3.385</td></tr><tr><td>3</td><td>0.039</td></tr><tr><td>4</td><td>0.401</td></tr></tbody></table></div>	Step	Duration (s)	1	0.575	2	3.385	3	0.039	4	0.401	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.575											
2		3.385											
3	0.039												
4	0.401												
<div>/ 8:47:56.270 AM // 8:48:00.704 AM /</div>													
<div>Foreign exchange rates with currency conversion for past data</div>													
<div>@regression @positive</div>													

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.575 s
2	When - When I hit URL with query parameters "base" as "USD" and "symbols" as "GBP" with date as "2021-03-23" -->URL:: https://api.ratesapi.io/api/2021-03-23 -->Query Parameters:: base=USD,symbols=symbols -->statusCode:: 200 -->responseBody:: {"base":"USD","rates":{"GBP":0.7253892115},"date":"2021-03-23"}	PASSED	3.385 s
3	Then - Then API returns the response with status code as 200	PASSED	0.039 s
4	And - And Response should contain rate for "GBP" against base "USD"	PASSED	0.401 s



(S)- Get all exchange rates for sunday with date "2021-03-21"

<div>PASSED</div> <div>DURATION - 4.435 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.572</td></tr><tr><td>2</td><td>3.385</td></tr><tr><td>3</td><td>0.039</td></tr><tr><td>4</td><td>0.401</td></tr></tbody></table></div>	Step	Duration (s)	1	0.572	2	3.385	3	0.039	4	0.401	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.572											
2		3.385											
3	0.039												
4	0.401												
<div>/ 8:47:56.271 AM // 8:48:00.706 AM /</div>													
<div>Foreign exchange rates with currency conversion for past data</div>													
<div>@regression @positive</div>													

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.572 s



#	Step / Hook Details	Status	Duration
2	When - When I hit URL with date as "2021-03-21"	PASSED	3.384 s
	-->URL:: https://api.ratesapi.io/api/2021-03-21 -->statusCode:: 200 -->responseBody:: {"base": "EUR", "rates": {"GBP": 0.85763, "HKD": 9.2352, "IDR": 17128.99, "ILS": 3.9213, "DKK": 7.4364, "INR": 86.2155, "CHF": 1.1066, "MXN": 24.16, "CZK": 26.127, "SGD": 1.597, "THB": 36.672, "HRK": 7.5758, "MYR": 4.8842, "NOK": 10.2018, "CNY": 7.7413, "BGN": 1.9558, * * Each log length is trimmed to 2 lines to fit in the available space.		
3	Then - Then API returns the response with status code as 200	PASSED	0.039 s
4	And - And All exchange rates are returned against base "EUR"	PASSED	0.402 s

(S)- Get all exchange rates against ZXZ for "2021-03-23"



PASSED	DURATION - 4.062 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:47:56.274 AM // 8:48:00.336 AM /				
Foreign exchange rates with currency conversion for past data				
@negative @regression				

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.574 s
2	When - When I hit URL with query parameter "base" as "ZXZ" with date as "2021-03-23"	PASSED	3.459 s
	-->URL:: https://api.ratesapi.io/api/2021-03-23 -->Query Parameters:: base=ZXZ -->statusCode:: 400 -->responseBody:: {"error": "Base 'ZXZ' is not supported."}		
3	Then - Then API returns the response with status code as 400	PASSED	0.001 s

(F)- Foreign exchange rates with currency conversion for latest data



FAILED	DURATION - 8.567 s	Scenarios Total - 9 Pass - 8 Fail - 1 Skip - 0		Steps Total - 32 Pass - 30 Fail - 1 Skip - 1	
/ 8:47:56.270 AM // 8:48:04.837 AM /					

(S)- Get all exchange rates for latest date

<div>PASSED</div> <div>DURATION - 4.437 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:47:56.270 AM // 8:48:00.707 AM /</div>				
<div>Foreign exchange rates with currency conversion for latest data</div>				
<div>@regression @positive @sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.576 s
2	When - When I hit URL with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->statusCode:: 200 -->responseBody:: {"base":"EUR","rates":{"GBP":0.85503,"HKD":9.154,"IDR":16986.7,"ILS":3.9261,"DKK":7.4361,"INR":85.4845,"CHF":1.109,"MXN":24.2575,"CZK":26.081,"SGD":1.5865,"THB":36.654,"HRK":7.574,"MYR":4.8854,"NOK":10.1258,"CNY":7.7063,"BGN":1.9558,"PHP": * * Each log length is trimmed to 2 lines to fit in the available space.	PASSED	3.375 s
3	Then - Then API returns the response with status code as 200	PASSED	0.049 s
4	And - And All exchange rates are returned against base "EUR"	PASSED	0.405 s



(S)- Get exchange rate for USD against EUR

<div>PASSED</div> <div>DURATION - 0.662 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:00.367 AM // 8:48:01.029 AM /			
Foreign exchange rates with currency conversion for latest data			
@regression @positive			

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.002 s



#	Step / Hook Details	Status	Duration
2	When - When I hit URL with query parameter "symbols" as "USD" with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->Query Parameters:: symbols=USD -->statusCode:: 200 -->responseBody:: {"base":"EUR","rates":{"USD":1.1782},"date":"2021-03-26"}	PASSED	0.653 s
3	Then - Then API returns the response with status code as 200	PASSED	0.000 s
4	And - And Response should contain rate for "USD" against base "EUR"	PASSED	0.004 s

(S)- Get all exchange rates for latest and future date

PASSED	DURATION - 1.333 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:48:00.367 AM // 8:48:01.700 AM /				
Foreign exchange rates with currency conversion for latest data				
@regression @positive				



#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.001 s
2	When - When I hit URL with latest and future dates -->URL1:: https://api.ratesapi.io/api/latest -->Latest date response:: {"base":"EUR","rates":{"GBP":0.85503,"HKD":9.154,"IDR":16986.7,"ILS":3.9261,"DKK":7.4361,"INR":85.4845,"CHF":1.109,"MXN":24.2575,"CZK":26.081,"SGD":1.5865,"THB":36.654,"HRK":7.574,"MYR":4.8854,"NOK":10.1258,"CNY":7.7063,"BGN":1. * -->URL2:: https://api.ratesapi.io/api/2021-04-07 -->future date response:: {"base":"EUR","rates":{"GBP":0.85503,"HKD":9.154,"IDR":16986.7,"ILS":3.9261,"DKK":7.4361,"INR":85.4845,"CHF":1.109,"MXN":24.2575,"CZK":26.081,"SGD":1.5865,"THB":36.654,"HRK":7.574,"MYR":4.8854,"NOK":10.1258,"CNY":7.7063,"BGN":1. * * Each log length is trimmed to 2 lines to fit in the available space.	PASSED	1.318 s
3	Then - Then Both apis returns the response with status code as 200	PASSED	0.001 s
4	And - And validate future date rates matches current date	PASSED	0.009 s

(S)- Get all exchange rates against INR

<div>PASSED</div> <div>DURATION - 0.667 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:00.367 AM // 8:48:01.034 AM /				
Foreign exchange rates with currency conversion for latest data				
@regression @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.001 s
2	When - When I hit URL with query parameter "base" as "INR" with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->Query Parameters:: base=INR -->statusCode:: 200 -->responseBody:: {"base":"INR","rates":{"GBP":0.0100021641,"HKD":0.1070837403,"IDR":198.7108774105,"ILS":0.0459276243,"DKK":0.0869876995,"INR":1.0,"CHF":0.0129731121,"MXN":0.2837648931,"CZK":0.3050962455,"SGD":0.01855892,"THB":0.4287794863,"HRK":0. * * Each log length is trimmed to 2 lines to fit in the available space.	PASSED	0.659 s
3	Then - Then API returns the response with status code as 200	PASSED	0.000 s
4	And - And All exchange rates are returned against base "INR"	PASSED	0.003 s



(S)- Get exchange rate for BRL against INR

<div>PASSED</div> <div>DURATION - 0.592 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:00.717 AM // 8:48:01.309 AM /				
Foreign exchange rates with currency conversion for latest data				
@regression @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	When - When I hit URL with query parameters "base" as "INR" and "symbols" as "BRL" with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->Query Parameters:: base=INR,symbols=symbols -->statusCode:: 200 -->responseBody:: {"base":"INR","rates":{"BRL":0.0785054601},"date":"2021-03-26"}	PASSED	0.584 s
3	Then - Then API returns the response with status code as 200	PASSED	0.001 s
4	And - And Response should contain rate for "BRL" against base "INR"	PASSED	0.005 s

(S)- Validate Get all exchange rates with incorrect url

<div>FAILED</div> <div>DURATION - 4.115 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> 
<div>/ 8:48:00.722 AM // 8:48:04.837 AM /</div>		
<div>Foreign exchange rates with currency conversion for latest data</div>		
<div>@negative @regression</div>		



#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.001 s
2	When - When I hit incorrect URL "https://api.ratesapi.io/api/" with date as "" -->URL:: https://api.ratesapi.io/api/ java.net.ConnectException: Connection refused: connect at java.net.DualStackPlainSocketImpl.connect0(Native Method) at java.net.DualStackPlainSocketImpl.socketConnect(DualStackPlainSocketImpl.java:75) at java.net.AbstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:476) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at step_definitions.Get_ExchangeRates.lambda\$4(Get_ExchangeRates.java:69) at ?.I hit incorrect URL "https://api.ratesapi.io/api/" with date as ""(classpath:features/ExchangesRates_LatestData.feature:42) * First 4 and last 3 stack lines are displayed to fit in the available space.	FAILED	4.108 s
3	Then - Then API returns the response with status code as 400	SKIPPED	0.000 s

(S)- Get all exchange rates against TYT

<div>PASSED</div> <div>DURATION - 0.887 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:00.725 AM // 8:48:01.612 AM /			
Foreign exchange rates with currency conversion for latest data			
@negative @regression			



#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.000 s
2	When - When I hit URL with query parameter "base" as "TYT" with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->Query Parameters:: base=TYT -->statusCode:: 400 -->responseBody:: {"error": "Base 'TYT' is not supported."}	PASSED	0.874 s
3	Then - Then API returns the response with status code as 400	PASSED	0.002 s

(S)- Get exchange rate for 123 against USD

<div>PASSED</div> <div>DURATION - 0.882 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:00.726 AM // 8:48:01.608 AM /			
Foreign exchange rates with currency conversion for latest data			
@negative @regression			

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.001 s
2	When - When I hit URL with query parameters "base" as "USD" and "symbols" as "123" with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->Query Parameters:: base=USD,symbols=symbols -->statusCode:: 400 -->responseBody:: {"error": "Symbols '123' are invalid for date 2021-03-28."}	PASSED	0.872 s
3	Then - Then API returns the response with status code as 400	PASSED	0.000 s

(S)- Get exchange rate for US against EUR

<div>PASSED</div> <div>DURATION - 0.850 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:48:00.728 AM // 8:48:01.578 AM /</div>			
<div>Foreign exchange rates with currency conversion for latest data</div>			
<div>@negative @regression</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given Rates API for Foreign Exchange rates	PASSED	0.003 s
2	When - When I hit URL with query parameter "symbols" as "US" with date as "latest" -->URL:: https://api.ratesapi.io/api/latest -->Query Parameters:: symbols=US -->statusCode:: 400 -->responseBody:: {"error": "Symbols 'US' are invalid for date 2021-03-28."}	PASSED	0.843 s
3	Then - Then API returns the response with status code as 400	PASSED	0.001 s