

CSA0672 – DAA – DAY 2

Maina Kadiri

192011143

7. Write a program to generate all the reverse of a prime should be prime

(for example 907 is prime and reverse 709 is also prime)

Generate all the no's upto N and estimate time complexity.


Program:

```
#include<stdio.h>

int main()
{
    int c=0;
    int n,n1,f,i,j,k,r,p[100],f1;
    int sum=0,b=0,rev=0;
    c++;  c++;  c++;
    printf("Enter number:");
    scanf("%d",&n);
    for(j=3;j<=n;j++)
    {
        c++;
        f=0;  c++;
        for(i=2;i<j;i++)
        {
            c++;
            c++;
            if(j%i==0)
            {
```

```
        f=f+1;  c++;
    }
}
c++;
c++;
if(f==0)
{
    n1=j;  c++;
    rev=0; c++;
    while (n1!=0)
    {
        c++;
        r=n1%10; c++;
        rev=(rev*10)+r; c++;
        n1=n1/10; c++;
    }
    c++;
    f1=0;  c++;
    for(k=2;k<rev;k++)
    {
        c++;
        c++;
        if(rev%k==0)
        {
            f1++;  c++;
        }
    }
}
```

```
        c++;  
        c++;  
        if(f1==0)  
        {  
            printf("%d\n",j);  
        }  
    }  
}  
c++;  
printf("Time Complexity : %d",c);  
}
```



```
"C:\Users\Admin\Documents\daa11-Reverse prime.exe"  
Enter number:100  
3  
5  
7  
11  
13  
17  
31  
37  
71  
73  
79  
97  
Time Complexity : 12920  
Process returned 0 (0x0) execution time : 4.608 s  
Press any key to continue.
```

8. Compute the program to find the GCD of two numbers. And also find the time of time Recursion used to estimate time complexity.


Program:

```
#include<stdio.h>

int main()
{
    int c=0;
    int a,b,af[100],bf[100],cf[100],a1,b1,c1,i,j,g;
    printf("Enter 1st number : ");
    scanf("%d",&a);
    printf("Enter 2nd number : ");
    scanf("%d",&b);
    a1=-1; c++;
    for(i=1;i<=a;i++)
    {
        c++;
        c++;
        if(a%i==0)
        {
            a1=a1+1;    c++;
            af[a1]=i;  c++;
        }
    }
    c++;
    b1=-1; c++;
    for(i=1;i<=b;i++)
    {
```

```
c++;  
c++;  
if(b%i==0)  
{  
    b1=b1+1;  c++;  
    bf[b1]=i; c++;  
}  
}  
c++;  
c1=-1; c++;  
for(i=0;i<a1+1;i++)  
{  
    c++;  
    for(j=0;j<b1+1;j++)  
    {  
        c++;  
        c++;  
        if(af[i]==bf[j])  
        {  
            g=af[i];  c++;  
        }  
    }  
    c++;  
}  
c++;  
printf("GCD : %d\n",g);  
printf("Time Complexity : %d",c);
```

}



```
C:\Users\Admin\Documents\daa12-gcd.exe
Enter 1st number : 24
Enter 2nd number : 30
GCD : 6
Time Complexity : 294
Process returned 0 (0x0)   execution time : 10.329 s
Press any key to continue.
```

9. Generate a program for Pascal triangle.

Estimate the time complexity for the row=5

```

          1
        1 1
      1 2 1
    1 3 3 1
  1 4 6 4 1
```

Program:


```
#include<stdio.h>

int main()
{
    int c=0;
    int n,i,j,k,s,c1;
    printf("Enter no of rows :");
    scanf("%d",&n);
    k=n;  c++;
    for(i=0;i<n;i++)
    {
        c++;
        k=k-1; c++;
        for(s=0;s<k;s++)
        {
            c++;
            printf(" ");
        }
        c++;
        for(j=0;j<=i;j++)
        {
```

```

        c++;
        c++;
        if(j==0)
        {
            c1=1;  c++;
        }
        else
        {
            c1=c1*(i-j+1)/j; c++;
        }
        printf("%d ",c1);
    }
    c++;
    printf("\n");
}
c++;
printf("Time Complexity : %d",c);
}

```



The screenshot shows a Windows command prompt window titled "C:\Users\Admin\Documents\daa15-pascal.exe". The program prompts the user to "Enter no of rows :5". It then displays the first 5 rows of Pascal's triangle:

1

1 1

1 2 1

1 3 3 1

1 4 6 4 1

After the triangle, it outputs "Time Complexity : 77". The window also shows system messages: "Process returned 0 (0x0) execution time : 3.030 s" and "Press any key to continue.".

10. Write a program to find the largest element value in an array. Estimate the time complexity and no of comparison for the given set of values.

Program:

```
#include<stdio.h>

int main()
{
    int c=0;
    int com=0,i,j,k,a[100],n;

    c++;
    printf("Enter no of elements:");
    scanf("%d",&n);
    printf("Enter elements :\n");
    for(i=0;i<n;i++)
    {
        c++;
        scanf("%d",&a[i]);
    }
    c++;
    for(i=0;i<n;i++)
    {
        c++;
        for(j=0;j<n;j++)
        {
            c++;
            com++; c++;

            c++;
            if(a[i]>a[j])
```

```

        {
            k=a[i]; c++;
            a[i]=a[j]; c++;
            a[j]=k; c++;
        }
    }
    c++;
}
c++;
printf("Largest value : %d\n",a[0]);
printf("Comparisions : %d\n",com);
printf("Time complexity : %d\n",c);
}

```

```

C:\Users\Admin\Documents\daa16-largestnum.exe
Enter no of elements:6
Enter elements :
3
8
5
9
2
11
Largest value : 11
Comparisions : 36
Time complexity : 165
Process returned 0 (0x0)   execution time : 13.408 s
Press any key to continue.

```

11. Write a program to find the factorial (fact) of a number and to estimate time complexity.

Condition such as i. $n=0$, return 1 otherwise $\text{fact}(n-1) * n$

Program:

```
#include<stdio.h>


int fact(int n);

int c=0;

int main()
{
    int n;
    printf("Enter Number : ");
    scanf("%d",&n);
    fact(n);
    printf("Factorial : %d\n",fact(n));
    printf("Time Complexity : %d\n",c);
    return 0;
}

int fact(int n)
{
    int f;
    c++;
    if(n<=1)
    {
        f= 1;  c++;
    }
    else
    {
```

```
        f= n*fact(n-1); c++;  
    }  
  
    return f;  
}
```



The screenshot shows a Windows command prompt window titled "C:\Users\Admin\Documents\daa17-fact.exe". The window displays the following text:

```
Enter Number : 6  
Factorial : 720  
Time Complexity : 24  
  
Process returned 0 (0x0)   execution time : 1.755 s  
Press any key to continue.
```

12. Write a program to print the first n perfect numbers. (Hint Perfect number means a positive integer that is equal to the sum of its proper divisors)

Sample Input:

N = 3

Sample Output:

First 3 perfect numbers are: 6 , 28 , 496

Test Cases:

- 1. N = 0**
- 2. N = 5**
- 3. N = -2**
- 4. N = -5**

N = 0.2

Program:


```
#include<stdio.h>

int main()
{
    int c=0;
    int i,j,sum,n,a[20],k=0;

    c++;
    printf("Enter N:");
    scanf("%d",&n);
    c++;
    if(n<1)
    {
        printf("Invalid Input");
    }
}
```

```
else
{
    for(i=6;i<10000;i++)
    {
        c++;
        sum=0; c++;
        for(j=1;j<i-1;j++)
        {
            c++;
            c++;
            if(i%j==0)
            {
                sum=sum+j; c++;
            }
        }
        c++;
        c++;
        if(i==sum)
        {
            a[k++]=i; c++;
        }
    }c++;
    for (i=0;i<n;i++)
    {
        c++;
        printf("%d\n",a[i]);
    }c++;
}
```

```
}  
printf("Time Complexity : %d",c);  
}
```



```
C:\Users\Admin\Documents\daa18-perfect.exe  
Enter N:4  
6  
28  
496  
8128  
Time Complexity : 100073621  
Process returned 0 (0x0) execution time : 1.965 s  
Press any key to continue.
```

13. Write a C program to check whether is a given input is a palindrome


Program:

```
#include<stdio.h>

int main()
{
    int c=0;
    int n,r,rev=0,a;
    c++;
    printf("Enter number:");
    scanf("%d",&n);
    a=n;  c++;
    while (n!=0)
    {
        c++;
        r=n%10; c++;
        rev=(rev*10)+r; c++;
        n=n/10; c++;
    }
    c++;
    c++;
    if(rev==a)
    {
        printf("Palindrome Number");
    }
    else
    {
```



```
    printf("Not Palindrome Number");  
}  
printf("\nTime Complexity : %d\n",c);  
}
```



A screenshot of a Windows command prompt window. The title bar shows the file path "C:\Users\Admin\Documents\daa19-palindrome.exe". The window contains the following text: "Enter String:malayalam", "Palindrome Number", "Time Complexity : 2", ". Process returned 0 (0x0) execution time : 4.878 s", and "Press any key to continue.".

```
C:\Users\Admin\Documents\daa19-palindrome.exe  
Enter String:malayalam  
Palindrome Number  
Time Complexity : 2  
. Process returned 0 (0x0) execution time : 4.878 s  
Press any key to continue.
```

14. Write a program to perform Bubble sort and estimate time Complexity

Program:

```
#include<stdio.h>

int main()
{
    int c=0;
    int com=0,i,j,k,a[100],n;

    c++;
    printf("Enter no of elements:");
    scanf("%d",&n);
    printf("Enter elements :\n");
    for(i=0;i<n;i++)
    {
        c++;
        scanf("%d",&a[i]);
    }
    c++;
    for(i=0;i<n;i++)
    {
        c++;
        for(j=0;j<n;j++)
        {
            c++;
            com++; c++;

            c++;
            if(a[i]<a[j])
```

```
        {
            k=a[i]; c++;
            a[i]=a[j]; c++;
            a[j]=k; c++;
        }
    }
    c++;
}
c++;
printf("Bubble Sort :\n");
for(i=0;i<n;i++)
{
    c++;
    printf("%d\n",a[i]);
}
c++;
printf("Time complexity : %d\n",c);
}
```

```
C:\Users\Admin\Documents\daa20-bubble.exe
Enter no of elements:6
Enter elements :
2
7
0
9
2
5
Bubble Sort :
0
2
2
5
7
9
Time complexity : 166


Process returned 0 (0x0)   execution time : 9.104 s
Press any key to continue.
```

15. Write a program to print the reverse of a string. And estimate the time complexity

Program:

```
#include<stdio.h>

int main()
{
    int c=0,l,i;
    char s[20];
    printf("Enter String:");
    scanf("%s",&s);
    l=strlen(s);  c++;
    printf("Reverse String : ");
    for(i=l-1;i>-1;i--)
    {
        c++;
        printf("%c",s[i]);
    }
    c++;
    printf("\nTime Complexity : %d\n",c);
}
```

A screenshot of a Windows command prompt window. The title bar shows the file path 'C:\Users\Admin\Documents\daa21-rev.str.exe'. The window contains the following text: 'Enter String:Luffy', 'Reverse String : yffuL', 'Time Complexity : 1', 'Process returned 0 (0x0) execution time : 3.408 s', and 'Press any key to continue.'.

```
C:\Users\Admin\Documents\daa21-rev.str.exe
Enter String:Luffy
Reverse String : yffuL
Time Complexity : 1
Process returned 0 (0x0)   execution time : 3.408 s
Press any key to continue.
```

16. Write a program to check sub string is there in a string or not.

Program:

```
#include<stdio.h>


int main()
{
    int c=0,l1,l2,i,cnt=0;
    char s[100],sub[20],os[20],at='@',sub1[20];

    c++;

    printf("Enter String:");
    scanf("%s",&s);
    printf("Enter Sub String:");
    scanf("%s",&sub);

    l1=strlen(s); c++;
    l2=strlen(sub); c++;
    strncat(sub,&at,1); c++;
    for(i=0;i<=l1+1-l2;i++)
    {
        c++;
        strncpy(os,s+i,l2); c++;
        c++;
        if(strcmp(sub,os)==0)
        {
            cnt++; c++;
        }
    }
    c++;
    printf("Count : %d",cnt);
}
```

```
printf("\nTime Complexity : %d\n",c);  
}
```



A screenshot of a Windows command prompt window. The title bar shows the file path "C:\Users\Admin\Documents\daa22-substr.exe". The command prompt displays the following text: "Enter String:asdfasdfjklasdfasdf", "Enter Sub String:sd", "Count : 4", "Time Complexity : 66", "Process returned 0 (0x0) execution time : 9.362 s", and "Press any key to continue.".

```
C:\Users\Admin\Documents\daa22-substr.exe  
Enter String:asdfasdfjklasdfasdf  
Enter Sub String:sd  
Count : 4  
Time Complexity : 66  
Process returned 0 (0x0) execution time : 9.362 s  
Press any key to continue.
```

1. Write a C program to merge sort using divide and Conquer

Program:

```
#include<stdio.h>

void mergesort(int a[],int i,int j);
void merge(int a[],int i1,int j1,int i2,int j2);

int main()
{
    int a[30],n,i;
    printf("Enter no of elements:");
    scanf("%d",&n);
    printf("Enter array elements:\n");
    for(i=0;i<n;i++)
    {
        scanf("%d",&a[i]);
    }
    mergesort(a,0,n-1);
    printf("Merge Sort : \n");
    for(i=0;i<n;i++)
    {
        printf("%d\n",a[i]);
    }
    return 0;
}

void mergesort(int a[],int i,int j)
{
    int mid;
```



```

    if(i<j)
    {
        mid=(i+j)/2;
        mergesort(a,i,mid);
        mergesort(a,mid+1,j);
        merge(a,i,mid,mid+1,j);
    }
}


void merge(int a[],int i1,int j1,int i2,int j2)
{
    int temp[50];
    int i,j,k;
    i=i1;
    j=i2;
    k=0;
    while(i<=j1 && j<=j2)
    {
        if(a[i]<a[j])
        {
            temp[k++]=a[i++];
        }
        else
        {
            temp[k++]=a[j++];
        }
    }
    while(i<=j1)

```

```

    {
        temp[k++]=a[i++];
    }
while(j<=j2)
{
    temp[k++]=a[j++];
}
for(i=i1,j=0;i<=j2;i++,j++)
{
    a[i]=temp[j];
}
}

```



The screenshot shows a Windows command prompt window titled "C:\Users\Admin\Documents\daa13-merge.exe". The user has entered "6" for the number of elements and "2 4 5 9 8 7" for the array elements. The program has performed a merge sort, and the output shows the sorted array: "2 4 5 7 8 9". The process returned 0 (0x0) and the execution time was 6.943 s. The prompt asks the user to press any key to continue.

```

C:\Users\Admin\Documents\daa13-merge.exe
Enter no of elements:6
Enter array elements:
2
4
5
9
8
7
Merge Sort :
2
4
5
7
8
9

Process returned 0 (0x0)   execution time : 6.943 s
Press any key to continue.

```

2. Write a C program to find max-min using divide and Conquer

Program:

```
#include<stdio.h>
void mergesort(int a[],int i,int j);
void merge(int a[],int i1,int j1,int i2,int j2);
int main()
{
    int a[30],n,i;
    printf("Enter no of elements:");
    scanf("%d",&n);
    printf("Enter array elements:\n");
    for(i=0;i<n;i++)
    {
        scanf("%d",&a[i]);
    }
    mergesort(a,0,n-1);
    printf("\nMin : %d",a[0]);
    printf("\nMax : %d",a[n-1]);
    return 0;
}


void mergesort(int a[],int i,int j)
{
    int mid;
    if(i<j)
    {
        mid=(i+j)/2;
        mergesort(a,i,mid);
        mergesort(a,mid+1,j);
        merge(a,i,mid,mid+1,j);
    }
}

void merge(int a[],int i1,int j1,int i2,int j2)
{
    int temp[50];
    int i,j,k;
    i=i1;
    j=i2;
```

```

k=0;
while(i<=j1 && j<=j2)
{
    if(a[i]<a[j])
    {
        temp[k++]=a[i++];
    }
    else
    {
        temp[k++]=a[j++];
    }
}
while(i<=j1)
{
    temp[k++]=a[i++];
}
while(j<=j2)
{
    temp[k++]=a[j++];
}
for(i=i1,j=0;i<=j2;i++,j++)
{
    a[i]=temp[j];
}
}

```



```

"C:\Users\Admin\Documents\daa14-min max.exe"
Enter no of elements:6
Enter array elements:
2
8
6
4
9
2

Min : 2
Max : 9
Process returned 0 (0x0)   execution time : 5.114 s
Press any key to continue.

```