https://levashovaelagina.ru/jewelry#!/tab/500005440-8   ⋮

88

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

⚠   Background and foreground colors do not have a sufficient contrast ratio.   ⌄

These are opportunities to improve the legibility of your content.

NAMES AND LABELS

⚠   Links do not have a discernible name   ⌄

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

BEST PRACTICES

⚠   Touch targets do not have sufficient size or spacing.   ⌄

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)   Show

NOT APPLICABLE (33)   Show

▪ Captured at Nov 10, 2025, 11:42 AM PST   ▪ [Emulated Desktop with Lighthouse 12.8.2](#)   ▪ [Single page session](#)

Initial page load

Custom throttling

Using Chromium 142.0.0.0 with devtools

Generated by **Lighthouse** 12.8.2 | File an issue

Initial page load

Custom throttling

Using Chromium 142.0.0.0 with devtools