

Aalto Slides with LATEX: aaltoslides Document Class for Beamer

Kimmo Järvinen

Department of Information and Computer Science Aalto University, School of Science and Technology kimmo.jarvinen@tkk.fi

Version 1.01, October 26, 2013

Introduction

- The purpose of aaltoslides is to allow us who use Beamer to easily produce slides that somewhat look like the official Aalto slides
- aaltoslides has not been approved by anybody responsible of the Aalto visual style
- aaltoslides only resembles the official Aalto Powerpoint templates: font (Helvetica, not Nimbus Sans), sizes of the logos, footer bars, etc. may differ from the official ones
- All comments are welcome! (kimmo.jarvinen@tkk.fi)



What's New in Version 1.01

- School of Science and Technology ⇒ School of Science
- ► The package now includes also EPS variants of the logos; i.e., aaltoslides now works also with plain LATEX

Title Page

- ► The largest difference to normal Beamer slides is that the title page is produced with a special command \aaltotitleframe; this command should be used as it is. Don't put it in a frame environment!!! See example.tex.
- By default, aaltoslides uses a title page similar to the one in the Aalto Powerpoint templates
- ► A more traditional looking title page can be selected with the option: normaltitle

Aalto Colors

- Colors are defined with options: first=* and second=* where * is one of the following: yellow, red, blue, gray, Igreen, dgreen, cyan, purple, magenta, or orange
- ► The first color is the primary color (titles, the footer bar, ...) and the second color is used in alerted texts and examples
- Default colors are: blue and red
- Colors can be used also with the command: \color{aalto*}. For example, {\color{aaltocyan}some text} gives some text
- The rules for choosing colors from the Aalto color circle are not checked (two adjacent colors should not be used)



Logo

aaltoslides supports all variations of the logo:



- The logo is selected with the option: logo=*○ where * is yellow, red, or blue, and ○ is either exc, quo, or que for !, ", or ?, respectively; For example, logo=yellowquo
- The title page uses a larger variation of the selected logo
- By default, the logo is logo=redexc
- All logos can be removed with the option: nologo

Footer

- By default, the slides have a footer with a logo on the left and an optional three row text¹ on the right
- ➤ The footer text is set up with the command: \aaltofootertext{}{}{
- ► The footer can be removed with the option: nofoot

¹The first row is highlighted with black by default. To remove this, simply change the color of the first argument of \aaltofootertext{}{} with \color{aaltogray}



Lengths

- aaltoslides defines the following lengths:
 \aaltofooterplace, \aaltofooterruleheight,
 \aaltofooterrulewidth, \aaltotitleboxplace,
 \aaltotitleboxheight, \aaltotitleboxwidth,
 \aaltotitlesep, \aaltotitleentrysep,
 \largelogoheight, and \smalllogoheight
- ► The appearance of the slides can be changed by modifying the lengths with \setlength or \addtolength

Some Examples

- Normal text
- ► Alerted text

Block 1

Text

Example

Text