

Replication data and code for “Reducing Prejudice and Support for Religious Nationalism Through Conversations on WhatsApp”

Author: Rajeshwari Majumdar

The replication package contains two folders: code, data

The folder **code** contains the following R scripts for setup, results, and supplemental analyses:

01_setup_packages.R: load required packages for running subsequent scripts (note: should run this before running anything else)

02_setup_functions.R: create custom functions for model estimation and output

03_setup_classify.R: show steps to produce the classification variable described in Appendix C.3 (note: this script is for illustration only, not required for analyses)

04_results_prejudice.R: analyze main prejudice outcome (feelings about Muslims); produce Tables 2, D.10, and D.11

05_results_religiousnatlm.R: analyze religious nationalism outcomes (statement approval); produce Tables 3, C.5, D.8, D.9, and D.12

06_results_behavioral.R: analyze decider game and chat game outcomes; produce Tables C.6, C.7, C.8, C.9, C.10; Figure C.6

07_results_mechanisms.R: analyze mechanisms; produce Figure 1

08_supp_experience.R: analyze outcomes related to study experience for Appendices A and B

09_supp_participation.R: analyze various measures related to participation (selection, response rates, conversation volume, attrition) in the experiment (Appendices C.1, C.2, C.3, and D.3)

10_supp_robustness.R: perform a set of robustness checks described in Appendix D (Appendices D.4, D.7, D.8, D.9)

11_supp_balance.R: perform balance tests (Appendix D.2)

12_supp_hte.R: analyze various HTEs for the main prejudice outcome (Appendix E)

The folder **data** contains the following files:

1. Completes_Merged_Anonymized.RData: main dataset featuring the 1,070 individuals who completed the conversation period; survey and experimental data merged and anonymized

2. Recruits_Anonymized.RData: dataset featuring the 2,684 eligible (Hindu/Muslim; in India; above 18; passed attention check) individuals who started the recruitment survey and either signed up or dropped out after learning about the main study

3. Starts_Anonymized.RData: dataset featuring the 730 conversation threads that were started along with the characteristics of each thread (including whether it was completed) and its two participants; two observations per thread representing each participant in the thread

4. codebook.xlsx: description of all variables included in

Completes_Merged_Anonymized.RData, Recruits_Anonymized.RData, and Starts_Anonymized.RData

Steps for replication:

1. Set the working directory to the root folder
2. Run 01_setup_packages.R
3. Run whichever of scripts 04 to 12; all work independently, loading data and additional functions within

The analyses have been carried out using R version 4.5.1 on macOS Sequoia 15.6.1