

APSR

For Affective Polarization Table and Extreme Questions Examination Tables

//affective polarization//

//without leaners//

gen t1demAP = t1q9_1-t1q9_2 if (PARTYID3==1 | PARTYID3==3)

gen t2demAP = t2q9_1-t2q9_2 if PARTYID3==1

gen t1repAP = t1q9_2-t1q9_1 if PARTYID3==2

gen t2repAP = t2q9_2-t2q9_1 if PARTYID3==2

gen t1demAPr = t1q9_1-t1q9_2

gen t2demAPr = t2q9_1-t2q9_2

gen t1repAPr = t1q9_2-t1q9_1

gen t2repAPr = t2q9_2-t2q9_1

gen t1indAPr = t1q9_1-t1q9_2

gen t2indAPr = t2q9_1-t2q9_2

//with leaners//

gen demall = 1 if (D2D==1) | (D2D==2) | (D2I==1)

gen repall = 1 if (D2R==1) | (D2R==2) | (D2I==3)

gen indall = 1 if (D2I==1)

gen t1demallAP = t1q9_1-t1q9_2 if demall==1

gen t2demallAP = t2q9_1-t2q9_2 if demall==1

gen t1repallAP = t1q9_2-t1q9_1 if repall==1

gen t2repallAP = t2q9_2-t2q9_1 if repall==1

gen t1indallAP = t1q9_1-t1q9_2 if indall==1

gen t2indallAP = t2q9_1-t2q9_2 if indall==1

//diff//

gen t2t1demAPr = t2demAPr-t1demAPr

gen t2t1repAPr = t2repAPr-t1repAPr

gen t2t1indAP = t2indAP-t1indAP

gen t2t1demallAP = t2demallAP-t1demallAP

gen t2t1repallAP = t2repallAP-t1repallAP

gen t2t1indallAP = t2indallAP-t1indallAP

//ttest//

bysort filter: ttest t2demAP==t1repAP

bysort filter: ttest t2repAP==t1repAP

bysort filter: ttest t2indAP==t1indAP

```
bysort filter: ttest t2demallAP==t1repallAP
bysort filter: ttest t2repallAP==t1repallAP
bysort filter: ttest t2indallAP==t1indallAP
```

```
//recode variables//
gen t1q9_1 = Q9_1
gen t1q9_2 = Q9_2
gen t2q9_1 = T2Q9_1
gen t2q9_2 = T2Q9_2
```

```
recode t1q9_1 (777/999=.)
recode t1q9_2 (777/999=.)
recode t2q9_1 (777/999=.)
recode t2q9_2 (777/999=.)
```

```
//ttest for affective polarization by extreme answers//
bysort filter PARTYID3 extD26cat: ttest t2demAPr==t1demAPr
bysort filter PARTYID3: tabulate t2t1demAPr extD26cat, chi2
bysort filter PARTYID3: tabulate t2t1repAPr extR26cat, chi2
bysort filter D2I extR26cat: ttest t2repAPr==t1repAPr
bysort filter D2I: tabulate t2t1demAPr extD26cat, chi2
```

```
bysort filter PARTYID3: tabulate t2t1q9_2 extD26cat, chi2
bysort filter PARTYID3: tabulate t2t1q9_1 extR26cat, chi2
bysort filter D2I: tabulate t2t1q9_2 extD26cat, chi2
bysort filter D2I: tabulate t2t1q9_1 extR26cat, chi2
```

```
//new dummy for 1+ extreme on category variables//
gen extDdum = extD26cat
recode extDdum (1/5=1) (else=.)
gen extRdum = extR26cat
recode extRdum (1/5=1) (else=.)
```

```
//change categories, combine 16-26//
gen extDcat5 = extD26cat
recode extDcat5 (5=4)
gen extRcat5 = extR26cat
recode extRcat5 (5=4)
bysort filter PARTYID3 extDcat5: ttest t2demAPr==t1demAPr
bysort filter PARTYID3 extRcat5: ttest t2repAPr==t1repAPr
bysort filter D2I extDcat5: ttest t2demAPr==t1demAPr
bysort filter D2I extRcat5: ttest t2repAPr==t1repAPr
```

```
bysort filter PARTYID3 extDcat5: ttest t2q9_2 == t1q9_2
```

```
bysort filter PARTYID3 extRcat5: ttest t2q9_1 == t1q9_1
bysort filter D2I extDcat5: ttest t2q9_2 == t1q9_2
```

```
//affective polarization table//
//own party - DEM//
```

```
bysort PARTYID3: ttest t2t1q9_1, by (filter)
bysort PARTYID3: ttest t2t1q9_2, by (filter)
bysort PARTYID3: ttest t2t1repAPr, by (filter)
bysort PARTYID3: ttest t2t1demAPr, by (filter)
```

```
//Verifying Extreme Questions analyses//
bysort PARTYID2 CONDITION: ttest t2q2A==t1q2A if t1q2A==0
```

```
//commands//
bysort PARTYID2 CONDITION: ttest t2q2i==t1q2i if t1q2i==10
bysort PARTYID2 CONDITION: ttest t2q2i==t1q2i if t1q2i==0
bysort PARTYID2 CONDITION: ttest t2q3c==t1q3c
bysort CONDITION: ttest t2q2i, by (demrep)
bysort CONDITION: ttest t1q2i, by (demrep)
```

```
//basic recode for questions//
gen t2q9_1r = (T2Q9_1/100)
gen t2q9_2r = (T2Q9_2/100)
gen t1q9_1r = (Q9_1/100)
gen t1q9_2r = (Q9_2/100)
```

```
gen t1q1 = (Q1/10)
gen t1q2a = (Q2A/10)
gen t1q2b = (Q2B/10)
gen t1q2c = (Q2C/10)
gen t1q2d = (Q2D/10)
gen t1q2e = (Q2E/10)
gen t1q2f = (Q2F/10)
gen t1q2g = (Q2G/10)
gen t1q2h = (Q2H/10)
gen t1q2i = (Q2I/10)
```

```
gen t2q1 = (T2Q1/10)
gen t2q2a = (T2Q2A/10)
gen t2q2b = (T2Q2B/10)
gen t2q2c = (T2Q2C/10)
gen t2q2d = (T2Q2D/10)
gen t2q2e = (T2Q2E/10)
```

gen t2q2f = (T2Q2F/10)
gen t2q2g = (T2Q2G/10)
gen t2q2h = (T2Q2H/10)
gen t2q2i = (T2Q2I/10)

gen t1q3a = (Q3A/10)
gen t1q3b = (Q3B/10)
gen t1q3c = (Q3C/10)
gen t1q3d = (Q3D/10)
gen t1q3e = (Q3E/10)
gen t1q3f = (Q3F/10)
gen t1q3g = (Q3G/10)
gen t1q3h = (Q3H/10)

gen t2q3a = (T2Q3A/10)
gen t2q3b = (T2Q3B/10)
gen t2q3c = (T2Q3C/10)
gen t2q3d = (T2Q3D/10)
gen t2q3e = (T2Q3E/10)
gen t2q3f = (T2Q3F/10)
gen t2q3g = (T2Q3G/10)
gen t2q3h = (T2Q3H/10)

gen t1q4a = (Q4A/10)
gen t1q4b = (Q4B/10)
gen t1q4c = (Q4C/10)
gen t1q4d = (Q4D/10)
gen t1q4e = (Q4E/10)
gen t1q4f = (Q4F/10)
gen t1q4g = (Q4G/10)
gen t1q4h = (Q4H/10)
gen t1q4i = (Q4I/10)
gen t1q4j = (Q4J/10)

gen t2q4a = (T2Q4A/10)
gen t2q4b = (T2Q4B/10)
gen t2q4c = (T2Q4C/10)
gen t2q4d = (T2Q4D/10)
gen t2q4e = (T2Q4E/10)
gen t2q4f = (T2Q4F/10)
gen t2q4g = (T2Q4G/10)
gen t2q4h = (T2Q4H/10)
gen t2q4i = (T2Q4I/10)
gen t2q4j = (T2Q4J/10)

gen t1q5a = (Q5A/10)
gen t1q5b = (Q5B/10)
gen t1q5c = (Q5C/10)
gen t1q5d = (Q5D/10)
gen t1q5e = (Q5E/10)
gen t1q5f = (Q5F/10)
gen t1q5g = (Q5G/10)
gen t1q5h = (Q5H/10)
gen t1q5i = (Q5I/10)
gen t1q5j = (Q5J/10)

gen t2q5a = (T2Q5A/10)
gen t2q5b = (T2Q5B/10)
gen t2q5c = (T2Q5C/10)
gen t2q5d = (T2Q5D/10)
gen t2q5e = (T2Q5E/10)
gen t2q5f = (T2Q5F/10)
gen t2q5g = (T2Q5G/10)
gen t2q5h = (T2Q5H/10)
gen t2q5i = (T2Q5I/10)
gen t2q5j = (T2Q5J/10)

gen t1q6a = (Q6A/10)
gen t1q6b = (Q6B/10)
gen t1q6c = (Q6C/10)
gen t1q6d = (Q6D/10)
gen t1q6e = (Q6E/10)
gen t1q6f = (Q6F/10)
gen t1q6g = (Q6G/10)
gen t1q6h = (Q6H/10)
gen t1q6i = (Q6I/10)
gen t1q6j = (Q6J/10)

gen t2q6a = (T2Q6A/10)
gen t2q6b = (T2Q6B/10)
gen t2q6c = (T2Q6C/10)
gen t2q6d = (T2Q6D/10)
gen t2q6e = (T2Q6E/10)
gen t2q6f = (T2Q6F/10)
gen t2q6g = (T2Q6G/10)
gen t2q6h = (T2Q6H/10)
gen t2q6i = (T2Q6I/10)
gen t2q6j = (T2Q6J/10)

replace t2t1q2b = (t2t1q2b/10)
replace t2t1q2c = (t2t1q2c/10)
replace t2t1q2d = (t2t1q2d/10)
replace t2t1q2e = (t2t1q2e/10)
replace t2t1q2f = (t2t1q2f/10)
replace t2t1q2g = (t2t1q2g/10)
replace t2t1q2h = (t2t1q2h/10)

replace t2t1q3a = (t2t1q3a/10)
replace t2t1q3b = (t2t1q3b/10)
replace t2t1q3c = (t2t1q3c/10)
replace t2t1q3d = (t2t1q3d/10)
replace t2t1q3e = (t2t1q3e/10)
replace t2t1q3f = (t2t1q3f/10)
replace t2t1q3g = (t2t1q3g/10)
replace t2t1q3h = (t2t1q3h/10)

replace t2t1q4a = (t2t1q4a/10)
replace t2t1q4b = (t2t1q4b/10)
replace t2t1q4c = (t2t1q4c/10)
replace t2t1q4d = (t2t1q4d/10)
replace t2t1q4e = (t2t1q4e/10)
replace t2t1q4f = (t2t1q4f/10)
replace t2t1q4g = (t2t1q4g/10)
replace t2t1q4h = (t2t1q4h/10)
replace t2t1q4i = (t2t1q4i/10)
replace t2t1q4j = (t2t1q4j/10)

replace t2t1q5a = (t2t1q5a/10)
replace t2t1q5b = (t2t1q5b/10)
replace t2t1q5c = (t2t1q5c/10)
replace t2t1q5d = (t2t1q5d/10)
replace t2t1q5e = (t2t1q5e/10)
replace t2t1q5f = (t2t1q5f/10)
replace t2t1q5g = (t2t1q5g/10)
replace t2t1q5h = (t2t1q5h/10)
replace t2t1q5i = (t2t1q5i/10)
replace t2t1q5j = (t2t1q5j/10)

replace t2t1q6a = (t2t1q6a/10)
replace t2t1q6b = (t2t1q6b/10)
replace t2t1q6c = (t2t1q6c/10)

```
replace t2t1q6d = (t2t1q6d/10)
replace t2t1q6e = (t2t1q6e/10)
replace t2t1q6f = (t2t1q6f/10)
replace t2t1q6g = (t2t1q6g/10)
replace t2t1q6h = (t2t1q6h/10)
replace t2t1q6i = (t2t1q6i/10)
replace t2t1q6j = (t2t1q6j/10)
```

```
//
gen t1q2a = Q2A
recode t1q2a (77/98=.)
```

```
gen t2q2a = T2Q2A
recode t1q2a (-8=.)
```

```
//
gen t1q2c = Q2C
recode t1q2c (77/98=.) (-8=.)
```

```
gen t2q2c = T2Q2C
recode t2q2c (77/98=.) (-8=.)
```

```
//
gen t1q2e = Q2E
recode t1q2e (77/98=.) (-8=.)
```

```
gen t2q2e = T2Q2E
recode t2q2e (77/98=.) (-8=.)
```

```
//
gen t1q2h = Q2H
recode t1q2h (77/98=.) (-8=.)
```

```
gen t2q2h = T2Q2H
recode t2q2h (77/98=.) (-8=.)
```

```
//
gen t1q2i = Q2I
recode t1q2i (77/98=.) (-8=.)
```

```
gen t2q2i = T2Q2I
recode t2q2i (77/98=.) (-8=.)
```

```
//
gen t1q3a = Q3A
```

```
recode t1q3a (77/98=.) (-8=.)
```

```
gen t2q3a = T2Q3A  
recode t2q3a (77/98=.) (-8=.)
```

```
//  
gen t1q3b = Q3B  
recode t1q3b (77/98=.) (-8=.)
```

```
gen t2q3b = T2Q3B  
recode t2q3b (77/98=.) (-8=.)
```

```
//  
gen t1q3c = Q3C  
recode t1q3c (77/98=.) (-8=.)
```

```
gen t2q3c = T2Q3C  
recode t2q3c (77/98=.) (-8=.)
```

```
//  
gen t1q3d = Q3D  
recode t1q3d (77/98=.) (-8=.)
```

```
gen t2q3d = T2Q3D  
recode t2q3d (77/98=.) (-8=.)
```

```
//  
gen t1q3e = Q3E  
recode t1q3e (77/98=.) (-8=.)
```

```
gen t2q3e = T2Q3E  
recode t2q3e (77/98=.) (-8=.)
```

```
//  
gen t1q3h = Q3H  
recode t1q3h (77/98=.) (-8=.)
```

```
gen t2q3h = T2Q3H  
recode t2q3h (77/98=.) (-8=.)
```

```
//  
gen t1q4a = Q4A  
recode t1q4a (77/98=.) (-8=.)
```

```
gen t2q4a = T2Q4A
recode t2q4a (77/98=.) (-8=.)
```

```
//
gen t1q4b = Q4B
recode t1q4b (77/98=.) (-8=.)
```

```
gen t2q4b = T2Q4B
recode t2q4b (77/98=.) (-8=.)
```

```
//
gen t1q4c = Q4C
recode t1q4c (77/98=.) (-8=.)
```

```
gen t2q4c = T2Q4C
recode t2q4c (77/98=.) (-8=.)
```

```
//
gen t1q4f = Q4F
recode t1q4f (77/98=.) (-8=.)
```

```
gen t2q4f = T2Q4F
recode t2q4f (77/98=.) (-8=.)
```

```
//
gen t1q4g = Q4G
recode t1q4g (77/98=.) (-8=.)
```

```
gen t2q4g = T2Q4G
recode t2q4g (77/98=.) (-8=.)
```

```
//
gen t1q4h = Q4H
recode t1q4h (77/98=.) (-8=.)
```

```
gen t2q4h = T2Q4H
recode t2q4h (77/98=.) (-8=.)
```

```
//
gen t1q4i = Q4I
recode t1q4i (77/98=.) (-8=.)
```

```
gen t2q4i = T2Q4I
recode t2q4i (77/98=.) (-8=.)
```

```
//  
gen t1q5a = Q5A  
recode t1q5a (77/98=.) (-8=.)
```

```
gen t2q5a = T2Q5A  
recode t2q5a (77/98=.) (-8=.)
```

```
//  
gen t1q5b = Q5B  
recode t1q5b (77/98=.) (-8=.)
```

```
gen t2q5b = T2Q5B  
recode t2q5b (77/98=.) (-8=.)
```

```
//  
gen t1q5c = Q5C  
recode t1q5c (77/98=.) (-8=.)
```

```
gen t2q5c = T2Q5C  
recode t2q5c (77/98=.) (-8=.)
```

```
//  
gen t1q5d = Q5D  
recode t1q5d (77/98=.) (-8=.)
```

```
gen t2q5d = T2Q5D  
recode t2q5d (77/98=.) (-8=.)
```

```
//  
gen t1q5h = Q5H  
recode t1q5h (77/98=.) (-8=.)
```

```
gen t2q5h = T2Q5H  
recode t2q5h (77/98=.) (-8=.)
```

```
//  
gen t1q6a = Q6A  
recode t1q6a (77/98=.) (-8=.)
```

```
gen t2q6a = T2Q6A  
recode t2q6a (77/98=.) (-8=.)
```

```
//  
gen t1q6f = Q6F  
recode t1q6f (77/98=.) (-8=.)
```

```
gen t2q6f = T2Q6F  
recode t2q6f (77/98=.) (-8=.)
```

```
//
```

```
gen t1q6g = Q6G
```

```
recode t1q6g (77/98=.) (-8=.)
```

```
gen t2q6g = T2Q6G
```

```
recode t2q6g (77/98=.) (-8=.)
```