Cucumber Report

| Start : May 26, 11:38:46.283 p.m.	End : May 26, 11:39:06.641 p.m.	Duration : 20.358 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 8 FAILED - 2 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Functionality of Linkedin using tags	20.358 s	2	0	2	0	10	8	2	0

#	Feature Name	Scenario Name
1	*Login Functionality of Linkedin using tags*	*user enter valid credentials and login to gmail2*
2		*user enter valid credentials and login to gmail3*

| TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	2	0	2	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@Important	2	0	2	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	Login Functionality of Linkedin using tags	2	0	2	0	20.358 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of Linkedin using tags	user enter valid credentials and login to gmail2	5	4	1	0	8.316 s
2		user enter valid credentials and login to gmail3	5	4	1	0	12.033 s

Login Functionality of Linkedin using tags

FAILED	DURATION - 20.358 s	Scenarios		Steps	
		Total - 2		Total - 10	
/ 11:38:46.283 p.m. // 11:39:06.641 p.m. /		Pass - 0	2	Pass - 8	10
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

user enter valid credentials and login to gmail2

FAILED	DURATION - 8.316 s		Steps	
			Total - 5	
/ 11:38:46.286 p.m. // 11:38:54.602 p.m. /			Pass - 4	5
Login Functionality of Linkedin using tags			Fail - 1	
@Smoke @Regression @Important			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User need to be on Linkedin Login page	PASSED	1.324 s
2	When User enter valid "soodpallavi1994@gmail.com" username	PASSED	5.143 s
3	And User enter valid "Quality@123" password	PASSED	0.072 s
4	And User clicks on Login button	PASSED	1.395 s
5	Then User should be logged in dislaying logged in username in application	FAILED	0.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='t-16 t-black t-bold']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98bb13763fb71866731940ee75993648, findElement {using=xpath, value=//div[@class='t-16 t-black t-bold']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\14379\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60638}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60638/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 98bb13763fb71866731940ee75993648 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at com.basic.TagsSD.TagsStepDef.User_should_be_logged_in_dislaying_logged_in_username_in_application(TagsStepDef.java:57) at ?.User should be logged in dislaying logged in username in application(file:///C:/Users/14379/eclipse-cucumberworkspace/CucumberProject/src/test/resources/com/basic/TagsFF/Tags.feature:22) * Not displayable characters are replaced by '?'.		

user enter valid credentials and login to gmail3

FAILED	DURATION - 12.033 s
/ 11:38:54.608 p.m. // 11:39:06.641 p.m. /	
Login Functionality of Linkedin using tags	
@Smoke @Important	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User need to be on Linkedin Login page	PASSED	4.917 s
2	When User enter valid "soodpallavi1994@gmail.com" username	PASSED	5.102 s
3	And User enter valid "Quality@123" password	PASSED	0.073 s
4	And User clicks on Login button	PASSED	1.531 s
5	Then User should be logged in dislaying logged in username in application	FAILED	0.030 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='t-16 t-black t-bold']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/		

#	Step / Hook Details	Status	Duration

	#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7464f3ba6a477af2a689a4ac0e922566, findElement {using=xpath, value=//div[@class='t-16 t-black t-bold']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\14379\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60690}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60690/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7464f3ba6a477af2a689a4ac0e922566
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at com.basic.TagsSD.TagsStepDef.User_should_be_logged_in_dislaying_logged_in_username_in_application(TagsStepDef.java:57)
	  at ?.User should be logged in dislaying logged in username in application(file:///C:/Users/14379/eclipse-cucumberworkspace/CucumberProject/src/test/resources/com/basic/TagsFF/Tags.feature:31)
	* Not displayable characters are replaced by '?'.		