Cucumber Report

| Start : May 26, 11:19:03.879 p.m.	End : May 26, 11:19:23.566 p.m.	Duration : 19.687 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 2

Steps: 10

Pass % — Features: 0 %

Pass % — Scenarios: 50 %

Pass % — Steps: 90 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Functionality of Linkedin using tags	19.687 s	2	1	1	0	10	9	1	0

#	Feature Name	Scenario Name
1	*Login Functionality of Linkedin using tags*	*user enter valid credentials and login to gmail3*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	2	1	1	0	1	0	1	0
@Regression	1	1	0	0	1	0	1	0
@Important	2	1	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Functionality of Linkedin using tags	2	1	1	0	19.687 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of Linkedin using tags	user enter valid credentials and login to gmail2	5	5	0	0	11.706 s
2		user enter valid credentials and login to gmail3	5	4	1	0	7.971 s

Login Functionality of Linkedin using tags

FAILED	DURATION - 19.687 s		Scenarios		Steps	
/ 11:19:03.879 p.m. // 11:19:23.566 p.m. /			Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Total - 10 Pass - 9 Fail - 1 Skip - 0	10

user enter valid credentials and login to gmail2

PASSED	DURATION - 11.706 s		Steps	
/ 11:19:03.882 p.m. // 11:19:15.588 p.m. /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
Login Functionality of Linkedin using tags				
@Smoke @Regression @Important				

#	Step / Hook Details	Status	Duration
1	Given User need to be on Linkedin Login page	PASSED	1.152 s
2	When User enter valid "soodpallavi1994@gmail.com" username	PASSED	5.163 s
3	And User enter valid "Quality@123" password	PASSED	0.077 s
4	And User clicks on Login button	PASSED	4.748 s
5	Then User should be logged in dislaying logged in username in application	PASSED	0.110 s

user enter valid credentials and login to gmail3

FAILED	DURATION - 7.971 s		Steps	
/ 11:19:15.595 p.m. // 11:19:23.566 p.m. /			Total - 5 Pass - 4 Fail - 1 Skip - 0	5
Login Functionality of Linkedin using tags				
@Smoke @Important				

#	Step / Hook Details	Status	Duration
1	Given User need to be on Linkedin Login page	PASSED	1.218 s
2	When User enter valid "soodpallavi1994@gmail.com" username	PASSED	5.604 s
3	And User enter valid "Quality@123" password	PASSED	0.068 s
4	And User clicks on Login button	PASSED	0.738 s
5	Then User should be logged in dislaying logged in username in application	FAILED	0.034 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='t-16 t-black t-bold']"}   (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46b751aff64e9898459075a98d5af515, findElement {using=xpath, value=//div[@class='t-16 t-black t-bold']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\14379\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60013}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60013/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46b751aff64e9898459075a98d5af515
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
    at com.basic.TagsSD.TagsStepDef.User_should_be_logged_in_dislaying_logged_in_username_in_application(TagsStepDef.java:57)
    at ?.User should be logged in dislaying logged in username in application(file:///C:/Users/14379/eclipse-cucumberworkspace/ CucumberProject/src/test/resources/com/basic/TagsFF/Tags.feature:31)
* Not displayable characters are replaced by '?'.