UniCareer Community — Database tables

30 tables, 328 columns. Source: prisma/schema.prisma (PostgreSQL 16 on Neon). PK = primary key, FK = foreign key (link to another table), UQ = unique.

People and login · 9 tables

users		
id	text	PK
name	text	
email	text	UQ
emailVerified	bool	
image	text (optional)	
membershipType	enum (MembershipType)	
systemRole	enum (SystemRole)	
accountStatus	enum (AccountStatus)	
verificationStatus	enum (VerificationStatus)	
canPostOpportunities	bool	
canReviewApplicants	bool	
verifiedAt	timestamp (optional)	
verifiedBy	text (optional)	
createdAt	timestamp	
updatedAt	timestamp	

profiles		
id	text	**PK**
userId	text	**FK → users**
headline	text (optional)	
bio	text (optional)	
department	text (optional)	
studentId	text (optional)	
academicYear	text (optional)	
graduationYear	int (optional)	
degree	text (optional)	
currentCgpa	float (optional)	
isCgpaVerified	bool	
company	text (optional)	
designation	text (optional)	
skills	text[]	
interests	text[]	
projects	json (optional)	
experience	json (optional)	
linkedinUrl	text (optional)	
githubUrl	text (optional)	
websiteUrl	text (optional)	
phone	text (optional)	
showEmail	bool	
isOnboarded	bool	
createdAt	timestamp	
updatedAt	timestamp	

membership_requests		
id	text	**PK**
userId	text	**FK → users**
membershipType	enum (MembershipType)	
status	enum (VerificationRequestStatus)	
institutionalId	text (optional)	
department	text (optional)	
academicYear	text (optional)	
graduationYear	int (optional)	
organization	text (optional)	
designation	text (optional)	
workEmail	text (optional)	
connectionNote	text (optional)	
proofDetails	text (optional)	
proofDocumentUrl	text (optional)	
reviewerId	text (optional)	**FK → users**
rejectionReason	text (optional)	
reviewedAt	timestamp (optional)	
createdAt	timestamp	
updatedAt	timestamp	

departments		
id	text	**PK**
code	text	**UQ**
name	text	**UQ**
faculty	text	
createdAt	timestamp	
updatedAt	timestamp	

academic_records		
id	text	**PK**
userId	text	**FK → users**
semester	text	
gpa	float	
credits	float	
academicYear	text (optional)	
notes	text (optional)	
isVerified	bool	
createdAt	timestamp	
updatedAt	timestamp	

UQ (userId + semester)

skills		
id	text	**PK**
name	text	**UQ**
category	enum (SkillCategory)	
description	text (optional)	
createdAt	timestamp	
updatedAt	timestamp	

sessions		
id	text	**PK**
expiresAt	timestamp	
token	text	**UQ**
createdAt	timestamp	
updatedAt	timestamp	
ipAddress	text (optional)	
userAgent	text (optional)	
userId	text	**FK → users**

accounts		
id	text	**PK**
accountId	text	
providerId	text	
userId	text	**FK → users**
accessToken	text (optional)	
refreshToken	text (optional)	
idToken	text (optional)	
accessTokenExpiresAt	timestamp (optional)	
refreshTokenExpiresAt	timestamp (optional)	
scope	text (optional)	
password	text (optional)	
createdAt	timestamp	
updatedAt	timestamp	

verifications		
id	text	**PK**
identifier	text	
value	text	
expiresAt	timestamp	
createdAt	timestamp (optional)	
updatedAt	timestamp (optional)	

Jobs and applications · 6 tables

opportunities		
id	text	**PK**
title	text	
description	text	
companyId	text (optional)	**FK → companies**
companyName	text	
companyLogo	text (optional)	
type	enum (OpportunityType)	
posterId	text	**FK → users**
sourceType	enum (OpportunitySourceType)	
status	enum (OpportunityStatus)	
minCgpa	float (optional)	
minAcademicYear	text (optional)	
requiredSkills	text[]	
targetDepartments	text[]	
openToAllDepartments	bool	
salaryOrStipend	text (optional)	
location	text	
workplaceType	enum (WorkplaceType)	
applicationMethod	enum (ApplicationMethod)	
externalUrl	text (optional)	
contactEmail	text (optional)	
deadline	timestamp	
reviewerId	text (optional)	**FK → users**
reviewedAt	timestamp (optional)	
rejectionReason	text (optional)	
createdAt	timestamp	
updatedAt	timestamp	

opportunity_bookmarks		
id	text	**PK**
userId	text	**FK → users**
opportunityId	text	**FK → opportunities**
createdAt	timestamp	
UQ (userId + opportunityId)		

opportunity_comments		
id	text	**PK**
opportunityId	text	**FK → opportunities**
authorId	text	**FK → users**
content	text	
createdAt	timestamp	
updatedAt	timestamp	

companies		
id	text	**PK**
name	text	
slug	text	**UQ**
logo	text (optional)	
description	text (optional)	
website	text (optional)	
industry	text (optional)	
location	text (optional)	
isVerified	bool	
isSuspended	bool	
createdById	text	**FK → users**
createdAt	timestamp	
updatedAt	timestamp	

applications		
id	text	**PK**
opportunityId	text	**FK → opportunities**
applicantId	text	**FK → users**
resumeId	text (optional)	**FK → resumes**
coverLetter	text (optional)	
method	enum (ApplicationMethod)	
status	enum (ApplicationStatus)	
externalAppliedAt	timestamp (optional)	
externalNotes	text (optional)	
employerNotes	text (optional)	
reviewedById	text (optional)	**FK → users**
reviewedAt	timestamp (optional)	
submittedAt	timestamp	
updatedAt	timestamp	

UQ (opportunityId + applicantId)

manual_applications		
id	text	PK
userId	text	FK → users
companyName	text	
roleTitle	text	
location	text (optional)	
jobUrl	text (optional)	
notes	text (optional)	
status	text	
appliedDate	timestamp	
createdAt	timestamp	
updatedAt	timestamp	

Community and referrals · 7 tables

posts		
id	text	PK
authorId	text	FK → users
title	text (optional)	
content	text	
postType	enum (PostType)	
visibility	enum (PostVisibility)	
status	enum (ModerationStatus)	
isPinned	bool	
attachedOpportunityId	text (optional)	FK → opportunities
viewsCount	int	
likesCount	int	
commentsCount	int	
createdAt	timestamp	
updatedAt	timestamp	

comments		
id	text	PK
postId	text	FK → posts
authorId	text	FK → users
parentId	text (optional)	FK → comments
content	text	
status	enum (ModerationStatus)	
likesCount	int	
createdAt	timestamp	
updatedAt	timestamp	

post_reactions		
id	text	**PK**
postId	text	**FK → posts**
userId	text	**FK → users**
type	enum (ReactionType)	
createdAt	timestamp	
UQ (postId + userId + type)		

post_bookmarks		
id	text	**PK**
postId	text	**FK → posts**
userId	text	**FK → users**
createdAt	timestamp	
UQ (postId + userId)		

content_reports		
id	text	**PK**
reporterId	text	**FK → users**
targetType	enum (ReportTargetType)	
postId	text (optional)	**FK → posts**
commentId	text (optional)	**FK → comments**
reason	enum (ReportReason)	
description	text (optional)	
status	enum (ReportStatus)	
reviewedById	text (optional)	**FK → users**
reviewNotes	text (optional)	
reviewedAt	timestamp (optional)	
createdAt	timestamp	
updatedAt	timestamp	

connections		
id	text	**PK**
senderId	text	**FK → users**
receiverId	text	**FK → users**
status	enum (ConnectionStatus)	
createdAt	timestamp	
updatedAt	timestamp	
UQ (senderId + receiverId)		

referral_requests		
id	text	**PK**
requesterId	text	**FK → users**
recipientId	text	**FK → users**
companyId	text (optional)	**FK → companies**
companyName	text	
roleTitle	text	
opportunityId	text (optional)	**FK → opportunities**
message	text	
resumeUrl	text (optional)	
status	enum (ReferralStatus)	
responseNote	text (optional)	
respondedAt	timestamp (optional)	
createdAt	timestamp	
updatedAt	timestamp	

Alerts and calendar · 4 tables

notifications		
id	text	**PK**
recipientId	text	**FK → users**
type	enum (NotificationType)	
title	text	
message	text	
relatedEntityType	enum (RelatedEntityType) (optional)	
relatedEntityId	text (optional)	
actionUrl	text (optional)	
isRead	bool	
readAt	timestamp (optional)	
createdAt	timestamp	
updatedAt	timestamp	

notification_preferences		
id	text	**PK**
userId	text	**FK → users**
opportunitiesInApp	bool	
applicationsInApp	bool	
communityInApp	bool	
membershipInApp	bool	
remindersInApp	bool	
opportunitiesEmail	bool	
applicationsEmail	bool	
communityEmail	bool	
membershipEmail	bool	
remindersEmail	bool	
createdAt	timestamp	
updatedAt	timestamp	

career_calendar_events		
id	text	**PK**
userId	text	**FK → users**
title	text	
description	text (optional)	
eventType	enum (CalendarEventType)	
startDate	timestamp	
endDate	timestamp (optional)	
location	text (optional)	
isAllDay	bool	
relatedOpportunityId	text (optional)	
relatedApplicationId	text (optional)	
createdAt	timestamp	
updatedAt	timestamp	

deadline_reminder_logs		
id	text	**PK**
userId	text	**FK → users**
opportunityId	text (optional)	
applicationId	text (optional)	
reminderType	text	
channel	text	
sentAt	timestamp	
UQ (userId + opportunityId + reminderType + channel)		

Admin · 1 table

admin_audit_logs		
id	text	PK
adminId	text	FK → users
action	enum (AdminAuditAction)	
targetType	enum (AuditTargetType)	
targetId	text	
targetLabel	text (optional)	
reason	text (optional)	
details	json (optional)	
ipAddress	text (optional)	
createdAt	timestamp	

Left over (no longer used) · 3 tables

resumes (no longer used)		
id	text	PK
userId	text	FK → users
fileName	text	
fileSize	int	
mimeType	text	
storageKey	text	UQ
isDefault	bool	
createdAt	timestamp	
updatedAt	timestamp	

application_status_history (no longer used)		
id	text	PK
applicationId	text	FK → applications
status	enum (ApplicationStatus)	
note	text (optional)	
changedById	text (optional)	FK → users
createdAt	timestamp	

company_members (no longer used)		
id	text	**PK**
companyId	text	**FK → companies**
userId	text	**FK → users**
role	enum (CompanyMemberRole)	
canPostOpportunities	bool	
canManageCompany	bool	
title	text (optional)	
createdAt	timestamp	
updatedAt	timestamp	
UQ (companyId + userId)		