

TERRA FIT

COMPLETE SOURCE CODE & ARCHITECTURE

A full-stack premium clothing e-commerce web application.

Features include modern streetwear design, reactive UI, product catalog, cart management, and payment context.

TECHNICAL STACK

- Frontend: Next.js 16, React, TypeScript, CSS Modules
- Backend: Node.js, Express, MongoDB (Mongoose)
- Auth: JWT + bcryptjs
- Database: Sequelize ORM (MySQL config present)
- Payments: Razorpay API integration

DOCUMENT INFORMATION

Generated on: May 21, 2026

Total Source Files: 60 files

Workspace Path: C:\Users\soory\OneDrive\Desktop\TerrafitBackend

Generated by: Antigravity AI Pair Programmer

CONFIDENTIAL / PROPRIETARY

TABLE OF CONTENTS - PART 1

.env	5
.gitignore	6
.vscode/launch.json	7
backend/.env	8
backend/config/db.js	9
backend/middleware/auth.js	10
backend/models/Order.js	11
backend/models/Product.js	12
backend/models/User.js	13
backend/package.json	14
backend/routes/auth.js	15
backend/routes/orders.js	16
backend/routes/products.js	18
backend/seed.js	19
backend/server.js	23
frontend/.env.local	24
frontend/.gitignore	25
frontend/AGENTS.md	26
frontend/eslint.config.mjs	27
frontend/next.config.ts	28
frontend/package.json	29
frontend/README.md	30
frontend/src/app/cart/page.module.css	31

TABLE OF CONTENTS - PART 2

frontend/src/app/cart/page.tsx	34
frontend/src/app/checkout/page.module.css	36
frontend/src/app/checkout/page.tsx	39
frontend/src/app/contact/page.module.css	42
frontend/src/app/contact/page.tsx	44
frontend/src/app/faq/page.module.css	45
frontend/src/app/faq/page.tsx	47
frontend/src/app/globals.css	48
frontend/src/app/layout.tsx	50
frontend/src/app/login/page.module.css	51
frontend/src/app/login/page.tsx	53
frontend/src/app/orders/page.module.css	55
frontend/src/app/orders/page.tsx	56
frontend/src/app/page.module.css	57
frontend/src/app/page.tsx	64
frontend/src/app/products/[id]/page.tsx	68
frontend/src/app/products/[id]/product.module.css	69
frontend/src/app/products/[id]/ProductClient.tsx	71
frontend/src/app/products/page.module.css	72
frontend/src/app/products/page.tsx	73
frontend/src/app/register/page.module.css	74
frontend/src/app/register/page.tsx	76
frontend/src/app/success/page.module.css	78

TABLE OF CONTENTS - PART 3

frontend/src/app/success/page.tsx	79
frontend/src/components/FloatingTshirts.tsx	80
frontend/src/components/Footer.module.css	81
frontend/src/components/Footer.tsx	82
frontend/src/components/GalaxyBackground.tsx	83
frontend/src/components/Navbar.module.css	85
frontend/src/components/Navbar.tsx	88
frontend/src/components/ProductCard.module.css	90
frontend/src/components/ProductCard.tsx	91
frontend/src/components/WaveBackground.tsx	92
frontend/src/context/CartContext.tsx	93
frontend/src/data/products.ts	94
frontend/tsconfig.json	98
README.md	99

.env

```
1 MONGO_URI=mongodb://127.0.0.1:27017/terrafitdb
2 JWT_SECRET=terrafit_secret_key_123
3 PORT=5000
```

.gitignore

```
1  # Node modules
2  node_modules/
3  .npm
4  # Environment variables (NEVER commit these)
5  .env
6  .env.local
7  .env.production
8  .env.development
9  # Next.js build output
10 frontend/.next/
11 frontend/out/
12 # Logs
13 npm-debug.log*
14 yarn-debug.log*
15 yarn-error.log*
16 # OS
17 .DS_Store
18 Thumbs.db
19 # IDE
20 .vscode/settings.json
21
22
23
24
25
26
```

.vscode/launch.json

```
1  {
2    // Use IntelliSense to learn about possible attributes.
3    // Hover to view descriptions of existing attributes.
4    // For more information, visit: https://go.microsoft.com/fwlink/?linkid=830387
5    "version": "0.2.0",
6    "configurations": [
7      {
8        "type": "chrome",
9        "request": "launch",
10       "name": "Launch Chrome against localhost",
11       "url": "http://localhost:8080",
12       "webRoot": "${workspaceFolder}"
13     }
14   ]
15 }
```

backend/.env

```
1 DB_HOST=127.0.0.1
2 DB_PORT=3306
3 DB_USER=root
4 DB_PASSWORD=
5 DB_NAME=terrafitdb
6 JWT_SECRET=terrafit_secret_key_123
7 PORT=5000
8 RAZORPAY_KEY_ID=rzp_live_Sl9nWjdPwGq6o0
9 RAZORPAY_KEY_SECRET=Hsv51evEW9TZU5L1MAswZBsr
```


backend/config/db.js

```

1  const { Sequelize } = require('sequelize');
2  const mysql = require('mysql2/promise');
3  // Read DB config from environment variables
4  const dbName = process.env.DB_NAME || 'terrafitdb';
5  const dbUser = process.env.DB_USER || 'root';
6  const dbPassword = process.env.DB_PASSWORD || '';
7  const dbHost = process.env.DB_HOST || '127.0.0.1';
8  const dbPort = process.env.DB_PORT || 3306;
9  const sequelize = new Sequelize(dbName, dbUser, dbPassword, {
10     host: dbHost,
11     port: dbPort,
12     dialect: 'mysql',
13     logging: false // Toggle to console.log to debug raw queries
14 });
15 // Helper to initialize database and tables
16 async function connectDB() {
17     try {
18         // 1. Create database if it does not exist
19         const connection = await mysql.createConnection({
20             host: dbHost,
21             port: dbPort,
22             user: dbUser,
23             password: dbPassword
24         });
25         await connection.query(`CREATE DATABASE IF NOT EXISTS \`${dbName}\``);
26         await connection.end();
27         // 2. Authenticate Sequelize
28         await sequelize.authenticate();
29         console.log('? XAMPP MySQL Connected successfully.');
```

30 // 3. Sync Models

31 // using { alter: true } is safe and updates tables when structures change without

wiping existing data

```

32 await sequelize.sync({ alter: true });
33 console.log('? MySQL Database Models Synced.');
```

34 } catch (err) {

```

35     console.error('! XAMPP MySQL Connection Error:', err.message);
36     console.error('! Please make sure XAMPP Control Panel is open and MySQL service is
running on port 3306!');
```

37 process.exit(1);

```

38 }
39 }
40 module.exports = {
41     sequelize,
42     connectDB
43 };
44
45
46
47
48
49
50
```

backend/middleware/auth.js

```
1  const jwt = require('jsonwebtoken');
2  module.exports = (req, res, next) => {
3
4      const authHeader = req.header('Authorization');
5      if (!authHeader) return res.status(401).json({ error: 'No token, authorization denied' });
6      const token = authHeader.split(' ')[1];
7      if (!token) return res.status(401).json({ error: 'Token missing' });
8      try {
9          const decoded = jwt.verify(token, process.env.JWT_SECRET || 'terrafit_secret_key_123');
10         req.user = decoded;
11         next();
12     } catch (err) {
13         res.status(401).json({ error: 'Token is not valid' });
14     }
15 };
16
17
18
```

backend/models/Order.js

```
1  const { DataTypes } = require('sequelize');
2  const { sequelize } = require('../config/db');
3  const Order = sequelize.define('Order', {
4
5    id: {
6      type: DataTypes.INTEGER,
7      autoIncrement: true,
8      primaryKey: true
9    },
10   userId: {
11     type: DataTypes.INTEGER,
12     allowNull: false
13   },
14   items: {
15     type: DataTypes.JSON, // Stores array of items as JSON in MySQL
16     allowNull: false
17   },
18   totalAmount: {
19     type: DataTypes.DECIMAL(10, 2),
20     allowNull: false
21   },
22   shippingDetails: {
23     type: DataTypes.JSON, // Stores shipping details object as JSON in MySQL
24     allowNull: true
25   },
26   razorpayOrderId: {
27     type: DataTypes.STRING,
28     allowNull: false
29   },
30   razorpayPaymentId: {
31     type: DataTypes.STRING,
32     allowNull: true
33   },
34   razorpaySignature: {
35     type: DataTypes.STRING,
36     allowNull: true
37   },
38   status: {
39     type: DataTypes.ENUM('pending', 'paid', 'failed'),
40     defaultValue: 'pending'
41   },
42 }, { timestamps: true });
43
44 module.exports = Order;
45
46
47
```

backend/models/Product.js

```
1  const { DataTypes } = require('sequelize');
2  const { sequelize } = require('../config/db');
3  const Product = sequelize.define('Product', {
4
5      id: {
6          type: DataTypes.INTEGER,
7          autoIncrement: true,
8          primaryKey: true
9      },
10     name: {
11         type: DataTypes.STRING,
12         allowNull: false
13     },
14     price: {
15         type: DataTypes.INTEGER,
16         allowNull: false
17     },
18     description: {
19         type: DataTypes.TEXT,
20         allowNull: true
21     },
22     image: {
23         type: DataTypes.STRING,
24         allowNull: true
25     },
26     category: {
27         type: DataTypes.STRING,
28         allowNull: true
29     },
30     sizes: {
31         type: DataTypes.JSON, // Stores sizes array as a JSON field in MySQL
32         allowNull: true
33     },
34     stock: {
35         type: DataTypes.INTEGER,
36         defaultValue: 10
37     }
38 }, {
39     timestamps: true
40 });
41 module.exports = Product;
```

backend/models/User.js

```
1  const { DataTypes } = require('sequelize');
2  const { sequelize } = require('../config/db');
3  const bcrypt = require('bcryptjs');
4  const User = sequelize.define('User', {
5      id: {
6          type: DataTypes.INTEGER,
7          autoIncrement: true,
8          primaryKey: true
9      },
10     name: {
11         type: DataTypes.STRING,
12         allowNull: false
13     },
14     email: {
15         type: DataTypes.STRING,
16         allowNull: false,
17         unique: true
18     },
19     password: {
20         type: DataTypes.STRING,
21         allowNull: false
22     },
23     isAdmin: {
24         type: DataTypes.BOOLEAN,
25         defaultValue: false
26     }
27 }, {
28     timestamps: true,
29     hooks: {
30         beforeCreate: async (user) => {
31             if (user.password) {
32                 user.password = await bcrypt.hash(user.password, 10);
33             }
34         },
35         beforeUpdate: async (user) => {
36             if (user.changed('password')) {
37                 user.password = await bcrypt.hash(user.password, 10);
38             }
39         }
40     }
41 });
42 module.exports = User;
```

backend/package.json

```
1  {
2    "name": "terrafitbackend",
3    "version": "1.0.0",
4    "description": "TerraFit E-commerce Backend",
5    "main": "server.js",
6    "scripts": {
7      "start": "node server.js"
8    },
9    "dependencies": {
10     "bcryptjs": "^2.4.3",
11     "cors": "^2.8.6",
12     "dotenv": "^16.6.1",
13     "express": "^4.22.1",
14     "jsonwebtoken": "^9.0.3",
15     "mysql2": "^3.22.3",
16     "razorpay": "^2.9.6",
17     "sequelize": "^6.37.8"
18   }
19 }
20
```

backend/routes/auth.js

```

1  const express = require('express');
2  const router = express.Router();
3  const jwt = require('jsonwebtoken');
4  const bcrypt = require('bcryptjs');
5  const User = require('../models/User');
6  // REGISTER
7  router.post('/register', async (req, res) => {
8      try {
9          const { name, email, password } = req.body;
10         const existing = await User.findOne({ where: { email } });
11         if (existing) return res.status(400).json({ error: 'Email already exists' });
12         await User.create({ name, email, password });
13         res.status(201).json({ message: 'User registered successfully' });
14     } catch (err) {
15         res.status(500).json({ error: err.message });
16     }
17 });
18 // LOGIN
19 router.post('/login', async (req, res) => {
20     try {
21         const { email, password } = req.body;
22         const user = await User.findOne({ where: { email } });
23         if (!user) return res.status(400).json({ error: 'User not found' });
24         const isMatch = await bcrypt.compare(password, user.password);
25         if (!isMatch) return res.status(400).json({ error: 'Invalid password' });
26         // Generate token using the auto-increment integer ID
27         const token = jwt.sign({ id: user.id }, process.env.JWT_SECRET ||
28             'terrafit_secret_key_123', { expiresIn: '7d' });
29         res.json({
30             token,
31             user: {
32                 id: user.id,
33                 _id: user.id, // Keep _id alias for compatibility
34                 name: user.name,
35                 email: user.email
36             }
37         });
38     } catch (err) {
39         res.status(500).json({ error: err.message });
40     }
41 });
42 module.exports = router;

```

backend/routes/orders.js

```

1  const express = require('express');
2  const router = express.Router();
3  const Razorpay = require('razorpay');
4  const crypto = require('crypto');
5  const auth = require('../middleware/auth');
6  const Order = require('../models/Order');
7  // Initialize Razorpay
8  const razorpay = new Razorpay({
9      key_id: process.env.RAZORPAY_KEY_ID,
10     key_secret: process.env.RAZORPAY_KEY_SECRET,
11 });
12 // POST create order
13 router.post('/', auth, async (req, res) => {
14     try {
15         const { items, total, shippingDetails } = req.body;
16         const numericTotal = Number(total);
17         console.log('--- Order Request Received ---');
18         console.log('Items Count:', items?.length);
19         console.log('Raw total from body:', total);
20         console.log('Numeric total:', numericTotal);
21         if (isNaN(numericTotal) || numericTotal <= 0) {
22             console.error('Invalid total received!');
23             return res.status(400).json({ error: 'Invalid total amount' });
24         }
25         const amountInPaise = Math.round(numericTotal * 100);
26         console.log(`--- LIVE MODE ---`);
27         console.log(`Final Amount being sent to Razorpay: ${amountInPaise} paise`);
28         // 1. Create Razorpay Order
29         const options = {
30             amount: amountInPaise,
31             currency: "INR",
32             receipt: `order_rcptid_${Date.now()}`,
33         };
34         const razorpayOrder = await razorpay.orders.create(options);
35         // 2. Save Order in XAMPP MySQL using Sequelize
36         await Order.create({
37             userId: req.user.id,
38             items: items.map(item => ({
39                 productId: item.id,
40                 name: item.name,
41                 price: item.price,
42                 quantity: item.quantity,
43                 size: item.size
44             })),
45             totalAmount: total,
46             shippingDetails,
47             razorpayOrderId: razorpayOrder.id,
48             status: 'pending'
49         });
50         res.status(201).json({
51             success: true,
52             order_id: razorpayOrder.id,
53             amount: razorpayOrder.amount,
54             currency: razorpayOrder.currency,
55         });
56     } catch (err) {
57         console.error('Order creation error:', err);
58         res.status(500).json({ error: err.message });
59     }
60 });
61 // POST verify payment
62 router.post('/verify', auth, async (req, res) => {
63     try {
64         const {
65             razorpay_order_id,
66             razorpay_payment_id,
67             razorpay_signature
68         } = req.body;
69         const body = razorpay_order_id + "|" + razorpay_payment_id;
70         const expectedSignature = crypto
71             .createHmac("sha256", process.env.RAZORPAY_KEY_SECRET)
72             .update(body.toString())
73             .digest("hex");
74         const isAuthentic = expectedSignature === razorpay_signature;
75         if (isAuthentic) {
76             // Update order status in MySQL DB
77             await Order.update(
78                 {
79                     status: 'paid',
80                     razorpayPaymentId: razorpay_payment_id,
81                     razorpaySignature: razorpay_signature

```


backend/routes/orders.js (continued)

```

96         },
97         { where: { razorpayOrderId: razorpay_order_id } }
98     );
99     res.json({ success: true, message: "Payment verified successfully" });
100 } else {
101     res.status(400).json({ success: false, message: "Invalid signature" });
102 }
103 } catch (err) {
104     console.error('Verification error:', err);
105     res.status(500).json({ error: err.message });
106 }
107 });
108 // POST callback for redirect mode
109 router.post('/callback', async (req, res) => {
110     try {
111         const {
112             razorpay_order_id,
113             razorpay_payment_id,
114             razorpay_signature
115         } = req.body;
116         const body = razorpay_order_id + "|" + razorpay_payment_id;
117         const expectedSignature = crypto
118             .createHmac("sha256", process.env.RAZORPAY_KEY_SECRET)
119             .update(body.toString())
120             .digest("hex");
121         const isAuthentic = expectedSignature === razorpay_signature;
122         const frontendUrl = 'http://localhost:3000'; // Change to production URL later
123         if (isAuthentic) {
124             // Update order status in MySQL DB
125             await Order.update(
126                 {
127                     status: 'paid',
128                     razorpayPaymentId: razorpay_payment_id,
129                     razorpaySignature: razorpay_signature
130                 },
131                 { where: { razorpayOrderId: razorpay_order_id } }
132             );
133             // Redirect to frontend success page
134             res.redirect(`${frontendUrl}/success`);
135         } else {
136             // Redirect to failure/checkout with error
137             res.redirect(`${frontendUrl}/checkout?error=verification_failed`);
138         }
139     } catch (err) {
140         console.error('Callback error:', err);
141         res.status(500).send('Internal Server Error');
142     }
143 });
144 module.exports = router;

```

backend/routes/products.js

```

1  const express = require('express');
2  const router = express.Router();
3  const Product = require('../models/Product');
4  // Helper to ensure sizes is always a parsed array
5  const parseProductSizes = (productJson) => {
6    let sizes = productJson.sizes;
7    if (typeof sizes === 'string') {
8      try {
9        sizes = JSON.parse(sizes);
10     } catch (e) {
11       // If it's a comma-separated string, convert to array
12       if (sizes.includes(',')) {
13         sizes = sizes.split(',').map(s => s.trim());
14       } else {
15         sizes = [sizes];
16       }
17     }
18   }
19   // Default fallback if null or empty
20   if (!Array.isArray(sizes)) {
21     sizes = ["S", "M", "L"];
22   }
23   return sizes;
24 };
25 // GET all products
26 router.get('/', async (req, res) => {
27   try {
28     const products = await Product.findAll();
29     // Map products to include _id for frontend backwards-compatibility
30     const productsWithAlias = products.map(product => {
31       const p = product.toJSON();
32       return {
33         ...p,
34         sizes: parseProductSizes(p),
35         _id: p.id // Keep _id alias for frontend stability
36       };
37     });
38     res.json(productsWithAlias);
39   } catch (err) {
40     res.status(500).json({ error: err.message });
41   }
42 });
43 // GET single product
44 router.get('/:id', async (req, res) => {
45   try {
46     const product = await Product.findByPk(req.params.id);
47     if (!product) return res.status(404).json({ error: 'Product not found' });
48     const p = product.toJSON();
49     res.json({
50       ...p,
51       sizes: parseProductSizes(p),
52       _id: p.id // Keep _id alias for frontend stability
53     });
54   } catch (err) {
55     res.status(500).json({ error: err.message });
56   }
57 });
58 // POST add product
59 router.post('/', async (req, res) => {
60   try {
61     const product = await Product.create(req.body);
62     const p = product.toJSON();
63     res.status(201).json({
64       ...p,
65       sizes: parseProductSizes(p),
66       _id: p.id // Keep _id alias for frontend stability
67     });
68   } catch (err) {
69     res.status(400).json({ error: err.message });
70   }
71 });
72 module.exports = router;

```

backend/seed.js

```

1  require('dotenv').config();
2  const { connectDB } = require('./config/db');
3  const Product = require('./models/Product');
4  async function seed() {
5      try {
6          console.log('? Connecting to database...');
7          await connectDB();
8          console.log('? DB Connected!');
9          console.log('? Clearing old products in MySQL...');
10         // Truncate clears the table and resets the auto-increment ID to 1
11         await Product.destroy({ truncate: true });
12         console.log('? Old products cleared!');
13         console.log('? Inserting new products...');
14         await Product.bulkCreate([
15             {
16                 name: "Void-Runner X1",
17                 price: 8999,
18                 category: "Shoes",
19                 image: "https://images.unsplash.com/photo-1542291026-7eec264c27ff?q=80&w=1000&auto=format&fit=crop",
20                 description: "Ultra-lightweight runners featuring a neon-green outsole for maximum aesthetic. Pairs perfectly with our performance T-shirts.",
21                 sizes: ["UK 7", "UK 8", "UK 9", "UK 10", "UK 11"],
22                 stock: 15
23             },
24             {
25                 name: "Aero-Glow Trainers",
26                 price: 7999,
27                 category: "Shoes",
28                 image: "https://images.unsplash.com/photo-1543163521-1bf539c55dd2?q=80&w=1000&auto=format&fit=crop",
29                 description: "High-intensity training shoes with dynamic reactive cushioning. Best worn with our reactive T-shirts.",
30                 sizes: ["UK 4", "UK 5", "UK 6", "UK 7", "UK 8"],
31                 stock: 20
32             },
33             {
34                 name: "Nike Air Max 1 Premium ?Escape?",
35                 price: 18000,
36                 category: "Shoes",
37                 image: "/images/products/Nike-Air-Max-1-Premium-Escape-.jpg",
38                 description: "Premium leather and mesh upper with classic Air Max cushioning. A great match for any T-shirt.",
39                 sizes: ["UK 7", "UK 8", "UK 9", "UK 10"],
40                 stock: 10
41             },
42             {
43                 name: "Shoetopia Brown Leather Ankle Boots",
44                 price: 1200,
45                 category: "Shoes",
46                 image: "/images/products/Shoetopia-Brown-Leather-Ankle-Boots-Side-Zip-Block-Heel-.jpg",
47                 description: "Stylish brown leather ankle boots with side zip and block heel. Elevates any T-shirt outfit.",
48                 sizes: ["UK 5", "UK 6", "UK 7", "UK 8"],
49                 stock: 12
50             },
51             {
52                 name: "Nike Air Max 90 Ultra 2.0 Flyknit ?Rough Green & Dark Grey?",
53                 price: 16500,
54                 category: "Shoes",
55                 image: "/images/products/Nike-Air-Max-90-Ultra-2.0-Flyknit-Rough-Green-Dark-Grey-.jpg",
56                 description: "Lightweight Flyknit upper with the iconic Air Max 90 silhouette.",
57                 sizes: ["UK 8", "UK 9", "UK 10", "UK 11"],
58                 stock: 8
59             },
60             {
61                 name: "Nike Air Force 1 Low ?Easter Multi Pastel? IB4493?252",
62                 price: 12500,
63                 category: "Shoes",
64                 image: "/images/products/Nike-Air-Force-1-Low-Easter-Multi-Pastel-IB4493-252-.jpg",
65                 description: "Vibrant pastel colors on the classic Air Force 1 Low silhouette.",
66                 sizes: ["UK 6", "UK 7", "UK 8", "UK 9"],
67                 stock: 5
68             },
69             {
70                 name: "Nike Fly.By Mid 3 Basketball Shoes Black/White",
71                 price: 5500,
72                 category: "Shoes",
73             }
74         ]);
75     }
76 }

```

backend/seed.js (continued)

```

76         image: "/images/products/Nike-Fly.By-Mid-3-Basketball-Shoes-BlackWhite-.jpg",
77         description: "High-performance basketball shoes with excellent ankle support.",
78         sizes: ["UK 8", "UK 9", "UK 10", "UK 11", "UK 12"],
79         stock: 15
80     },
81     {
82         name: "Nike Air Max 1 Essential White/Grey/Green",
83         price: 11900,
84         category: "Shoes",
85         image: "/images/products/Nike-Air-Max-1-Essential-WhiteGreyGreen-.jpg",
86         description: "Classic Air Max 1 in a clean white, grey, and green colorway.",
87         sizes: ["UK 7", "UK 8", "UK 9", "UK 10"],
88         stock: 10
89     },
90     {
91         name: "Converse Chuck Taylor All Star High Top Red Canvas",
92         price: 5500,
93         category: "Shoes",
94         image: "/images/products/Converse-Chuck-Taylor-All-Star-High-Top-Red-
Canvas-.jpg",
95         description: "The iconic high-top sneaker in classic red canvas.",
96         sizes: ["UK 4", "UK 5", "UK 6", "UK 7", "UK 8", "UK 9", "UK 10"],
97         stock: 20
98     },
99     {
100        name: "Nike Air Force 1 '07 Leather 'Black/White Panda' Special Edition",
101        price: 10200,
102        category: "Shoes",
103        image: "/images/products/Nike-Air-Force-1-07-Leather-BlackWhite-Panda-Special-
Edition.jpg",
104        description: "Special edition Panda colorway for the legendary Air Force 1.",
105        sizes: ["UK 7", "UK 8", "UK 9", "UK 10", "UK 11"],
106        stock: 7
107    },
108    {
109        name: "Off-White x Nike Air Force 1 Low 'Lemonade' DD1876-700",
110        price: 85000,
111        category: "Shoes",
112        image: "/images/products/Off-White-x-Nike-Air-Force-1-Low-Lemonade-
DD1876-700-.jpg",
113        description: "Exclusive collaboration between Off-White and Nike in a bold
Lemonade colorway.",
114        sizes: ["UK 8", "UK 9", "UK 10"],
115        stock: 2
116    },
117    {
118        name: "New Balance 327 'Deep Olive Green' MS327WG",
119        price: 12500,
120        category: "Shoes",
121        image: "/images/products/New-Balance-327-Deep-Olive-Green-MS327WG-.jpg",
122        description: "70s-inspired lifestyle sneaker with a modern twist in Deep Olive
Green.",
123        sizes: ["UK 7", "UK 8", "UK 9", "UK 10"],
124        stock: 12
125    },
126    {
127        name: "Nike Air Max Plus Black Mesh Customizable",
128        price: 14500,
129        category: "Shoes",
130        image: "/images/products/Nike-Air-Max-Plus-Black-Mesh-Customizable-.jpg",
131        description: "Tuned Air experience with a breathable black mesh upper.",
132        sizes: ["UK 7", "UK 8", "UK 9", "UK 10", "UK 11"],
133        stock: 6
134    },
135    {
136        name: "Cyber-Mesh Neon Jacket",
137        price: 15999,
138        category: "Apparel",
139        image: "https://images.unsplash.com/photo-1591047139829-d91a6cb6caea?
q=80&w=1000&auto=format&fit=crop",
140        description: "A futuristic lightweight jacket with reflective neon trims and
mesh breathability.",
141        sizes: ["S", "M", "L", "XL"],
142        stock: 10
143    },
144    {
145        name: "Pulse Reactive Joggers",
146        price: 3999,
147        category: "Apparel",
148        image: "https://images.unsplash.com/photo-1483985988355-763728e1935b?
q=80&w=1000&auto=format&fit=crop",

```

backend/seed.js (continued)

```

149         description: "High-performance joggers designed for dynamic movement.",
150         sizes: ["M", "L", "XL"],
151         stock: 25
152     },
153     {
154         name: "Urban Ink Black T-shirt",
155         price: 2499,
156         category: "Apparel",
157         image: "/images/products/ryan-grice-VKDzcs8kD8E-unsplash.jpg",
158         description: "A premium heavyweight cotton T-shirt with a minimalist urban
aesthetic. Perfect for street style.",
159         sizes: ["S", "M", "L", "XL"],
160         stock: 20
161     },
162     {
163         name: "Striker Pro Red Jersey T-shirt",
164         price: 3499,
165         category: "Apparel",
166         image: "/images/products/mohamed-elwaid-88gDjedDgkA-unsplash.jpg",
167         description: "High-performance sports jersey T-shirt with bold red and black
stripes. Breathable and reactive.",
168         sizes: ["M", "L", "XL"],
169         stock: 15
170     },
171     {
172         name: "Obsidian Urban Button-Down T-shirt",
173         price: 4999,
174         category: "Apparel",
175         image: "/images/products/marcel-j-uwrCdB5sM-unsplash.jpg",
176         description: "Sleek obsidian black button-down shirt-style T-shirt. Versatile
for both casual and semi-formal wear.",
177         sizes: ["S", "M", "L", "XL"],
178         stock: 10
179     },
180     {
181         name: "Street Graphics T-shirt",
182         price: 2199,
183         category: "Apparel",
184         image: "/images/products/bandar-baant-cxQqh5FQt6g-unsplash.jpg",
185         description: "Express your urban identity with this graphic T-shirt featuring
underground street art designs.",
186         sizes: ["S", "M", "L", "XL"],
187         stock: 25
188     },
189     {
190         name: "On Air Always Extra T-shirt",
191         price: 2299,
192         category: "Apparel",
193         image: "/images/products/bandar-baant-ex0SV3fS-QY-unsplash.jpg",
194         description: "The 'On Air Always Extra' signature T-shirt. A bold statement
piece for the modern hypebeast.",
195         sizes: ["S", "M", "L", "XL"],
196         stock: 18
197     },
198     {
199         name: "Concrete Basics Gray T-shirt",
200         price: 1899,
201         category: "Apparel",
202         image: "/images/products/taylor-dG4Eb_oC5iM-unsplash.jpg",
203         description: "Ultra-soft gray marl T-shirt. An essential base layer for any
high-end streetwear outfit.",
204         sizes: ["S", "M", "L", "XL"],
205         stock: 30
206     },
207     {
208         name: "Arch Logo Purple Crewneck T-shirt",
209         price: 3199,
210         category: "Apparel",
211         image: "/images/products/kevin-gil-musngi-7JmhXPTw5Co-unsplash.jpg",
212         description: "Vibrant purple crewneck T-shirt featuring the iconic embroidered
Arch brand logo.",
213         sizes: ["S", "M", "L", "XL"],
214         stock: 12
215     },
216     {
217         name: "Concrete Basics Gray T-shirt", // wait, was this in original seed? Yes,
it was!
218         price: 1899,
219         category: "Apparel",
220         image: "/images/products/taylor-dG4Eb_oC5iM-unsplash.jpg",

```

backend/seed.js (continued)

```

221         description: "Ultra-soft gray marl T-shirt. An essential base layer for any
high-end streetwear outfit.",
222         sizes: ["S", "M", "L", "XL"],
223         stock: 30
224     },
225     {
226         name: "Arch Logo Purple Crewneck T-shirt",
227         price: 3199,
228         category: "Apparel",
229         image: "/images/products/kevin-gil-musngi-7JmhXPtW5Co-unsplash.jpg",
230         description: "Vibrant purple crewneck T-shirt featuring the iconic embroidered
Arch brand logo.",
231         sizes: ["S", "M", "L", "XL"],
232         stock: 12
233     },
234     {
235         name: "Metro Gray Urban T-shirt",
236         price: 1999,
237         category: "Apparel",
238         image: "/images/products/arrul-lin-sYhUhse5uT8-unsplash.jpg",
239         description: "A refined gray urban T-shirt with a modern silhouette and premium
fabric finish.",
240         sizes: ["S", "M", "L", "XL"],
241         stock: 22
242     }
243 ];
244 console.log('? Sample products successfully seeded into MySQL!');
245 process.exit(0);
246 } catch (err) {
247     console.error('? Seeding Error:', err.message);
248     process.exit(1);
249 }
250 }
251 }
252 seed();

```

backend/server.js

```
1  require('dotenv').config();
2  const express = require('express');
3  const cors = require('cors');
4  const { connectDB } = require('./config/db');
5  const app = express();
6  app.use(cors({
7      origin: 'http://localhost:3000',
8      credentials: true
9  }));
10 app.use(express.json());
11 app.use(express.urlencoded({ extended: false }));
12 // Routes
13 app.use('/api/products', require('./routes/products'));
14 app.use('/api/auth', require('./routes/auth'));
15 app.use('/api/orders', require('./routes/orders'));
16 // Initialize Database Connection & Sync Models
17 connectDB();
18 const PORT = process.env.PORT || 5000;
19 app.listen(PORT, () => console.log(`?? Server running on port ${PORT}`));
20
21
22
23
24
25
26
```

frontend/.env.local

```
1 NEXT_PUBLIC_API_URL=http://localhost:5000
2 # To use production Render backend, use:
3 # NEXT_PUBLIC_API_URL=https://terrafit-e169.onrender.com
4 NEXT_PUBLIC_RAZORPAY_KEY_ID=rzp_live_Sl9nWJdPwGq6o0
5
```


frontend/.gitignore

```
1  # See https://help.github.com/articles/ignoring-files/ for more about ignoring files.
2  # dependencies
3  /node_modules
4  /.pnp
5  .pnp.*
6  .yarn/*
7  !.yarn/patches
8  !.yarn/plugins
9  !.yarn/releases
10 !.yarn/versions
11 # testing
12 /coverage
13 # next.js
14 /.next/
15 /out/
16 # production
17 /build
18 # misc
19 .DS_Store
20 *.pem
21 # debug
22 npm-debug.log*
23 yarn-debug.log*
24 yarn-error.log*
25 .pnpm-debug.log*
26 # env files (can opt-in for committing if needed)
27 .env*
28 # vercel
29 .vercel
30 # typescript
31 *.tsbuildinfo
32 next-env.d.ts
33
```

frontend/AGENTS.md

```
1 <!-- BEGIN:nextjs-agent-rules -->
2 # This is NOT the Next.js you know
3 This version has breaking changes ? APIs, conventions, and file structure may all differ from
  your training data. Read the relevant guide in `node_modules/next/dist/docs/` before writing
  any code. Heed deprecation notices.
5 <!-- END:nextjs-agent-rules -->
6
```

frontend/eslint.config.mjs

```
1 import { defineConfig, globalIgnores } from "eslint/config";
2 import nextVitals from "eslint-config-next/core-web-vitals";
3 import nextTs from "eslint-config-next/typescript";
4 const eslintConfig = defineConfig([
5   ...nextVitals,
6   ...nextTs,
7   // Override default ignores of eslint-config-next.
8   globalIgnores([
9     // Default ignores of eslint-config-next:
10     ".next/**",
11     "out/**",
12     "build/**",
13     "next-env.d.ts",
14   ]),
15 ]);
16 export default eslintConfig;
17
18
19
```

frontend/next.config.ts

```
1 import type { NextConfig } from "next";
2 const nextConfig: NextConfig = {
3   images: {
4     remotePatterns: [
5       {
6         protocol: "https",
7         hostname: "images.unsplash.com",
8       },
9     ],
10   },
11 };
12 export default nextConfig;
13
14
15
```

frontend/package.json

```
1  {
2    "name": "frontend",
3    "version": "0.1.0",
4    "private": true,
5    "scripts": {
6      "dev": "next dev",
7      "build": "next build",
8      "start": "next start",
9      "lint": "eslint"
10   },
11   "dependencies": {
12     "@types/three": "^0.184.1",
13     "next": "16.2.4",
14     "react": "19.2.4",
15     "react-dom": "19.2.4",
16     "three": "^0.184.0"
17   },
18   "devDependencies": {
19     "@types/node": "^20",
20     "@types/react": "^19",
21     "@types/react-dom": "^19",
22     "eslint": "^9",
23     "eslint-config-next": "16.2.4",
24     "typescript": "^5"
25   }
26 }
27
```

frontend/README.md

```
1 This is a [Next.js](https://nextjs.org) project bootstrapped with [create-next-app](https://
2 nextjs.org/docs/app/api-reference/cli/create-next-app).
3 ## Getting Started
4 First, run the development server:
5 ```bash
6 npm run dev
7 # or
8 yarn dev
9 # or
10 pnpm dev
11 # or
12 bun dev
13 ```
14
15 Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.
16 You can start editing the page by modifying app/page.tsx. The page auto-updates as you edit
17 the file.
18 This project uses [next/font](https://nextjs.org/docs/app/building-your-application/
19 optimizing/fonts) to automatically optimize and load [Geist](https://vercel.com/font), a new
20 font family for Vercel.
21
22 ## Learn More
23 To learn more about Next.js, take a look at the following resources:
24 - [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
25 - [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.
26 You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your
27 feedback and contributions are welcome!
28
29 ## Deploy on Vercel
30 The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/
31 new?utm_medium=default-template&filter=next.js&utm_source=create-next-app&utm_campaign=create-
32 next-app-readme) from the creators of Next.js.
33 Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-
34 application/deploying) for more details.
```

frontend/src/app/cart/page.module.css

```

1  .page {
2    padding-top: 3rem;
3    padding-bottom: 6rem;
4  }
5  .emptyCart {
6    display: flex;
7    flex-direction: column;
8    align-items: center;
9    justify-content: center;
10   min-height: 50vh;
11   text-align: center;
12 }
13
14 .title {
15   font-size: 2.5rem;
16   font-weight: 900;
17   letter-spacing: -0.02em;
18   margin-bottom: 1rem;
19   text-transform: uppercase;
20 }
21
22 .subtitle {
23   color: var(--muted);
24   margin-bottom: 2rem;
25   font-size: 1.125rem;
26 }
27
28 .continueButton {
29   background-color: var(--primary);
30   color: var(--primary-foreground);
31   padding: 1rem 2rem;
32   border-radius: 9999px;
33   font-weight: 700;
34   text-transform: uppercase;
35   letter-spacing: 0.05em;
36   transition: all 0.2s ease;
37 }
38
39 .continueButton:hover {
40   transform: translateY(-2px);
41   box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
42 }
43
44 .cartLayout {
45   display: grid;
46   grid-template-columns: 1fr;
47   gap: 3rem;
48   margin-top: 2rem;
49 }
50
51 @media (min-width: 1024px) {
52   .cartLayout {
53     grid-template-columns: 2fr 1fr;
54     align-items: start;
55   }
56 }
57
58 .itemsList {
59   display: flex;
60   flex-direction: column;
61   gap: 1.5rem;
62 }
63
64 .cartItem {
65   display: flex;
66   gap: 1.5rem;
67   padding-bottom: 1.5rem;
68   border-bottom: 1px solid var(--border);
69 }
70
71 .itemImageWrapper {
72   position: relative;
73   width: 100px;
74   height: 100px;
75   background-color: var(--card);
76   border-radius: 8px;
77   overflow: hidden;
78   border: 1px solid var(--border);
79   flex-shrink: 0;
80 }
81
82 .itemImage {
83   object-fit: contain;
84   padding: 0.5rem;
85 }
86
87 .itemDetails {
88   display: flex;
89   flex-direction: column;
90   flex-grow: 1;
91 }
92
93 .itemHeader {

```

frontend/src/app/cart/page.module.css (continued)

```

95     display: flex;
96     justify-content: space-between;
97     align-items: flex-start;
98     margin-bottom: 0.5rem;
99   }
100   .itemName {
101     font-size: 1.125rem;
102     font-weight: 600;
103     color: var(--foreground);
104   }
105   .itemName:hover {
106     color: var(--primary);
107   }
108   .removeButton {
109     color: var(--muted);
110     padding: 0.25rem;
111   }
112   .removeButton:hover {
113     color: #ef4444; /* Red for delete */
114   }
115   .itemAttributes {
116     display: flex;
117     gap: 1rem;
118     margin-bottom: 1rem;
119     font-size: 0.875rem;
120   }
121   .price {
122     font-weight: 700;
123     color: var(--foreground);
124   }
125   .size {
126     color: var(--muted);
127   }
128   .quantityControls {
129     display: flex;
130     align-items: center;
131     border: 1px solid var(--border);
132     border-radius: 4px;
133     width: fit-content;
134   }
135   .qtyButton {
136     width: 2rem;
137     height: 2rem;
138     display: flex;
139     align-items: center;
140     justify-content: center;
141     font-weight: 600;
142     color: var(--muted);
143     transition: color 0.2s;
144   }
145   .qtyButton:hover {
146     color: var(--foreground);
147     background-color: var(--card);
148   }
149   .qtyValue {
150     width: 2rem;
151     text-align: center;
152     font-weight: 600;
153     font-size: 0.875rem;
154   }
155   /* Summary Section */
156   .summaryCard {
157     background-color: var(--card);
158     border: 1px solid var(--border);
159     border-radius: 12px;
160     padding: 2rem;
161     position: sticky;
162     top: 6rem;
163   }
164   .summaryTitle {
165     font-size: 1.25rem;
166     font-weight: 800;
167     margin-bottom: 1.5rem;
168     letter-spacing: 0.05em;
169   }
170   .summaryRow {
171     display: flex;
172     justify-content: space-between;
173     margin-bottom: 1rem;
174     color: var(--muted);
175     font-size: 0.875rem;

```


frontend/src/app/cart/page.module.css (continued)

```
190 }
191 .summaryTotal {
192   display: flex;
193   justify-content: space-between;
194   margin-top: 1.5rem;
195   padding-top: 1.5rem;
196   border-top: 1px solid var(--border);
197   font-size: 1.25rem;
198   font-weight: 800;
199   color: var(--foreground);
200   margin-bottom: 2rem;
201 }
202 .checkoutButton {
203   display: block;
204   text-align: center;
205   background-color: var(--primary);
206   color: var(--primary-foreground);
207   padding: 1.25rem;
208   border-radius: 9999px;
209   font-weight: 700;
210   text-transform: uppercase;
211   letter-spacing: 0.05em;
212   transition: all 0.2s ease;
213 }
214 .checkoutButton:hover {
215   transform: translateY(-2px);
216   box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
217 }
218
219
220
221
```

frontend/src/app/cart/page.tsx

```

1  "use client";
2  import React from "react";
3  import Link from "next/link";
4  import Image from "next/image";
5  import { useCart } from "@context/CartContext";
6  import styles from "../page.module.css";
7  export default function CartPage() {
8    const { cart, updateQuantity, removeFromCart, cartTotal } = useCart();
9    if (cart.length === 0) {
10      return (
11        <div className={`container ${styles.emptyCart}`}>
12          <h1 className={styles.title}>YOUR CART IS EMPTY</h1>
13          <p className={styles.subtitle}>Looks like you haven't added any gear yet.</p>
14          <Link href="/products" className={styles.continueButton}>
15            Start Shopping
16          </Link>
17        </div>
18      );
19    }
20    return (
21      <div className={`container ${styles.page}`}>
22        <h1 className={styles.title}>YOUR CART</h1>
23        <div className={styles.cartLayout}>
24          <div className={styles.itemsList}>
25            {cart.map((item) => (
26              <div key={`-${item.id}-${item.size}`} className={styles.cartItem}>
27                <div className={styles.itemImageWrapper}>
28                  <Image
29                    src={item.image}
30                    alt={item.name}
31                    fill
32                    className={styles.itemImage}
33                    sizes="100px"
34                  />
35                </div>
36                <div className={styles.itemDetails}>
37                  <div className={styles.itemHeader}>
38                    <Link href={`/products/${item.id}`} className={styles.itemName}>
39                      {item.name}
40                    </Link>
41                    <button
42                      onClick={() => removeFromCart(item.id, item.size)}
43                      className={styles.removeButton}
44                      aria-label="Remove item"
45                    >
46                      <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0
47                        24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
48                        strokeLinejoin="round"><path d="M3 6h18"></path><path d="M19 6v14c0 1-1 2-2 2H7c-1
49                        0-2-1-2-2V6"></path><path d="M8 6V4c0-1 1-2 2-2h4c1 0 2 1 2 2v2"></path></svg>
50                    </button>
51                  </div>
52                  <div className={styles.itemAttributes}>
53                    <div className={styles.itemPrice}>?{item.price.toFixed(2)}</div>
54                  </div>
55                  <div className={styles.itemSubtotal}>
56                    ?{(item.price * item.quantity).toFixed(2)}
57                  </div>
58                  <div className={styles.quantityControls}>
59                    <button
60                      onClick={() => updateQuantity(item.id, item.size, Math.max(1, item.quantity
61                        - 1))}
62                    >
63                      <div className={styles.qtyButton}>
64                        -
65                      </div>
66                    </button>
67                    <span className={styles.qtyValue}>{item.quantity}</span>
68                    <button
69                      onClick={() => updateQuantity(item.id, item.size, item.quantity + 1)}
70                      className={styles.qtyButton}>
71                      +
72                    </button>
73                  </div>
74                </div>
75              </div>
76            ))}
77          </div>
78          <div className={styles.summarySection}>
79            <div className={styles.summaryCard}>
80              <h2 className={styles.summaryTitle}>ORDER SUMMARY</h2>
81            </div>
82          </div>
83        </div>
84      </div>
85    );
86  }

```

frontend/src/app/cart/page.tsx (continued)

```
87         <div className={styles.summaryRow}>
88             <span>Subtotal</span>
89             <span>?{cartTotal.toFixed(2)}</span>
90         </div>
91         <div className={styles.summaryRow}>
92             <span>Shipping</span>
93             <span>Calculated at checkout</span>
94         </div>
95
96         <div className={styles.summaryTotal}>
97             <span>Total</span>
98             <span>?{cartTotal.toFixed(2)}</span>
99         </div>
100         <Link href="/checkout" className={styles.checkoutButton}>
101             Proceed to Checkout
102         </Link>
103     </div>
104 </div>
105 </div>
106 </div>
107 </div>
108 );
109 }
110
```

frontend/src/app/checkout/page.module.css

```

1  .page {
2    padding-top: 3rem;
3    padding-bottom: 6rem;
4  }
5
6  .emptyState {
7    display: flex;
8    flex-direction: column;
9    align-items: center;
10   justify-content: center;
11   min-height: 50vh;
12   text-align: center;
13 }
14
15 .title {
16   font-size: 2.5rem;
17   font-weight: 900;
18   letter-spacing: -0.02em;
19   margin-bottom: 3rem;
20   text-transform: uppercase;
21 }
22
23 .checkoutLayout {
24   display: grid;
25   grid-template-columns: 1fr;
26   gap: 3rem;
27 }
28
29 @media (min-width: 1024px) {
30   .checkoutLayout {
31     grid-template-columns: 2fr 1fr;
32     align-items: start;
33   }
34 }
35
36 .sectionTitle {
37   font-size: 1.25rem;
38   font-weight: 800;
39   margin-bottom: 1.5rem;
40   text-transform: uppercase;
41   letter-spacing: 0.05em;
42   border-bottom: 1px solid var(--border);
43   padding-bottom: 1rem;
44 }
45
46 /* Form Styles */
47 .formSection {
48   background-color: var(--card);
49   padding: 2rem;
50   border-radius: 12px;
51   border: 1px solid var(--border);
52 }
53
54 .form {
55   display: flex;
56   flex-direction: column;
57   gap: 1.5rem;
58 }
59
60 .formRow {
61   display: grid;
62   grid-template-columns: 1fr;
63   gap: 1.5rem;
64 }
65
66 @media (min-width: 640px) {
67   .formRow {
68     grid-template-columns: 1fr 1fr;
69   }
70 }
71
72 .formGroup {
73   display: flex;
74   flex-direction: column;
75   gap: 0.5rem;
76 }
77
78 .formGroup label {
79   font-size: 0.875rem;
80   font-weight: 600;
81   color: var(--muted);
82   text-transform: uppercase;
83   letter-spacing: 0.05em;
84 }
85
86 .formGroup input {
87   background-color: var(--background);
88   border: 1px solid var(--border);
89   color: var(--foreground);
90   padding: 0.875rem;
91   border-radius: 8px;
92   font-family: inherit;
93   font-size: 1rem;

```

frontend/src/app/checkout/page.module.css (continued)

```

94     transition: border-color 0.2s;
95   }
96   .formGroup input:focus {
97     outline: none;
98     border-color: var(--primary);
99   }
100 }
101 .submitButton {
102   background-color: var(--primary);
103   color: var(--primary-foreground);
104   padding: 1.25rem;
105   border-radius: 9999px;
106   font-weight: 800;
107   text-transform: uppercase;
108   letter-spacing: 0.05em;
109   font-size: 1.125rem;
110   margin-top: 1rem;
111   transition: all 0.2s ease;
112 }
113 .submitButton:hover:not(:disabled) {
114   transform: translateY(-2px);
115   box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
116 }
117 .submitButton:disabled {
118   opacity: 0.7;
119   cursor: not-allowed;
120 }
121 .disclaimer {
122   text-align: center;
123   font-size: 0.75rem;
124   color: var(--muted);
125   margin-top: -0.5rem;
126 }
127 .error {
128   background-color: rgba(239, 68, 68, 0.1);
129   color: #ef4444;
130   padding: 1rem;
131   border-radius: 8px;
132   margin-bottom: 1.5rem;
133   font-size: 0.875rem;
134   border: 1px solid rgba(239, 68, 68, 0.2);
135 }
136 /* Summary Styles */
137 .summaryCard {
138   background-color: var(--card);
139   padding: 2rem;
140   border-radius: 12px;
141   border: 1px solid var(--border);
142   position: sticky;
143   top: 6rem;
144 }
145 .itemsList {
146   display: flex;
147   flex-direction: column;
148   gap: 1rem;
149   margin-bottom: 2rem;
150   max-height: 400px;
151   overflow-y: auto;
152   padding-right: 0.5rem;
153 }
154 .summaryItem {
155   display: flex;
156   justify-content: space-between;
157   align-items: center;
158   padding-bottom: 1rem;
159   border-bottom: 1px solid var(--border);
160 }
161 .itemInfo {
162   display: flex;
163   flex-direction: column;
164   gap: 0.25rem;
165 }
166 .itemName {
167   font-weight: 600;
168   font-size: 0.875rem;
169 }
170 .itemMeta {
171   font-size: 0.75rem;
172   color: var(--muted);
173 }
174 .itemPrice {
175   font-weight: 700;

```

frontend/src/app/checkout/page.module.css (continued)

```

188     font-size: 0.875rem;
189   }
190   .summaryTotals {
191     display: flex;
192     flex-direction: column;
193     gap: 1rem;
194   }
195   .summaryRow {
196     display: flex;
197     justify-content: space-between;
198     color: var(--muted);
199     font-size: 0.875rem;
200   }
201   .summaryTotal {
202     display: flex;
203     justify-content: space-between;
204     border-top: 1px solid var(--border);
205     padding-top: 1rem;
206     margin-top: 0.5rem;
207     font-weight: 800;
208     font-size: 1.25rem;
209     color: var(--foreground);
210   }
211   .backButton {
212     background-color: var(--card);
213     color: var(--foreground);
214     border: 1px solid var(--border);
215     padding: 1rem 2rem;
216     border-radius: 9999px;
217     font-weight: 600;
218     margin-top: 2rem;
219   }
220   .backButton:hover {
221     border-color: var(--primary);
222     color: var(--primary);
223   }
224   .backButton:active {
225     border-color: var(--primary);
226     color: var(--primary);
227   }
228   .backButton:disabled {
229     border-color: var(--primary);
230     color: var(--primary);
231   }
232   .backButton:disabled:hover {
233     border-color: var(--primary);
234     color: var(--primary);

```

frontend/src/app/checkout/page.tsx

```

1  "use client";
2  import React, { useState } from "react";
4  import { useCart } from "@/context/CartContext";
5  import styles from "./page.module.css";
6  import Link from "next/link";
7  import { useRouter } from "next/navigation";
8  // Extend window object to include Razorpay
9  declare global {
10   interface Window {
11     Razorpay: any;
12   }
13 }
14
15 export default function CheckoutPage() {
16   const { cart, cartTotal, clearCart } = useCart();
17   const [isSubmitting, setIsSubmitting] = useState(false);
18   const [error, setError] = useState("");
19   const router = useRouter();
20   const loadScript = (src: string) => {
21     return new Promise((resolve) => {
22       const script = document.createElement("script");
23       script.src = src;
24       script.onload = () => {
25         resolve(true);
26       };
27       script.onerror = () => {
28         resolve(false);
29       };
30       document.body.appendChild(script);
31     });
32   };
33   const handleSubmit = async (e: React.FormEvent<HTMLFormElement>) => {
34     e.preventDefault();
35     const form = e.currentTarget;
36     setIsSubmitting(true);
37     setError("");
38     const token = localStorage.getItem('token');
39     if (!token) {
40       alert('Please login first!');
41       router.push('/login');
42       return;
43     }
44     if (cart.length === 0) {
45       alert('Your cart is empty!');
46       setIsSubmitting(false);
47       return;
48     }
49     const formData = new FormData(form);
50     const shippingDetails = Object.fromEntries(formData.entries());
51     // 1. Load Razorpay Script
52     const resScript = await loadScript("https://checkout.razorpay.com/v1/checkout.js");
53     if (!resScript) {
54       alert("Razorpay SDK failed to load. Are you online?");
55       setIsSubmitting(false);
56       return;
57     }
58     const apiUrl = process.env.NEXT_PUBLIC_API_URL || "http://localhost:5000";
59     const finalTotal = Number(cartTotal);
60     console.log(`Final Total being sent: ${finalTotal}`);
61     try {
62       // 2. Create Order on Backend
63       const res = await fetch(`${apiUrl}/api/orders`, {
64         method: "POST",
65         headers: {
66           "Content-Type": "application/json",
67           "Authorization": `Bearer ${token}`
68         },
69         body: JSON.stringify({
70           items: cart,
71           shippingDetails,
72           total: finalTotal
73         })
74       });
75       const data = await res.json();
76       if (!res.ok) {
77         throw new Error(data.error || "Failed to create order");
78       }
79       // 3. Initialize Razorpay Payment
80       const options = {
81         key: process.env.NEXT_PUBLIC_RAZORPAY_KEY_ID,
82         amount: data.amount,
83         currency: data.currency,

```

frontend/src/app/checkout/page.tsx (continued)

```

98     name: "Terra Fit",
99     description: "Purchase from Terra Fit store",
100    image: "/logo.png",
101    order_id: data.order_id,
102    callback_url: `${apiUrl}/api/orders/callback`,
103    redirect: true,
104    prefill: {
105      name: `${shippingDetails.firstName} ${shippingDetails.lastName}`,
106      email: shippingDetails.email,
107      contact: "9999999999",
108    },
109    theme: {
110      color: "#000000",
111    },
112  };
113  const paymentObject = new window.Razorpay(options);
114  paymentObject.open();
115  } catch (err: any) {
116    console.error(err);
117    setError(err.message || "An error occurred. Make sure the backend server is running.");
118  } finally {
119    setIsSubmitting(false);
120  }
121  }
122  };
123  if (cart.length === 0) {
124    return (
125      <div className={`container ${styles.emptyState}`}>
126        <h1>YOUR CART IS EMPTY</h1>
127        <Link href="/products" className={styles.backButton}>Back to Shop</Link>
128      </div>
129    );
130  }
131  return (
132    <div className={`container ${styles.page}`}>
133      <h1 className={styles.title}>CHECKOUT</h1>
134      <div className={styles.checkoutLayout}>
135        <div className={styles.formSection}>
136          <h2 className={styles.sectionTitle}>Shipping Details</h2>
137          {error && <div className={styles.error}>{error}</div>}
138
139          <form onSubmit={handleSubmit} className={styles.form}>
140            <div className={styles.formRow}>
141              <div className={styles.formGroup}>
142                <label htmlFor="firstName">First Name</label>
143                <input type="text" id="firstName" name="firstName" required />
144              </div>
145              <div className={styles.formGroup}>
146                <label htmlFor="lastName">Last Name</label>
147                <input type="text" id="lastName" name="lastName" required />
148              </div>
149            </div>
150            <div className={styles.formGroup}>
151              <label htmlFor="email">Email</label>
152              <input type="email" id="email" name="email" required />
153            </div>
154            <div className={styles.formGroup}>
155              <label htmlFor="address">Address</label>
156              <input type="text" id="address" name="address" required />
157            </div>
158            <div className={styles.formRow}>
159              <div className={styles.formGroup}>
160                <label htmlFor="city">City</label>
161                <input type="text" id="city" name="city" required />
162              </div>
163              <div className={styles.formGroup}>
164                <label htmlFor="zip">ZIP Code</label>
165                <input type="text" id="zip" name="zip" required />
166              </div>
167            </div>
168            <button
169              type="submit"
170              className={styles.submitButton}
171              disabled={isSubmitting}
172            >
173              {isSubmitting ? "PROCESSING..." : `PAY ?${cartTotal.toFixed(2)} WITH RAZORPAY`}
174            </button>
175            <p className={styles.disclaimer}>
176              Secure payment powered by Razorpay.
177            </p>
178          </form>
179        </div>
180      </div>
181    );
182  }

```


frontend/src/app/checkout/page.tsx (continued)

```

189     <div className={styles.summarySection}>
190       <div className={styles.summaryCard}>
191         <h2 className={styles.sectionTitle}>Order Summary</h2>
192
193         <div className={styles.itemsList}>
194           {cart.map(item => (
195             <div key={`_${item.id}-${item.size}`} className={styles.summaryItem}>
196               <div className={styles.itemInfo}>
197                 <span className={styles.itemName}>{item.name}</span>
198                 <span className={styles.itemMeta}>
199                   Qty: {item.quantity} {item.size ? `| Size: ${item.size}` : ''}
200                 </span>
201               </div>
202               <span className={styles.itemPrice}>?{(item.price * item.quantity).toFixed(2)}
203             </span>
204             </div>
205           )]}
206         </div>
207         <div className={styles.summaryTotals}>
208           <div className={styles.summaryRow}>
209             <span>Subtotal</span>
210             <span>?{cartTotal.toFixed(2)}</span>
211           </div>
212           <div className={styles.summaryRow}>
213             <span>Shipping</span>
214             <span>Free</span>
215           </div>
216           <div className={styles.summaryTotal}>
217             <span>Total</span>
218             <span>?{cartTotal.toFixed(2)}</span>
219           </div>
220         </div>
221       </div>
222     </div>
223   </div>
224 </div>
225 );
226 }
227

```

frontend/src/app/contact/page.module.css

```

1  .contactPage {
2    min-height: 100vh;
3    position: relative;
4    padding: 8rem 0 4rem;
5    overflow: hidden;
6    background-color: var(--background);
7  }
8  .meshContainer {
9    position: absolute;
10   top: 0;
11   left: 0;
12   width: 100%;
13   height: 100%;
14   z-index: 0;
15   pointer-events: none;
16 }
17 .mesh1 {
18   position: absolute;
19   top: -10%;
20   left: -10%;
21   width: 60%;
22   height: 60%;
23   background: radial-gradient(circle, rgba(255, 0, 255, 0.1) 0%, transparent 70%);
24   filter: blur(80px);
25 }
26 .mesh2 {
27   position: absolute;
28   bottom: -10%;
29   right: -10%;
30   width: 50%;
31   height: 50%;
32   background: radial-gradient(circle, rgba(0, 255, 255, 0.1) 0%, transparent 70%);
33   filter: blur(100px);
34 }
35 .content {
36   position: relative;
37   z-index: 1;
38 }
39 .backLink {
40   color: var(--muted);
41   font-size: 0.8rem;
42   font-weight: 700;
43   letter-spacing: 0.1em;
44   text-decoration: none;
45   margin-bottom: 2rem;
46   display: inline-block;
47   transition: color 0.3s ease;
48 }
49 .backLink:hover {
50   color: var(--primary);
51 }
52 .title {
53   font-size: 4rem;
54   font-weight: 900;
55   margin-bottom: 4rem;
56   line-height: 1.1;
57 }
58 .neonText {
59   color: var(--primary);
60   text-shadow: 0 0 20px rgba(0, 255, 255, 0.5);
61 }
62 .grid {
63   display: grid;
64   grid-template-columns: 1fr 1fr;
65   gap: 4rem;
66 }
67 .lead {
68   font-size: 1.5rem;
69   color: var(--muted);
70   margin-bottom: 3rem;
71   line-height: 1.4;
72 }
73 .methods {
74   display: flex;
75   flex-direction: column;
76   gap: 2.5rem;
77 }
78 .method h3 {
79   font-size: 0.8rem;
80   color: var(--primary);
81   letter-spacing: 0.2em;
82 }

```

frontend/src/app/contact/page.module.css (continued)

```

94     margin-bottom: 0.5rem;
95 }
96 .method a {
97     font-size: 1.25rem;
98     font-weight: 700;
99     color: var(--foreground);
100     text-decoration: none;
101     transition: opacity 0.3s ease;
102 }
103 .method a:hover {
104     opacity: 0.7;
105 }
106 .formContainer {
107     background: rgba(255, 255, 255, 0.03);
108     backdrop-filter: blur(20px);
109     border: 1px solid rgba(255, 255, 255, 0.1);
110     border-radius: 1.5rem;
111     padding: 3rem;
112 }
113 .form {
114     display: flex;
115     flex-direction: column;
116     gap: 2rem;
117 }
118 .formGroup label {
119     display: block;
120     font-size: 0.75rem;
121     font-weight: 800;
122     color: var(--muted);
123     margin-bottom: 0.75rem;
124     letter-spacing: 0.1em;
125 }
126 .formGroup input,
127 .formGroup textarea {
128     width: 100%;
129     background: rgba(255, 255, 255, 0.05);
130     border: 1px solid rgba(255, 255, 255, 0.1);
131     border-radius: 0.5rem;
132     padding: 1rem;
133     color: var(--foreground);
134     font-family: inherit;
135     transition: border-color 0.3s ease;
136 }
137 .formGroup input:focus,
138 .formGroup textarea:focus {
139     outline: none;
140     border-color: var(--primary);
141 }
142 .submitButton {
143     background: var(--primary);
144     color: var(--background);
145     border: none;
146     padding: 1.25rem;
147     font-weight: 900;
148     border-radius: 0.5rem;
149     cursor: pointer;
150     letter-spacing: 0.1em;
151     transition: transform 0.3s ease, box-shadow 0.3s ease;
152 }
153 .submitButton:hover {
154     transform: translateY(-2px);
155     box-shadow: 0 10px 20px rgba(0, 255, 255, 0.3);
156 }
157 @media (max-width: 992px) {
158     .grid {
159         grid-template-columns: 1fr;
160     }
161     .title {
162         font-size: 3rem;
163     }
164 }

```

frontend/src/app/contact/page.tsx

```

1  import React from "react";
2  import styles from "../page.module.css";
3  import Link from "next/link";
4  export default function ContactPage() {
5    return (
6      <div className={styles.contactPage}>
7        <div className={styles.meshContainer}>
8          <div className={styles.mesh1}></div>
9          <div className={styles.mesh2}></div>
10         </div>
11
12        <div className={`container ${styles.content}`}>
13          <Link href="/" className={styles.backLink}>
14            ? BACK TO HOME
15          </Link>
16
17          <h1 className={styles.title}>
18            GET IN <span className={styles.neonText}>TOUCH.</span>
19          </h1>
20
21          <div className={styles.grid}>
22            <div className={styles.contactInfo}>
23              <p className={styles.lead}>
24                Have a question about an order or just want to say hello? Our team is here to
25                help.
26              </p>
27
28              <div className={styles.methods}>
29                <div className={styles.method}>
30                  <h3>EMAIL</h3>
31                  <a href="https://mail.google.com/mail/?
view=cm&fs=1&to=terrafit7.business@gmail.com" target="_blank" rel="noopener noreferrer">
32                    terrafit7.business@gmail.com
33                  </a>
34                </div>
35
36                <div className={styles.method}>
37                  <h3>WHATSAPP</h3>
38                  <a href="https://wa.me/919567232977" target="_blank" rel="noopener noreferrer">
39                    +91 95672 32977
40                  </a>
41                </div>
42
43                <div className={styles.method}>
44                  <h3>INSTAGRAM</h3>
45                  <a href="https://www.instagram.com/sooryah__h/?__pwa=1#" target="_blank"
rel="noopener noreferrer">
46                    @sooryah__h
47                  </a>
48                </div>
49              </div>
50            </div>
51
52            <div className={styles.formContainer}>
53              <form className={styles.form}>
54                <div className={styles.formGroup}>
55                  <label>NAME</label>
56                  <input type="text" placeholder="Your name" />
57                </div>
58                <div className={styles.formGroup}>
59                  <label>EMAIL</label>
60                  <input type="email" placeholder="Your email" />
61                </div>
62                <div className={styles.formGroup}>
63                  <label>MESSAGE</label>
64                  <textarea rows={5} placeholder="How can we help?"></textarea>
65                </div>
66                <button type="button" className={styles.submitButton}>
67                  SEND MESSAGE
68                </button>
69              </form>
70            </div>
71          </div>
72        </div>
73      </div>
74    );
75  }
76

```

frontend/src/app/faq/page.module.css

```

1  .faqPage {
2    min-height: 100vh;
3    position: relative;
4    padding: 8rem 0 4rem;
5    overflow: hidden;
6    background-color: var(--background);
7  }
8  .meshContainer {
9    position: absolute;
10   top: 0;
11   left: 0;
12   width: 100%;
13   height: 100%;
14   z-index: 0;
15   pointer-events: none;
16 }
17 .mesh1 {
18   position: absolute;
19   top: -10%;
20   right: -10%;
21   width: 60%;
22   height: 60%;
23   background: radial-gradient(circle, rgba(0, 255, 255, 0.15) 0%, transparent 70%);
24   filter: blur(80px);
25   animation: float 20s infinite alternate;
26 }
27 .mesh2 {
28   position: absolute;
29   bottom: -10%;
30   left: -10%;
31   width: 50%;
32   height: 50%;
33   background: radial-gradient(circle, rgba(255, 0, 255, 0.1) 0%, transparent 70%);
34   filter: blur(100px);
35   animation: float 15s infinite alternate-reverse;
36 }
37 @keyframes float {
38   from { transform: translate(0, 0); }
39   to { transform: translate(5%, 5%); }
40 }
41 .content {
42   position: relative;
43   z-index: 1;
44   max-width: 800px;
45 }
46 .backLink {
47   color: var(--muted);
48   font-size: 0.8rem;
49   font-weight: 700;
50   letter-spacing: 0.1em;
51   text-decoration: none;
52   margin-bottom: 2rem;
53   display: inline-block;
54   transition: color 0.3s ease;
55 }
56 .backLink:hover {
57   color: var(--primary);
58 }
59 .title {
60   font-size: 3rem;
61   font-weight: 900;
62   margin-bottom: 4rem;
63   line-height: 1.1;
64   letter-spacing: -0.02em;
65 }
66 .neonText {
67   color: var(--primary);
68   text-shadow: 0 0 20px rgba(0, 255, 255, 0.5);
69 }
70 .faqList {
71   display: flex;
72   flex-direction: column;
73   gap: 2rem;
74 }
75 .faqItem {
76   background: rgba(255, 255, 255, 0.03);
77   backdrop-filter: blur(10px);
78   border: 1px solid rgba(255, 255, 255, 0.1);
79   border-radius: 1rem;
80   padding: 2rem;
81   transition: transform 0.3s ease, border-color 0.3s ease;

```

frontend/src/app/faq/page.module.css (continued)

```

93     }
94     .faqItem:hover {
95         transform: translateY(-5px);
96         border-color: var(--primary);
97     }
98 }
99 .question {
100     font-size: 1.25rem;
101     font-weight: 700;
102     margin-bottom: 1rem;
103     color: var(--foreground);
104 }
105 .answer {
106     color: var(--muted);
107     line-height: 1.7;
108 }
109 }
110 .contactPrompt {
111     margin-top: 5rem;
112     text-align: center;
113     padding: 4rem;
114     background: linear-gradient(135deg, rgba(0, 255, 255, 0.05), rgba(255, 0, 255, 0.05));
115     border-radius: 2rem;
116     border: 1px solid rgba(255, 255, 255, 0.05);
117 }
118 .contactPrompt p {
119     color: var(--muted);
120     margin-bottom: 1.5rem;
121 }
122 .contactButton {
123     display: inline-block;
124     padding: 1rem 2.5rem;
125     background: var(--foreground);
126     color: var(--background);
127     text-decoration: none;
128     font-weight: 800;
129     border-radius: 0.5rem;
130     letter-spacing: 0.1em;
131     transition: transform 0.3s ease, box-shadow 0.3s ease;
132 }
133 .contactButton:hover {
134     transform: scale(1.05);
135     box-shadow: 0 10px 30px rgba(0, 0, 0, 0.3);
136 }
137 }
138 @media (max-width: 768px) {
139     .title {
140         font-size: 2.5rem;
141     }
142 }
143 }
144 }
145 }
146 }
147 }
148 }

```

frontend/src/app/faq/page.tsx

```

1  import React from "react";
2  import styles from "../page.module.css";
3  import Link from "next/link";
4  export default function FAQPage() {
5      const faqs = [
6          {
7              question: "What is Terra Fit?",
8              answer: "Terra Fit is a premium activewear brand focused on merging high-performance gear
9              with futuristic urban aesthetics (Cyber-Mesh, Neon-Glow).",
10             },
11             {
12                 question: "How long does shipping take?",
13                 answer: "Standard shipping typically takes 3-5 business days within the country.
14                 International shipping can take 7-14 business days.",
15             },
16             {
17                 question: "What is your return policy?",
18                 answer: "We offer a 30-day return policy for all unworn and unwashed items in their
19                 original packaging.",
20             },
21             {
22                 question: "Are the neon elements battery-powered?",
23                 answer: "Most of our gear uses passive reactive materials that glow under UV light or
24                 reflective materials. Some premium items do feature active LED integration with rechargeable
25                 batteries.",
26             },
27             {
28                 question: "How do I track my order?",
29                 answer: "Once your order is shipped, you will receive an email with a tracking number and
30                 a link to track your package."
31             }
32         ];
33         return (
34             <div className={styles.faqPage}>
35                 <div className={styles.meshContainer}>
36                     <div className={styles.mesh1}></div>
37                     <div className={styles.mesh2}></div>
38                 </div>
39
40                 <div className={`container ${styles.content}`}>
41                     <Link href="/" className={styles.backLink}>
42                         ? BACK TO HOME
43                     </Link>
44
45                     <h1 className={styles.title}>
46                         FREQUENTLY ASKED <span className={styles.neonText}>QUESTIONS</span>
47                     </h1>
48
49                     <div className={styles.faqList}>
50                         {faqs.map((faq, index) => (
51                             <div key={index} className={styles.faqItem}>
52                                 <h3 className={styles.question}>{faq.question}</h3>
53                                 <p className={styles.answer}>{faq.answer}</p>
54                             </div>
55                         ))}
56                     </div>
57
58                     <div className={styles.contactPrompt}>
59                         <p>Still have questions?</p>
60                         <Link href="/contact" className={styles.contactButton}>
61                             CONTACT SUPPORT
62                         </Link>
63                     </div>
64                 </div>
65             </div>
66         );
67     }
68 }

```

frontend/src/app/globals.css

```

1  :root {
2    --background: #09090b; /* Even darker for neon contrast */
3    --foreground: #ffffff;
4    --primary: #c9ff3b; /* Vibrant Neon Yellow-Green */
5    --primary-foreground: #000000;
6    --neon-glow: 0 0 10px rgba(201, 255, 59, 0.5), 0 0 20px rgba(201, 255, 59, 0.3);
7    --card: #121214;
8    --border: #27272a;
9    --muted: #a1a1aa;
10 }
11 html, body {
12   max-width: 100vw;
13   overflow-x: hidden;
14 }
15 body {
16   background: var(--background);
17   color: var(--foreground);
18   font-family: var(--font-inter), sans-serif;
19   -webkit-font-smoothing: antialiased;
20   -moz-osx-font-smoothing: grayscale;
21   min-height: 100vh;
22   display: flex;
23   flex-direction: column;
24 }
25 * {
26   box-sizing: border-box;
27   padding: 0;
28   margin: 0;
29 }
30 a {
31   color: inherit;
32   text-decoration: none;
33 }
34 button {
35   background: none;
36   border: none;
37   cursor: pointer;
38   font-family: inherit;
39   color: inherit;
40 }
41 /* Base transitions */
42 button, a {
43   transition: all 0.2s ease;
44 }
45 .container {
46   max-width: 1200px;
47   margin: 0 auto;
48   padding: 0 1rem;
49 }
50 /* --- Animated Neon Wave Background --- */
51 .waveBackground {
52   position: fixed;
53   top: 0;
54   left: 0;
55   width: 100%;
56   height: 100%;
57   z-index: -1;
58   background: var(--background);
59   overflow: hidden;
60 }
61 .wave {
62   position: absolute;
63   bottom: 0;
64   left: 0;
65   width: 200%;
66   height: 100%;

```


frontend/src/app/globals.css (continued)

```

76     background: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0
1600 800'%3E%3Cpath fill='%23c9ff3b' fill-opacity='0.05' d='M47.6,178c13.9,0,28.6,4.3,44.1,12.9c
24.9,13.9,44.6,36,63.7,58.2c19.1,22.2,37.3,44.7,57.1,62.8 c19.8,18.1,41.2,31.7,63.7,35.2c22.5,3.
5,46.1-2.9,70.5-16.1c24.4-13.2,49.6-32.5,75.1-48.4c25.5-15.9,51.3-28.5,77.2-34.2 c25.9-5.7,51.9-
4.5,77.5,3.1c25.6,7.6,50.7,21.9,74.5,38.1c23.8,16.2,46.2,34.4,67.3,51.6c21.1,17.2,40.8,33.5,59.3
,44.9 c18.5,11.4,35.9,17.9,52.4,19.3c16.5,1.4,32.1-2.2,46.9-9c14.8-6.8,28.8-16.9,42.2-27.1c13.4-
10.2,26.2-20.5,38.5-29.5 c12.3-9,24-16.8,35.4-22.1c11.4-5.3,22.5-8.2,33.5-8.2c11,0,21.9,2.9,33,8
.7c11.1,5.8,22.4,14.5,34.4,25.6 c12,11.1,24.8,24.6,38.5,39.1c13.7,14.5,28.3,29.9,44.1,44.3c15.8,
14.4,32.7,27.8,50.6,38.7c17.9,10.9,37,19.3,57,25 c20,5.7,41,8.6,62.9,8.6s42.9-2.9,62.9-8.6c20-5.
7,39.1-14.1,57-25c17.9-10.9,34.8-24.3,50.6-38.7c15.8-14.4,30.4-29.8,44.1-44.3 c13.7-14.5,26.5-28
,38.5-39.1c12-11.1,23.3-19.8,34.4-25.6c11.1-5.8,22-8.7,33-8.7c11,0,22.1,2.9,33.5,8.2 c11.4,5.3,2
3.1,13.1,35.4,22.1c12.3,9,25.1,19.3,38.5,29.5c13.4,10.2,27.4,20.3,42.2,27.1c14.8,6.8,30.4,10.4,4
6.9,9 c16.5-1.4,33.9-7.9,52.4-19.3c18.5-11.4,38.2-27.7,59.3-44.9c21.1-17.2,43.5-35.4,67.3-51.6c2
3.8-16.2,48.9-30.5,74.5-38.1 c25.6-7.6,51.6-8.8,77.5-3.1c25.9,5.7,51.7,18.3,77.2,34.2c25.5,15.9,
50.7,35.2,75.1,48.4c24.4,13.2,48,19.6,70.5,16.1 c22.5-3.5,43.9-17.1,63.7-35.2c19.8-18.1,38-40.6,
57.1-62.8c19.1-22.2,38.8-44.3,63.7-58.2c15.5-8.6,30.2-12.9,44.1-12.9 c13.9,0,28.6,4.3,44.1,12.9c
24.9,13.9,44.6,36,63.7,58.2c19.1,22.2,37.3,44.7,57.1,62.8c19.8,18.1,41.2,31.7,63.7,35.2 c22.5,3.
5,46.1-2.9,70.5-16.1c24.4-13.2,49.6-32.5,75.1-48.4c25.5-15.9,51.3-28.5,77.2-34.2c25.9-5.7,51.9-4
.5,77.5,3.1 c25.6,7.6,50.7,21.9,74.5,38.1c23.8,16.2,46.2,34.4,67.3,51.6c21.1,17.2,40.8,33.5,59.3
,44.9c18.5,11.4,35.9,17.9,52.4,19.3 c16.5,1.4,32.1-2.2,46.9-9c14.8-6.8,28.8-16.9,42.2-27.1c13.4-
10.2,26.2-20.5,38.5-29.5c12.3-9,24-16.8,35.4-22.1 c11.4-5.3,22.5-8.2,33.5-8.2c11,0,21.9,2.9,33,8
.7c11.1,5.8,22.4,14.5,34.4,25.6c12,11.1,24.8,24.6,38.5,39.1 c13.7,14.5,28.3,29.9,44.1,44.3c15.8,
14.4,32.7,27.8,50.6,38.7c17.9,10.9,37,19.3,57,25c20,5.7,41,8.6,62.9,8.6s42.9-2.9,62.9-8.6 c20-5.
7,39.1-14.1,57-25c17.9-10.9,34.8-24.3,50.6-38.7c15.8-14.4,30.4-29.8,44.1-44.3c13.7-14.5,26.5-28,
38.5-39.1 c12-11.1,23.3-19.8,34.4-25.6c11.1-5.8,22-8.7,33-8.7c11,0,22.1,2.9,33.5,8.2c11.4,5.3,23
.1,13.1,35.4,22.1 c12.3,9,25.1,19.3,38.5,29.5c13.4,10.2,27.4,20.3,42.2,27.1c14.8,6.8,30.4,10.4,4
6.9,9c16.5-1.4,33.9-7.9,52.4-19.3 c18.5-11.4,38.2-27.7,59.3-44.9c21.1-17.2,43.5-35.4,67.3-51.6c2
3.8-16.2,48.9-30.5,74.5-38.1c25.6-7.6,51.6-8.8,77.5-3.1 c25.9,5.7,51.7,18.3,77.2,34.2c25.5,15.9,
50.7,35.2,75.1,48.4c24.4,13.2,48,19.6,70.5,16.1c22.5-3.5,43.9-17.1,63.7-35.2 c19.8-18.1,38-40.6,
57.1-62.8c19.1-22.2,38.8-44.3,63.7-58.2c15.5-8.6,30.2-12.9,44.1-12.9V800H0V178H47.6z'/%3E%3C/
svg%3E");
77     background-size: 50% 100%;
78     animation: waveMove 20s linear infinite;
79     transform-origin: center bottom;
80 }
81
82 .wave1 {
83     height: 100px;
84     opacity: 0.3;
85     animation-duration: 15s;
86     z-index: 1000;
87 }
88
89 .wave2 {
90     height: 150px;
91     opacity: 0.2;
92     animation-duration: 25s;
93     animation-direction: reverse;
94     z-index: 999;
95 }
96
97 .wave3 {
98     height: 200px;
99     opacity: 0.1;
100     animation-duration: 35s;
101     z-index: 998;
102 }
103
104 @keyframes waveMove {
105     0% { transform: translateX(0); }
106     100% { transform: translateX(-50%); }
107 }
108

```

frontend/src/app/layout.tsx

```

1  import type { Metadata } from "next";
2  import { Inter } from "next/font/google";
3  import "../globals.css";
4  import { CartProvider } from "@context/CartContext";
5  import Navbar from "@components/Navbar";
6  import Footer from "@components/Footer";
7  import WaveBackground from "@components/WaveBackground";
8  import FloatingTshirts from "@components/FloatingTshirts";
9  const inter = Inter({ subsets: ["latin"], variable: "--font-inter" });
10 export const metadata: Metadata = {
11   title: "Terra Fit | Premium Activewear",
12   description: "Premium eCommerce app for activewear, shoes, and high-performance apparel.",
13 };
14 export default function RootLayout({
15   children,
16 }: Readonly<{
17   children: React.ReactNode;
18 }>) {
19   return (
20     <html lang="en">
21       <body className={inter.variable}>
22         <WaveBackground />
23         <FloatingTshirts />
24         <CartProvider>
25           <Navbar />
26           <main style={{ flex: 1, paddingBottom: "2rem", position: "relative", zIndex: 1 }}>
27             {children}
28           </main>
29           <Footer />
30         </CartProvider>
31       </body>
32     </html>
33   );
34 }

```

frontend/src/app/login/page.module.css

```

1  .page {
2    padding-top: 4rem;
3    padding-bottom: 6rem;
4    display: flex;
5    justify-content: center;
6    align-items: center;
7    min-height: calc(100vh - 200px);
8  }
9  .loginCard {
10   background-color: var(--card);
11   padding: 3rem 2rem;
12   border-radius: 16px;
13   border: 1px solid var(--border);
14   width: 100%;
15   max-width: 450px;
16   box-shadow: 0 10px 40px -10px rgba(0, 0, 0, 0.5);
17 }
18 .title {
19   font-size: 2rem;
20   font-weight: 800;
21   text-align: center;
22   letter-spacing: -0.02em;
23   margin-bottom: 0.5rem;
24   color: var(--foreground);
25   text-transform: uppercase;
26 }
27 .subtitle {
28   text-align: center;
29   color: var(--muted);
30   margin-bottom: 2.5rem;
31   font-size: 1rem;
32 }
33 .form {
34   display: flex;
35   flex-direction: column;
36   gap: 1.5rem;
37 }
38 .formGroup {
39   display: flex;
40   flex-direction: column;
41   gap: 0.5rem;
42 }
43 .formGroup label {
44   font-size: 0.875rem;
45   font-weight: 600;
46   color: var(--muted);
47   text-transform: uppercase;
48   letter-spacing: 0.05em;
49 }
50 .formGroup input {
51   background-color: var(--background);
52   border: 1px solid var(--border);
53   color: var(--foreground);
54   padding: 1rem;
55   border-radius: 8px;
56   font-family: inherit;
57   font-size: 1rem;
58   transition: border-color 0.2s;
59 }
60 .formGroup input:focus {
61   outline: none;
62   border-color: var(--primary);
63   box-shadow: 0 0 0 3px rgba(201, 255, 59, 0.15);
64 }
65 .passwordWrapper {
66   position: relative;
67   display: flex;
68   align-items: center;
69 }
70 .passwordWrapper input {
71   width: 100%;
72   padding-right: 3rem;
73 }
74 .eyeButton {
75   position: absolute;
76   right: 1rem;
77   background: none;
78   border: none;
79   color: var(--muted);
80   cursor: pointer;
81   padding: 0;

```

frontend/src/app/login/page.module.css (continued)

```

93     display: flex;
94     align-items: center;
95     transition: color 0.2s;
96   }
97   .eyeButton:hover {
98     color: var(--primary);
99   }
100 }
101 .submitButton {
102   background-color: var(--primary);
103   color: var(--primary-foreground);
104   padding: 1.25rem;
105   border-radius: 9999px;
106   font-weight: 800;
107   text-transform: uppercase;
108   letter-spacing: 0.05em;
109   font-size: 1.125rem;
110   margin-top: 1rem;
111   transition: all 0.2s ease;
112 }
113 .submitButton:hover:not(:disabled) {
114   transform: translateY(-2px);
115   box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
116 }
117 .submitButton:disabled {
118   opacity: 0.7;
119   cursor: not-allowed;
120 }
121 .error {
122   background-color: rgba(239, 68, 68, 0.1);
123   color: #ef4444;
124   padding: 1rem;
125   border-radius: 8px;
126   font-size: 0.875rem;
127   border: 1px solid rgba(239, 68, 68, 0.2);
128   text-align: center;
129 }
130 .success {
131   background-color: rgba(34, 197, 94, 0.1);
132   color: #22c55e;
133   padding: 1rem;
134   border-radius: 8px;
135   font-size: 0.875rem;
136   border: 1px solid rgba(34, 197, 94, 0.2);
137   text-align: center;
138 }
139 .switchText {
140   text-align: center;
141   margin-top: 2rem;
142   font-size: 0.875rem;
143   color: var(--muted);
144 }
145 .switchLink {
146   color: var(--primary);
147   font-weight: 600;
148   margin-left: 0.5rem;
149 }
150 .switchLink:hover {
151   text-decoration: underline;
152 }

```

frontend/src/app/login/page.tsx

```

1  "use client";
2  import React, { useState } from "react";
4  import { useRouter } from "next/navigation";
5  import Link from "next/link";
6  import styles from "../page.module.css";
8  export default function LoginPage() {
9    const [email, setEmail] = useState("");
10   const [password, setPassword] = useState("");
11   const [showPassword, setShowPassword] = useState(false);
12   const [isLoading, setIsLoading] = useState(false);
13   const [error, setError] = useState("");
14   const [success, setSuccess] = useState(false);
16   const router = useRouter();
18   const handleLogin = async (e: React.FormEvent<HTMLFormElement>) => {
19     e.preventDefault();
20     e.stopPropagation();
22     if (!email || !password) {
23       setError("Please fill in all fields.");
24       return;
25     }
26     setIsLoading(true);
27     setError("");
28     setSuccess(false);
30     const apiUrl = process.env.NEXT_PUBLIC_API_URL || "http://localhost:5000";
32     try {
34       const res = await fetch(`${apiUrl}/api/auth/login`, {
35         method: "POST",
36         headers: { "Content-Type": "application/json" },
37         body: JSON.stringify({ email, password }),
38       });
39       const data = await res.json();
42       if (res.ok) {
43         localStorage.setItem("token", data.token);
44         localStorage.setItem("user", JSON.stringify(data.user));
45         setSuccess(true);
46         setTimeout(() => router.push("/"), 1000);
47       } else {
48         setError(data.error || "Login failed. Please check your credentials.");
49       }
50     } catch (err) {
51       setError(`Cannot connect to server at ${apiUrl}. If using Render, it may be waking up?
52       please wait 30 seconds and try again.`);
53     } finally {
54       setIsLoading(false);
55     }
56   };
57   return (
58     <div className={`container ${styles.page}`}>
59       <div className={styles.loginCard}>
60         <h1 className={styles.title}>Welcome Back</h1>
61         <p className={styles.subtitle}>Log in to your Terra Fit account.</p>
62         {error && <div className={styles.error}>? {error}</div>}
64         {success && <div className={styles.success}>? Login successful! Redirecting...</div>}
66         <form className={styles.form} onSubmit={handleLogin} method="post">
67           <div className={styles.formGroup}>
68             <label htmlFor="login-email">Email Address</label>
69             <input
70               type="email"
71               id="login-email"
72               name="email"
73               value={email}
74               onChange={(e) => setEmail(e.target.value)}
75               required
76               autoComplete="email"
77               placeholder="you@example.com"
78             />
79           </div>
80           <div className={styles.formGroup}>
81             <label htmlFor="login-password">Password</label>
82             <div className={styles.passwordWrapper}>
83               <input
84                 type={showPassword ? "text" : "password"}
85                 id="login-password"
86                 name="password"
87                 value={password}
88                 onChange={(e) => setPassword(e.target.value)}
89                 required
90                 autoComplete="current-password"
91                 placeholder="???????"
92               />
93             </div>
94             <button

```

frontend/src/app/login/page.tsx (continued)

```

95         type="button"
96         className={styles.eyeButton}
97         onClick={() => setShowPassword(!showPassword)}
98         aria-label={showPassword ? "Hide password" : "Show password"}
99     >
100         {showPassword ? (
101             <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0
24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
strokeLinejoin="round">
102                 <path d="M17.94 17.94A10.07 10.07 0 0 1 12 20c-7 0-11-8-11-8a18.45 18.45 0
0 1 5.06-5.94"/>
103                 <path d="M9.9 4.24A9.12 9.12 0 0 1 12 4c7 0 11 8 11 8a18.5 18.5 0 0 1-2.16
3.19"/>
104                 <line x1="1" y1="1" x2="23" y2="23"/>
105             </svg>
106         ) : (
107             <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0
24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
strokeLinejoin="round">
108                 <path d="M1 12s4-8 11-8 11 8-4 8-11 8-11-8z"/>
109                 <circle cx="12" cy="12" r="3"/>
110             </svg>
111         )}
112     </button>
113 </div>
114 </div>
115     <button type="submit" className={styles.submitButton} disabled={isLoading || success}>
116         {isLoading ? "Logging in..." : "Log In"}
117     </button>
118 </form>
119 <p className={styles.switchText}>
120     Don't have an account?
121     <Link href="/register" className={styles.switchLink}>Sign Up</Link>
122 </p>
123 </div>
124 </div>
125 </div>
126 </div>
127 );
128 }
129

```

frontend/src/app/orders/page.module.css

```

1  .page {
2    padding-top: 6rem;
3    padding-bottom: 6rem;
4    display: flex;
5    justify-content: center;
6    align-items: center;
7    min-height: calc(100vh - 200px);
8  }
9
10 .successCard {
11   background-color: var(--card);
12   padding: 4rem 2rem;
13   border-radius: 16px;
14   border: 1px solid var(--border);
15   width: 100%;
16   max-width: 500px;
17   text-align: center;
18   box-shadow: 0 10px 40px -10px rgba(0, 0, 0, 0.5);
19   display: flex;
20   flex-direction: column;
21   align-items: center;
22 }
23
24 .iconWrapper {
25   background-color: rgba(34, 197, 94, 0.1);
26   color: #22c55e;
27   width: 80px;
28   height: 80px;
29   border-radius: 50%;
30   display: flex;
31   justify-content: center;
32   align-items: center;
33   margin-bottom: 2rem;
34   border: 1px solid rgba(34, 197, 94, 0.2);
35 }
36
37 .title {
38   font-size: 2.5rem;
39   font-weight: 900;
40   color: var(--foreground);
41   margin-bottom: 1rem;
42   letter-spacing: -0.02em;
43   text-transform: uppercase;
44 }
45
46 .message {
47   color: var(--muted);
48   font-size: 1.125rem;
49   line-height: 1.6;
50   margin-bottom: 3rem;
51 }
52
53 .continueButton {
54   background-color: var(--primary);
55   color: var(--primary-foreground);
56   padding: 1rem 2.5rem;
57   border-radius: 9999px;
58   font-weight: 800;
59   text-transform: uppercase;
60   letter-spacing: 0.05em;
61   font-size: 1rem;
62   transition: all 0.2s ease;
63 }
64
65 .continueButton:hover {
66   transform: translateY(-2px);
67   box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
68 }
69

```

frontend/src/app/orders/page.tsx

```

1  "use client";
2  import React, { useEffect, useState } from "react";
3
4  import Link from "next/link";
5  import { useRouter } from "next/navigation";
6  import styles from "../page.module.css";
7
8  export default function OrdersPage() {
9    const router = useRouter();
10   const [isClient, setIsClient] = useState(false);
11   useEffect(() => {
12     setIsClient(true);
13     // Simple check to make sure they are logged in to view orders
14     const token = localStorage.getItem("token");
15     if (!token) {
16       router.push("/login");
17     }
18   }, [router]);
19   if (!isClient) return null;
20   return (
21     <div className={`container ${styles.page}`}>
22       <div className={styles.successCard}>
23         <div className={styles.iconWrapper}>
24           <svg
25             xmlns="http://www.w3.org/2000/svg"
26             width="48"
27             height="48"
28             viewBox="0 0 24 24"
29             fill="none"
30             stroke="currentColor"
31             strokeWidth="2"
32             strokeLinecap="round"
33             strokeLinejoin="round"
34             className={styles.successIcon}
35           >
36             <path d="M22 11.08V12a10 10 0 1 1-5.93-9.14"></path>
37             <polyline points="22 4 12 14.01 9 11.01"></polyline>
38           </svg>
39         </div>
40         <h1 className={styles.title}>Order Confirmed!</h1>
41         <p className={styles.message}>
42           Thank you for shopping with Terra Fit. Your premium activewear will be processed
43           shortly.
44         </p>
45         <Link href="/products" className={styles.continueButton}>
46           Continue Shopping
47         </Link>
48       </div>
49     </div>
50   );
51 }

```


frontend/src/app/page.module.css

```

1  /* ??????????????????????????????????????????????????????????????
2    PAGE WRAPPER
3  ?????????????????????????????????????????????????????????????? */
4  .page {
5    background: #ffffff;
6    color: #111111;
7    min-height: 100vh;
8    font-family: var(--font-inter), 'Inter', sans-serif;
9  }
10 /* ??????????????????????????????????????????????????????????????
11    ANNOUNCEMENT BAR
12 ?????????????????????????????????????????????????????????????? */
13 .announcementBar {
14   background: #111111;
15   color: #ffffff;
16   font-size: 0.78rem;
17   font-weight: 500;
18   letter-spacing: 0.05em;
19   padding: 9px 0;
20   overflow: hidden;
21   white-space: nowrap;
22 }
23
24 .announcementTrack {
25   display: inline-flex;
26   gap: 0;
27   animation: marqueeScroll 30s linear infinite;
28 }
29
30 .announcementItem {
31   padding: 0 3rem;
32   opacity: 0.9;
33 }
34
35 @keyframes marqueeScroll {
36   0% { transform: translateX(0); }
37   100% { transform: translateX(-50%); }
38 }
39
40 /* ??????????????????????????????????????????????????????????????
41    HERO CAROUSEL
42 ?????????????????????????????????????????????????????????????? */
43 .hero {
44   position: relative;
45   width: 100%;
46   height: 90vh;
47   min-height: 520px;
48   overflow: hidden;
49   background: #0a0a0a;
50 }
51
52 .heroSlide {
53   position: absolute;
54   inset: 0;
55   opacity: 0;
56   transition: opacity 0.9s ease;
57 }
58
59 .heroSlideActive {
60   opacity: 1;
61 }
62
63 .heroImg {
64   object-fit: cover;
65   object-position: center;
66 }
67
68 .heroGrad {
69   position: absolute;
70   inset: 0;
71   background: linear-gradient(
72     100deg,
73     rgba(0, 0, 0, 0.72) 0%,
74     rgba(0, 0, 0, 0.35) 55%,
75     rgba(0, 0, 0, 0.1) 100%
76   );
77 }
78
79 .heroContent {
80   position: absolute;
81   inset: 0;
82   z-index: 10;
83   display: flex;
84   flex-direction: column;
85   justify-content: center;
86   padding: 0 6%;
87   max-width: 680px;
88 }
89
90 .heroContentRight {
91   left: auto;
92 }

```

frontend/src/app/page.module.css (continued)

```

93     right: 0;
94     align-items: flex-end;
95     text-align: right;
96     padding: 0 6%;
97     max-width: 680px;
98 }
99 .heroTag {
100     display: inline-block;
101     background: #ffffff;
102     color: #111111;
103     font-size: 0.72rem;
104     font-weight: 700;
105     letter-spacing: 0.14em;
106     padding: 5px 14px;
107     border-radius: 2px;
108     margin-bottom: 1.2rem;
109     text-transform: uppercase;
110 }
111 .heroHeadline {
112     font-size: clamp(2.8rem, 6vw, 5.2rem);
113     font-weight: 800;
114     color: #ffffff;
115     line-height: 1.05;
116     margin-bottom: 1rem;
117     letter-spacing: -0.03em;
118 }
119 .heroAccent {
120     color: #c9ff3b;
121 }
122 .heroSub {
123     font-size: clamp(0.95rem, 1.5vw, 1.15rem);
124     color: rgba(255, 255, 255, 0.8);
125     margin-bottom: 2rem;
126     max-width: 440px;
127     line-height: 1.6;
128 }
129 .heroCta {
130     display: inline-block;
131     background: #ffffff;
132     color: #111111;
133     font-size: 0.95rem;
134     font-weight: 700;
135     letter-spacing: 0.06em;
136     padding: 14px 32px;
137     border-radius: 4px;
138     transition: background 0.25s, color 0.25s, transform 0.2s;
139     text-transform: uppercase;
140     width: fit-content;
141 }
142 .heroCta:hover {
143     background: #c9ff3b;
144     color: #000;
145     transform: translateY(-2px);
146 }
147 /* Arrows */
148 .heroArrow {
149     position: absolute;
150     top: 50%;
151     transform: translateY(-50%);
152     z-index: 20;
153     background: rgba(255, 255, 255, 0.15);
154     backdrop-filter: blur(6px);
155     border: 1px solid rgba(255, 255, 255, 0.3);
156     color: #ffffff;
157     font-size: 2rem;
158     width: 48px;
159     height: 48px;
160     border-radius: 50%;
161     cursor: pointer;
162     display: flex;
163     align-items: center;
164     justify-content: center;
165     line-height: 1;
166     transition: background 0.2s;
167 }
168 .heroArrow:hover {
169     background: rgba(255, 255, 255, 0.35);
170 }
171 .heroArrowLeft { left: 24px; }
172 .heroArrowRight { right: 24px; }
173 /* Dots */

```

frontend/src/app/page.module.css (continued)

```

184 .heroDots {
185   position: absolute;
186   bottom: 24px;
187   left: 50%;
188   transform: translateX(-50%);
189   z-index: 20;
190   display: flex;
191   gap: 8px;
192 }
193 .heroDot {
194   width: 8px;
195   height: 8px;
196   border-radius: 50%;
197   background: rgba(255, 255, 255, 0.45);
198   border: none;
199   cursor: pointer;
200   transition: background 0.25s, transform 0.25s;
201 }
202 .heroDotActive {
203   background: #ffffff;
204   transform: scale(1.3);
205 }
206 /* ?????????????????????????????????????????????????????????????
207   SHARED HELPERS
208   ????????????????????????????????????????????????????????????? */
209 .container {
210   max-width: 1240px;
211   margin: 0 auto;
212   padding: 0 1.25rem;
213 }
214 .section {
215   padding: 4.5rem 0;
216 }
217 .sectionRow {
218   display: flex;
219   align-items: baseline;
220   justify-content: space-between;
221   margin-bottom: 2rem;
222 }
223 .sectionHeading {
224   font-size: clamp(1.25rem, 2.5vw, 1.8rem);
225   font-weight: 800;
226   letter-spacing: 0.04em;
227   color: #111111;
228   margin-bottom: 2rem;
229   text-transform: uppercase;
230 }
231 .viewAll {
232   font-size: 0.85rem;
233   font-weight: 600;
234   color: #111111;
235   letter-spacing: 0.06em;
236   text-transform: uppercase;
237   text-decoration: underline;
238   text-underline-offset: 3px;
239   white-space: nowrap;
240 }
241 .viewAll:hover {
242   color: #555;
243 }
244 /* ?????????????????????????????????????????????????????????????
245   CATEGORY GRID
246   ????????????????????????????????????????????????????????????? */
247 .catGrid {
248   display: flex;
249   flex-direction: row;
250   gap: 1rem;
251   overflow-x: auto;
252   scroll-snap-type: x mandatory;
253   -webkit-overflow-scrolling: touch;
254   padding-bottom: 0.75rem;
255   /* hide scrollbar but keep scroll */
256   scrollbar-width: none;
257 }
258 .catGrid::-webkit-scrollbar {
259   display: none;
260 }
261 .catCard {
262   position: relative;
263   aspect-ratio: 3 / 4;
264   overflow: hidden;
265 }

```

frontend/src/app/page.module.css (continued)

```

276     border-radius: 8px;
277     display: block;
278     cursor: pointer;
279     /* fixed size so cards don't shrink */
280     flex: 0 0 200px;
281     scroll-snap-align: start;
282 }
283 @media (min-width: 640px) {
284     .catCard {
285         flex: 0 0 240px;
286     }
287 }
288 @media (min-width: 1024px) {
289     .catCard {
290         flex: 0 0 calc((100% - 4rem) / 5);
291     }
292 }
293 .catImg {
294     object-fit: cover;
295     transition: transform 0.6s cubic-bezier(0.25, 0.8, 0.25, 1);
296 }
297 .catCard:hover .catImg {
298     transform: scale(1.07);
299 }
300 .catOverlay {
301     position: absolute;
302     inset: 0;
303     background: linear-gradient(
304         to top,
305         rgba(0, 0, 0, 0.65) 0%,
306         rgba(0, 0, 0, 0.1) 55%,
307         transparent 100%
308     );
309     transition: background 0.4s;
310 }
311 .catCard:hover .catOverlay {
312     background: linear-gradient(
313         to top,
314         rgba(0, 0, 0, 0.75) 0%,
315         rgba(0, 0, 0, 0.2) 55%,
316         transparent 100%
317     );
318 }
319 .catLabel {
320     position: absolute;
321     bottom: 18px;
322     left: 0;
323     right: 0;
324     text-align: center;
325     color: #ffffff;
326     font-size: 1rem;
327     font-weight: 700;
328     letter-spacing: 0.1em;
329     text-transform: uppercase;
330 }
331 /* ??????????????????????????????????????????????????????????????
332    PROMO BANNER
333    ?????????????????????????????????????????????????????????????? */
334 .promoBanner {
335     position: relative;
336     width: 100%;
337     height: 420px;
338     overflow: hidden;
339     background: #0a0a0a;
340 }
341 .promoImg {
342     object-fit: cover;
343     object-position: center 30%;
344 }
345 .promoOverlay {
346     position: absolute;
347     inset: 0;
348     background: rgba(0, 0, 0, 0.55);
349 }
350 .promoContent {
351     position: absolute;
352     inset: 0;
353     z-index: 5;
354     display: flex;
355     flex-direction: column;
356     align-items: center;
357 }

```

frontend/src/app/page.module.css (continued)

```
    justify-content: center;
    text-align: center;
    padding: 2rem;
}

.promoTag {
    display: inline-block;
    background: #c9ff3b;
    color: #000;
    font-size: 0.72rem;
    font-weight: 700;
    letter-spacing: 0.14em;
    padding: 5px 14px;
    border-radius: 2px;
    margin-bottom: 1rem;
    text-transform: uppercase;
}

.promoHeadline {
    font-size: clamp(2.2rem, 5vw, 4rem);
    font-weight: 800;
    color: #ffffff;
    letter-spacing: -0.03em;
    line-height: 1.1;
    margin-bottom: 0.8rem;
}

.promoSub {
    color: rgba(255, 255, 255, 0.8);
    font-size: 1rem;
    margin-bottom: 2rem;
    max-width: 440px;
}

.promoCta {
    display: inline-block;
    background: #ffffff;
    color: #111;
    font-size: 0.9rem;
    font-weight: 700;
    letter-spacing: 0.06em;
    text-transform: uppercase;
    padding: 13px 32px;
    border-radius: 4px;
    transition: background 0.25s, color 0.25s, transform 0.2s;
}

.promoCta:hover {
    background: #c9ff3b;
    color: #000;
    transform: translateY(-2px);
}

/* ?????????????????????????????????????????????????????????????? */
PRODUCTS GRID
/* ?????????????????????????????????????????????????????????????? */

.productsGrid {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 1.25rem;
}

@media (min-width: 768px) {
    .productsGrid {
        grid-template-columns: repeat(3, 1fr);
    }
}

@media (min-width: 1024px) {
    .productsGrid {
        grid-template-columns: repeat(4, 1fr);
    }
}

.productCard {
    display: block;
    text-decoration: none;
    color: inherit;
}

.productImgWrap {
    position: relative;
    aspect-ratio: 3 / 4;
    overflow: hidden;
    border-radius: 6px;
    background: #f3f3f3;
    margin-bottom: 0.75rem;
}

.productImg {
    object-fit: cover;
    transition: transform 0.6s cubic-bezier(0.25, 0.8, 0.25, 1);
```

frontend/src/app/page.module.css (continued)

```

460 }
461 .productCard:hover .productImg {
462   transform: scale(1.06);
463 }
464 .productBadge {
465   position: absolute;
466   top: 10px;
467   left: 10px;
468   background: #111111;
469   color: #ffffff;
470   font-size: 0.65rem;
471   font-weight: 700;
472   letter-spacing: 0.08em;
473   padding: 4px 10px;
474   border-radius: 2px;
475   text-transform: uppercase;
476 }
477 .productQuickAdd {
478   position: absolute;
479   bottom: 0;
480   left: 0;
481   right: 0;
482   background: rgba(17, 17, 17, 0.85);
483   color: #ffffff;
484   font-size: 0.78rem;
485   font-weight: 600;
486   letter-spacing: 0.08em;
487   text-align: center;
488   padding: 10px;
489   text-transform: uppercase;
490   transform: translateY(100%);
491   transition: transform 0.3s ease;
492 }
493 .productCard:hover .productQuickAdd {
494   transform: translateY(0);
495 }
496 .productInfo {
497   padding: 0 2px;
498 }
499 .productName {
500   font-size: 0.88rem;
501   font-weight: 500;
502   color: #111111;
503   line-height: 1.4;
504   margin-bottom: 4px;
505   white-space: nowrap;
506   overflow: hidden;
507   text-overflow: ellipsis;
508 }
509 .productPrice {
510   font-size: 0.9rem;
511   font-weight: 700;
512   color: #111111;
513 }
514 /* ??????????????????????????????????????????????????????????????
515    USP STRIP
516    ?????????????????????????????????????????????????????????????? */
517 .uspStrip {
518   background: #f7f7f7;
519   border-top: 1px solid #e8e8e8;
520   border-bottom: 1px solid #e8e8e8;
521   padding: 2rem 0;
522 }
523 .uspGrid {
524   display: grid;
525   grid-template-columns: repeat(2, 1fr);
526   gap: 1.5rem;
527 }
528 @media (min-width: 768px) {
529   .uspGrid {
530     grid-template-columns: repeat(4, 1fr);
531   }
532 }
533 .uspItem {
534   display: flex;
535   align-items: center;
536   gap: 0.85rem;
537 }
538 .uspIcon {
539   font-size: 1.8rem;
540   flex-shrink: 0;
541 }

```

frontend/src/app/page.module.css (continued)

```

553 }
554 .uspTitle {
555   font-size: 0.88rem;
556   font-weight: 700;
557   color: #111111;
558   margin-bottom: 2px;
559 }
560 .uspSub {
561   font-size: 0.77rem;
562   color: #666666;
563 }
564 /* ??????????????????????????????????????????????????????????????
565    RESPONSIVE TWEAKS
566    ?????????????????????????????????????????????????????????????? */
567 @media (max-width: 640px) {
568   .hero {
569     height: 70vh;
570   }
571   .heroArrow {
572     display: none;
573   }
574   .promoBanner {
575     height: 280px;
576   }
577 }
578 }
579 }
580 }
581 }
582 }
583 }

```

frontend/src/app/page.tsx

```

1  "use client";
2  import React, { useState, useEffect, useCallback } from "react";
4  import Link from "next/link";
5  import Image from "next/image";
6  import styles from "../page.module.css";
7  import { getProducts, Product } from "@data/products";
8  // ?? Hero slides ?????????????????????????????????????????????????????????
10 const HERO_SLIDES = [
11   {
12     id: 1,
13     image:
14       "https://images.unsplash.com/photo-1542291026-7eec264c27ff?
q=80&w=1800&auto=format&fit=crop",
15     tag: "NEW SEASON DROP",
16     headline: "Built For The",
17     accent: "Streets.",
18     sub: "Ultra-performance footwear for every terrain.",
19     cta: "Shop Shoes",
20     href: "/products?category=Shoes",
21     align: "left",
22   },
23   {
24     id: 2,
25     image:
26       "https://images.unsplash.com/photo-1515886657613-9f3515b0c78f?
q=80&w=1800&auto=format&fit=crop",
27     tag: "WOMEN'S EDIT",
28     headline: "Own Your",
29     accent: "Look.",
30     sub: "Discover premium activewear crafted for women.",
31     cta: "Shop Women",
32     href: "/products?category=Women's",
33     align: "right",
34   },
35   {
36     id: 3,
37     image:
38       "https://images.unsplash.com/photo-1441984904996-e0b6ba687e04?
q=80&w=1800&auto=format&fit=crop",
39     tag: "ALL GEAR",
40     headline: "Gear Up.",
41     accent: "Stand Out.",
42     sub: "Performance apparel, footwear & accessories.",
43     cta: "Explore All",
44     href: "/products",
45     align: "left",
46   },
47 ];
48 // ?? Announcement items ?????????????????????????????????????????????????????????
50 const ANNOUNCEMENTS = [
51   "?? Free delivery on orders above ?999",
52   "?? Shop Men's ? New Arrivals Just Dropped",
53   "?? New season arrivals ? Shop Now",
54   "?? Easy 7-day returns",
55   "?? 100% Secure Payments",
56   "? Limited time: Extra 10% off with code TERRAFIT10",
57 ];
58 export default function Home() {
59   const [products, setProducts] = useState<Product[]>([]);
60   const [slideIndex, setSlideIndex] = useState(0);
61   // fetch products
62   useEffect(() => {
63     getProducts().then((p) => setProducts(p.slice(0, 8)));
64   }, []);
65   // auto-advance hero carousel
66   const next = useCallback(
67     () => setSlideIndex((i) => (i + 1) % HERO_SLIDES.length),
68     []
69   );
70   const prev = () =>
71     setSlideIndex((i) => (i - 1 + HERO_SLIDES.length) % HERO_SLIDES.length);
72   useEffect(() => {
73     const t = setInterval(next, 4500);
74     return () => clearInterval(t);
75   }, [next]);
76   const slide = HERO_SLIDES[slideIndex];
77   return (
78     <div className={styles.page}>
79       <div className={styles.announcementBar}>
80         <div className={styles.announcementTrack}>

```


frontend/src/app/page.tsx (continued)

```

87     {...ANNOUNCEMENTS, ...ANNOUNCEMENTS}.map((txt, i) => (
88       <span key={i} className={styles.announcementItem}>
89         {txt}
90       </span>
91     ))
92   </div>
93 </div>
94 /* ?? Hero Carousel ?????????????????????????????????????????? */
95 <section className={styles.hero}>
96   {HERO_SLIDES.map((s, idx) => (
97     <div
98       key={s.id}
99       className={` ${styles.heroSlide} ${
100         idx === slideIndex ? styles.heroSlideActive : ""
101       }`}
102     >
103       <Image
104         src={s.image}
105         alt={s.headline}
106         fill
107         priority={idx === 0}
108         className={styles.heroImg}
109         sizes="100vw"
110       />
111       <div className={styles.heroGrad} />
112     </div>
113   ))}
114   /* Content overlay */
115   <div
116     className={` ${styles.heroContent} ${
117       slide.align === "right" ? styles.heroContentRight : ""
118     }`
119   >
120     <span className={styles.heroTag}>{slide.tag}</span>
121     <h1 className={styles.heroHeadline}>
122       {slide.headline} <span className={styles.heroAccent}>{slide.accent}</span>
123     </h1>
124     <p className={styles.heroSub}>{slide.sub}</p>
125     <Link href={slide.href} className={styles.heroCta}>
126       {slide.cta} ?
127     </Link>
128   </div>
129   /* Prev / Next */
130   <button className={` ${styles.heroArrow} ${styles.heroArrowLeft}`} onClick={prev}>
131     ?
132   </button>
133   <button className={` ${styles.heroArrow} ${styles.heroArrowRight}`} onClick={next}>
134     ?
135   </button>
136   /* Dots */
137   <div className={styles.heroDots}>
138     {HERO_SLIDES.map((_, i) => (
139       <button
140         key={i}
141         className={` ${styles.heroDot} ${i === slideIndex ? styles.heroDotActive : ""}`}
142         onClick={() => setSlideIndex(i)}
143       />
144     ))}
145   </div>
146 </section>
147 /* ?? Category Grid ?????????????????????????????????????????? */
148 <section className={styles.section}>
149   <div className={styles.container}>
150     <h2 className={styles.sectionHeading}>SHOP BY CATEGORY</h2>
151     <div className={styles.catGrid}>
152       {[
153         {
154           label: "Men's",
155           href: "/products?category=Men's",
156           img: "https://images.unsplash.com/photo-1617127365659-c47fa864d8bc?
157             q=80&w=800&auto=format&fit=crop",
158         },
159         {
160           label: "Women's",
161           href: "/products?category=Women's",
162           img: "https://images.unsplash.com/photo-1515886657613-9f3515b0c78f?
163             q=80&w=800&auto=format&fit=crop",
164         },
165         {
166           label: "Shoes",
167           href: "/products?category=Shoes",

```

frontend/src/app/page.tsx (continued)

```

172         img: "https://images.unsplash.com/photo-1542291026-7eec264c27ff?
q=80&w=800&auto=format&fit=crop",
173     },
174     {
175         label: "Apparel",
176         href: "/products?category=Apparel",
177         img: "https://images.unsplash.com/photo-1591047139829-d91aebc6caea?
q=80&w=800&auto=format&fit=crop",
178     },
179     {
180         label: "All Gear",
181         href: "/products",
182         img: "https://images.unsplash.com/photo-1441984904996-e0b6ba687e04?
q=80&w=800&auto=format&fit=crop",
183     },
184     ].map((cat) => (
185         <Link key={cat.label} href={cat.href} className={styles.catCard}>
186             <Image
187                 src={cat.img}
188                 alt={cat.label}
189                 fill
190                 className={styles.catImg}
191                 sizes="(max-width: 768px) 50vw, 25vw"
192             />
193             <div className={styles.catOverlay} />
194             <span className={styles.catLabel}>{cat.label}</span>
195         </Link>
196     ))
197 </div>
198 </div>
199 </section>
200 {/* ?? Promo Banner ????????????????????????????????????????? */}
201 <section className={styles.promoBanner}>
202     <Image
203         src="https://images.unsplash.com/photo-1556906781-9a412961a28c?
q=80&w=1800&auto=format&fit=crop"
204         alt="New Season Drop"
205         fill
206         className={styles.promoImg}
207         sizes="100vw"
208     />
209     <div className={styles.promoOverlay} />
210     <div className={styles.promoContent}>
211         <span className={styles.promoTag}>LIMITED EDITION</span>
212         <h2 className={styles.promoHeadline}>New Season Drop</h2>
213         <p className={styles.promoSub}>
214             Fresh silhouettes. Bold palettes. Zero compromises.
215         </p>
216         <Link href="/products" className={styles.promoCta}>
217             Explore Collection
218         </Link>
219     </div>
220 </section>
221 {/* ?? Featured Products ????????????????????????????????????????? */}
222 <section className={styles.section}>
223     <div className={styles.container}>
224         <div className={styles.sectionRow}>
225             <h2 className={styles.sectionHeading}>LATEST DROPS</h2>
226             <Link href="/products" className={styles.viewAll}>
227                 View All ?
228             </Link>
229         </div>
230         <div className={styles.productsGrid}>
231             {products.map((product) => (
232                 <Link
233                     key={product.id}
234                     href={` /products/${product.id} `}
235                     className={styles.productCard}
236                 >
237                     <div className={styles.productImgWrap}>
238                         <Image
239                             src={product.image}
240                             alt={product.name}
241                             fill
242                             className={styles.productImg}
243                             sizes="(max-width: 640px) 100vw, (max-width: 1024px) 50vw, 25vw"
244                         />
245                         <div className={styles.productBadge}>{product.category}</div>
246                         <div className={styles.productQuickAdd}>Quick Add</div>
247                     </div>
248                     <div className={styles.productInfo}>

```

frontend/src/app/page.tsx (continued)

```

251         <p className={styles.productName}>{product.name}</p>
252         <p className={styles.productPrice}>{product.price.toLocaleString("en-IN")}</
p>
253     </div>
254 </Link>
255   )}}
256 </div>
257 </div>
258 </section>
259 {/* ?? USP Strip ?????????????????????????????????????????????????????????????? */}
260 <div className={styles.uspStrip}>
261   <div className={styles.container}>
262     <div className={styles.uspGrid}>
263       {[
264         { icon: "??", title: "Free Delivery", sub: "On orders above ?999" },
265         { icon: "??", title: "Easy Returns", sub: "7-day hassle-free returns" },
266         { icon: "??", title: "Secure Payment", sub: "100% safe & encrypted" },
267         { icon: "??", title: "Premium Quality", sub: "Crafted for performance" },
268       ]}.map((u) => (
269         <div key={u.title} className={styles.uspItem}>
270           <span className={styles.uspIcon}>{u.icon}</span>
271           <div>
272             <p className={styles.uspTitle}>{u.title}</p>
273             <p className={styles.uspSub}>{u.sub}</p>
274           </div>
275         </div>
276       )})
277     </div>
278   </div>
279 </div>
280 </div>
281 </div>
282 );
283 }
284

```

frontend/src/app/products/[id]/page.tsx

```
1 import React from "react";
2 import { notFound } from "next/navigation";
3 import { getProductById } from "@/data/products";
4 import ProductClient from "../ProductClient";
5 export default async function ProductDetailPage(props: { params: Promise<{ id: string }> }) {
6   const params = await props.params;
7   const product = await getProductById(params.id);
8   if (!product) {
9     notFound();
10  }
11  return (
12    <div className="container">
13      <ProductClient product={product} />
14    </div>
15  );
16 }
17
18
19
20
```

frontend/src/app/products/[id]/product.module.css

```

1  .productLayout {
2    display: grid;
3    grid-template-columns: 1fr;
4    gap: 3rem;
5    padding: 4rem 0 6rem;
6  }
7
8  @media (min-width: 768px) {
9    .productLayout {
10     grid-template-columns: 1fr 1fr;
11     gap: 4rem;
12     align-items: start;
13   }
14 }
15 /* Image Layout Fix */
16 .imageSection {
17   width: 100%;
18 }
19
20 .imageWrapper {
21   position: relative;
22   width: 100%;
23   padding-top: 100%; /* 1:1 Aspect Ratio to ensure a clean container */
24   background-color: var(--card);
25   border-radius: 16px;
26   overflow: hidden;
27   border: 1px solid var(--border);
28 }
29
30 .productImage {
31   /* Using object-contain instead of object-cover to prevent zoomed-in look */
32   object-fit: contain;
33   padding: 1rem; /* Slight padding so the image doesn't touch the edges */
34 }
35
36 /* Info Section */
37 .infoSection {
38   display: flex;
39   flex-direction: column;
40 }
41
42 .category {
43   font-size: 0.875rem;
44   text-transform: uppercase;
45   letter-spacing: 0.1em;
46   color: var(--primary);
47   margin-bottom: 1rem;
48   font-weight: 700;
49 }
50
51 .title {
52   font-size: 2.5rem;
53   font-weight: 800;
54   letter-spacing: -0.02em;
55   line-height: 1.1;
56   color: var(--foreground);
57   margin-bottom: 1rem;
58 }
59
60 .price {
61   font-size: 1.5rem;
62   font-weight: 600;
63   color: var(--muted);
64   margin-bottom: 2rem;
65 }
66
67 .description {
68   font-size: 1rem;
69   line-height: 1.6;
70   color: var(--muted);
71   margin-bottom: 2.5rem;
72   border-bottom: 1px solid var(--border);
73   padding-bottom: 2.5rem;
74 }
75
76 .sizeSection {
77   margin-bottom: 2.5rem;
78 }
79
80 .sizeLabel {
81   font-size: 1rem;
82   font-weight: 600;
83   margin-bottom: 1rem;
84   color: var(--foreground);
85 }
86
87 .sizeGrid {
88   display: grid;
89   grid-template-columns: repeat(auto-fill, minmax(4rem, 1fr));
90   gap: 0.75rem;
91 }
92
93 .sizeButton {

```

frontend/src/app/products/[id]/product.module.css (continued)

```

95     padding: 0.75rem 0;
96     border-radius: 8px;
97     border: 1px solid var(--border);
98     background-color: transparent;
99     color: var(--foreground);
100    font-weight: 500;
101    transition: all 0.2s ease;
102  }
103  .sizeButton:hover {
104    border-color: var(--muted);
105  }
106  .sizeSelected {
107    background-color: var(--primary);
108    color: var(--primary-foreground);
109    border-color: var(--primary);
110  }
111  .sizeSelected:hover {
112    border-color: var(--primary);
113  }
114  .addToCartButton {
115    background-color: var(--foreground);
116    color: var(--background);
117    padding: 1.25rem;
118    border-radius: 9999px;
119    font-size: 1.125rem;
120    font-weight: 700;
121    text-transform: uppercase;
122    letter-spacing: 0.05em;
123    width: 100%;
124    margin-bottom: 1rem;
125    transition: all 0.3s ease;
126  }
127  .addToCartButton:hover:not(:disabled) {
128    background-color: var(--primary);
129    color: var(--primary-foreground);
130    transform: translateY(-2px);
131    box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
132  }
133  .addToCartButton.disabled {
134    opacity: 0.5;
135    cursor: not-allowed;
136  }
137  .addToCartButton.added {
138    background-color: #22c55e; /* Green for success */
139    color: white;
140  }
141  .viewCartLink {
142    display: block;
143    text-align: center;
144    color: var(--muted);
145    font-weight: 600;
146    font-size: 0.875rem;
147    text-transform: uppercase;
148    letter-spacing: 0.05em;
149    padding: 1rem;
150  }
151  .viewCartLink:hover {
152    color: var(--primary);
153    text-decoration: underline;
154  }
155

```

frontend/src/app/products/[id]/ProductClient.tsx

```

1  "use client";
2  import React, { useState } from "react";
4  import Image from "next/image";
5  import { Product } from "@data/products";
6  import { useCart } from "@context/CartContext";
7  import styles from "../product.module.css";
8  import Link from "next/link";
9  export default function ProductClient({ product }: { product: Product }) {
10   const { addToCart } = useCart();
11   const [selectedSize, setSelectedSize] = useState<string>(product.sizes ? product.sizes[0] :
12   "");
13   const [added, setAdded] = useState(false);
14   const handleAddToCart = () => {
15     if (product.sizes && !selectedSize) return;
16     addToCart({
17       id: product.id,
18       name: product.name,
19       price: product.price,
20       image: product.image,
21       quantity: 1,
22       size: selectedSize || undefined,
23     });
24     setAdded(true);
25     setTimeout(() => setAdded(false), 2000);
26   };
27   return (
28     <div className={styles.productLayout}>
29       /*
30       Image Layout Fix
31       Adjusting to fit properly within the container, maintain correct aspect ratio,
32       and ensure it looks clean and responsive on mobile screens.
33       */
34       <div className={styles.imageSection}>
35         <div className={styles.imageWrapper}>
36           <Image
37             src={product.image}
38             alt={product.name}
39             fill
40             className={styles.productImage}
41             sizes="(max-width: 768px) 100vw, 50vw"
42             priority
43           />
44         </div>
45       </div>
46       <div className={styles.infoSection}>
47         <div className={styles.category}>{product.category}</div>
48         <h1 className={styles.title}>{product.name}</h1>
49         <p className={styles.price}>{product.price.toFixed(2)}</p>
50         <p className={styles.description}>{product.description}</p>
51         {product.sizes && product.sizes.length > 0 && (
52           <div className={styles.sizeSection}>
53             <h3 className={styles.sizeLabel}>Select Size</h3>
54             <div className={styles.sizeGrid}>
55               {product.sizes.map((size) => (
56                 <button
57                   key={size}
58                   className={` ${styles.sizeButton} ${selectedSize === size ?
59 styles.sizeSelected : ""} `}
60                   onClick={() => setSelectedSize(size)}
61                 >
62                   {size}
63                 </button>
64               ))}
65             </div>
66           </div>
67         )}
68         <button
69           className={` ${styles.addToCartButton} ${added ? styles.added : ""} `}
70           onClick={handleAddToCart}
71           disabled={!!(product.sizes && !selectedSize)}
72         >
73           {added ? "Added to Cart" : "Add to Cart"}
74         </button>
75         <Link href="/cart" className={styles.viewCartLink}>
76           View Cart
77         </Link>
78       </div>
79     </div>
80   );
81 }

```

frontend/src/app/products/page.module.css

```

1  .page {
2    padding-top: 3rem;
3    padding-bottom: 5rem;
4  }
5  .header {
6    margin-bottom: 2rem;
7  }
8  .title {
9    font-size: 2.5rem;
10   font-weight: 800;
11   letter-spacing: -0.02em;
12   text-transform: uppercase;
13 }
14 .filters {
15   margin-bottom: 3rem;
16   overflow-x: auto;
17   padding-bottom: 0.5rem;
18 }
19 .filterList {
20   display: flex;
21   gap: 1rem;
22   min-width: max-content;
23 }
24 .filterButton {
25   padding: 0.5rem 1.5rem;
26   border-radius: 9999px;
27   background-color: var(--card);
28   color: var(--muted);
29   border: 1px solid var(--border);
30   font-size: 0.875rem;
31   font-weight: 600;
32   text-transform: uppercase;
33   letter-spacing: 0.05em;
34   transition: all 0.3s ease;
35 }
36 .filterButton:hover {
37   border-color: var(--primary);
38   color: var(--primary);
39   box-shadow: inset 0 0 10px rgba(201, 255, 59, 0.2), 0 0 10px rgba(201, 255, 59, 0.2);
40 }
41 .filterButton.active {
42   background-color: var(--primary);
43   color: var(--primary-foreground);
44   border-color: var(--primary);
45   box-shadow: var(--neon-glow);
46 }
47 .productsGrid {
48   display: grid;
49   grid-template-columns: 1fr;
50   gap: 2rem;
51 }
52 @media (min-width: 640px) {
53   .productsGrid {
54     grid-template-columns: repeat(2, 1fr);
55   }
56 }
57 @media (min-width: 1024px) {
58   .productsGrid {
59     grid-template-columns: repeat(3, 1fr);
60   }
61 }
62 .emptyState {
63   text-align: center;
64   padding: 4rem 0;
65   color: var(--muted);
66   font-size: 1.125rem;
67 }
68 .clearSearch {
69   display: inline-block;
70   margin-top: 1rem;
71   color: var(--primary);
72   text-decoration: underline;
73   font-size: 0.9rem;
74   font-weight: 600;
75   text-transform: uppercase;
76   letter-spacing: 0.05em;
77 }
78
79
80
81
82
83
84
85
86
87
88
89
90

```


frontend/src/app/products/page.tsx

```

1  import React from "react";
2  import Link from "next/link";
3  import ProductCard from "@components/ProductCard";
4  import { getProducts } from "@data/products";
5  import styles from "../page.module.css";
6  export default async function ProductsPage(
7    props: { searchParams: Promise<{ category?: string; search?: string }> }
8  ) {
9    const searchParams = await props.searchParams;
10   const currentCategory = searchParams.category || "All";
11   const searchQuery = searchParams.search?.toLowerCase() || "";
12   const allProducts = await getProducts();
13
14   let filteredProducts = allProducts;
15   // Filter by category - only if not searching
16   if (currentCategory !== "All" && !searchQuery) {
17     filteredProducts = filteredProducts.filter((p) => p.category === currentCategory);
18   }
19   // Filter by search query
20   if (searchQuery) {
21     filteredProducts = filteredProducts.filter(
22       (p) =>
23         p.name.toLowerCase().includes(searchQuery) ||
24         p.description.toLowerCase().includes(searchQuery)
25     );
26   }
27   const categories = ["All", "Shoes", "Apparel"];
28   return (
29     <div className={styles.container} >
30       <div className={styles.header} >
31         <h1 className={styles.title} >{currentCategory === "All" ? "All Gear" : currentCategory}
32       </h1>
33     </div>
34     <div className={styles.filters} >
35       <div className={styles.filterList} >
36         {categories.map((cat) => (
37           <Link
38             key={cat}
39             href={cat === "All" ? "/products" : `/products?category=${cat}`}
40             className={styles.filterButton} ${currentCategory === cat ? styles.active : ""}
41           >
42             {cat}
43           </Link>
44         ))}
45       </div>
46     </div>
47     {filteredProducts.length > 0 ? (
48       <div className={styles.productsGrid} >
49         {filteredProducts.map((product) => (
50           <ProductCard key={product.id} product={product} />
51         ))}
52       </div>
53     ) : (
54       <div className={styles.emptyState} >
55         <p>No drops found for &quot;{searchParams.search || currentCategory}&quot;.</p>
56         <Link href="/products" className={styles.clearSearch} >Clear all filters</Link>
57       </div>
58     )}
59   </div>
60 );
61 }

```

frontend/src/app/register/page.module.css

```

1  .page {
2    padding-top: 4rem;
3    padding-bottom: 6rem;
4    display: flex;
5    justify-content: center;
6    align-items: center;
7    min-height: calc(100vh - 200px);
8  }
9  .registerCard {
10   background-color: var(--card);
11   padding: 3rem 2rem;
12   border-radius: 16px;
13   border: 1px solid var(--border);
14   width: 100%;
15   max-width: 450px;
16   box-shadow: 0 10px 40px -10px rgba(0, 0, 0, 0.5);
17 }
18 .title {
19   font-size: 2rem;
20   font-weight: 800;
21   text-align: center;
22   letter-spacing: -0.02em;
23   margin-bottom: 0.5rem;
24   color: var(--foreground);
25   text-transform: uppercase;
26 }
27 .subtitle {
28   text-align: center;
29   color: var(--muted);
30   margin-bottom: 2.5rem;
31   font-size: 1rem;
32 }
33 .form {
34   display: flex;
35   flex-direction: column;
36   gap: 1.5rem;
37 }
38 .formGroup {
39   display: flex;
40   flex-direction: column;
41   gap: 0.5rem;
42 }
43 .formGroup label {
44   font-size: 0.875rem;
45   font-weight: 600;
46   color: var(--muted);
47   text-transform: uppercase;
48   letter-spacing: 0.05em;
49 }
50 .formGroup input {
51   background-color: var(--background);
52   border: 1px solid var(--border);
53   color: var(--foreground);
54   padding: 1rem;
55   border-radius: 8px;
56   font-family: inherit;
57   font-size: 1rem;
58   transition: border-color 0.2s;
59 }
60 .formGroup input:focus {
61   outline: none;
62   border-color: var(--primary);
63   box-shadow: 0 0 0 3px rgba(201, 255, 59, 0.15);
64 }
65 .passwordWrapper {
66   position: relative;
67   display: flex;
68   align-items: center;
69 }
70 .passwordWrapper input {
71   width: 100%;
72   padding-right: 3rem;
73 }
74 .eyeButton {
75   position: absolute;
76   right: 1rem;
77   background: none;
78   border: none;
79   color: var(--muted);
80   cursor: pointer;
81   padding: 0;

```

frontend/src/app/register/page.module.css (continued)

```

93     display: flex;
94     align-items: center;
95     transition: color 0.2s;
96 }
97 .eyeButton:hover {
98     color: var(--primary);
99 }
100 }
101 .submitButton {
102     background-color: var(--primary);
103     color: var(--primary-foreground);
104     padding: 1.25rem;
105     border-radius: 9999px;
106     font-weight: 800;
107     text-transform: uppercase;
108     letter-spacing: 0.05em;
109     font-size: 1.125rem;
110     margin-top: 1rem;
111     transition: all 0.2s ease;
112 }
113 .submitButton:hover:not(:disabled) {
114     transform: translateY(-2px);
115     box-shadow: 0 10px 25px -5px rgba(201, 255, 59, 0.4);
116 }
117 .submitButton:disabled {
118     opacity: 0.7;
119     cursor: not-allowed;
120 }
121 }
122 .error {
123     background-color: rgba(239, 68, 68, 0.1);
124     color: #ef4444;
125     padding: 1rem;
126     border-radius: 8px;
127     font-size: 0.875rem;
128     border: 1px solid rgba(239, 68, 68, 0.2);
129     text-align: center;
130 }
131 }
132 .success {
133     background-color: rgba(34, 197, 94, 0.1);
134     color: #22c55e;
135     padding: 1rem;
136     border-radius: 8px;
137     font-size: 0.875rem;
138     border: 1px solid rgba(34, 197, 94, 0.2);
139     text-align: center;
140 }
141 }
142 .switchText {
143     text-align: center;
144     margin-top: 2rem;
145     font-size: 0.875rem;
146     color: var(--muted);
147 }
148 }
149 .switchLink {
150     color: var(--primary);
151     font-weight: 600;
152     margin-left: 0.5rem;
153 }
154 }
155 .switchLink:hover {
156     text-decoration: underline;
157 }
158 }
159 }
160 }
161 }

```

frontend/src/app/register/page.tsx

```

1  "use client";
2  import React, { useState } from "react";
4  import { useRouter } from "next/navigation";
5  import Link from "next/link";
6  import styles from "../page.module.css";
8  export default function RegisterPage() {
9    const [name, setName] = useState("");
10   const [email, setEmail] = useState("");
11   const [password, setPassword] = useState("");
12   const [showPassword, setShowPassword] = useState(false);
13   const [isLoading, setIsLoading] = useState(false);
14   const [error, setError] = useState("");
15   const [success, setSuccess] = useState(false);
16   const router = useRouter();
17   const handleRegister = async (e: React.FormEvent<HTMLFormElement>) => {
18     e.preventDefault();
19     e.stopPropagation();
20     if (!name || !email || !password) {
21       setError("Please fill in all fields.");
22       return;
23     }
24     if (password.length < 6) {
25       setError("Password must be at least 6 characters.");
26       return;
27     }
28     setIsLoading(true);
29     setError("");
30     setSuccess(false);
31     const apiUrl = process.env.NEXT_PUBLIC_API_URL || "http://localhost:5000";
32     try {
33       const res = await fetch(`${apiUrl}/api/auth/register`, {
34         method: "POST",
35         headers: { "Content-Type": "application/json" },
36         body: JSON.stringify({ name, email, password }),
37       });
38       const data = await res.json();
39       if (res.ok) {
40         setSuccess(true);
41         setTimeout(() => router.push("/login"), 1500);
42       } else {
43         setError(data.error || "Registration failed. Please try again.");
44       }
45     } catch (err) {
46       setError(`Cannot connect to server at ${apiUrl}. If using Render, it may be waking up?
47       please wait 30 seconds and try again.`);
48     } finally {
49       setIsLoading(false);
50     }
51   };
52   return (
53     <div className={styles.container} >
54       <div className={styles.registerCard} >
55         <h1 className={styles.title} >Join Terra Fit</h1>
56         <p className={styles.subtitle} >Create your account to unlock premium gear.</p>
57         <div className={styles.error} >{error}</div>
58         <div className={styles.success} >{success}</div>
59         <form className={styles.form} onSubmit={handleRegister} method="post">
60           <div className={styles.formGroup} >
61             <label htmlFor="reg-name">Full Name</label>
62             <input
63               type="text"
64               id="reg-name"
65               name="name"
66               value={name}
67               onChange={e => setName(e.target.value)}
68               required
69               autoComplete="name"
70               placeholder="John Doe"
71             />
72           </div>
73           <div className={styles.formGroup} >
74             <label htmlFor="reg-email">Email Address</label>
75             <input
76               type="email"
77               id="reg-email"
78               name="email"
79               value={email}
80               onChange={e => setEmail(e.target.value)}
81               required
82               autoComplete="email"
83               placeholder="you@example.com"
84             />
85           </div>
86         </form>
87       </div>
88     </div>
89   );
90 }

```

frontend/src/app/register/page.tsx (continued)

```

96     />
97   </div>
98   <div className={styles.formGroup}>
99     <label htmlFor="reg-password">Password</label>
100     <div className={styles.passwordWrapper}>
101       <input
102         type={showPassword ? "text" : "password"}
103         id="reg-password"
104         name="password"
105         value={password}
106         onChange={(e) => setPassword(e.target.value)}
107         required
108         autoComplete="new-password"
109         placeholder="???????"
110         minLength={6}
111       />
112       <button
113         type="button"
114         className={styles.eyeButton}
115         onClick={() => setShowPassword(!showPassword)}
116         aria-label={showPassword ? "Hide password" : "Show password"}
117       >
118         {showPassword ? (
119           <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0
120           24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
121           strokeLinejoin="round">
122             <path d="M17.94 17.94A10.07 10.07 0 0 1 12 20c-7 0-11-8-11-8a18.45 18.45 0
123             0 1 5.06-5.94"/>
124             <path d="M9.9 4.24A9.12 9.12 0 0 1 12 4c7 0 11 8 11 8a18.5 18.5 0 0 1-2.16
125             3.19"/>
126             <line x1="1" y1="1" x2="23" y2="23"/>
127           </svg>
128         ) : (
129           <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0
130           24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
131           strokeLinejoin="round">
132             <path d="M1 12s4-8 11-8 11 8-4 8-11 8-11-8z"/>
133             <circle cx="12" cy="12" r="3"/>
134           </svg>
135         )}
136       </button>
137     </div>
138   </div>
139   <button type="submit" className={styles.submitButton} disabled={isLoading || success}>
140     {isLoading ? "Creating Account..." : "Sign Up"}
141   </button>
142 </form>
143 <p className={styles.switchText}>
144   Already have an account?
145   <Link href="/login" className={styles.switchLink}>Log In</Link>
146 </p>
147 </div>
148 </div>
149 );
150 }

```

frontend/src/app/success/page.module.css

```
1  .successPage {
2    display: flex;
3    align-items: center;
4    justify-content: center;
5    min-height: 80vh;
6    text-align: center;
7  }
8  .successCard {
9    background-color: var(--card);
10   padding: 4rem 2rem;
11   border-radius: 24px;
12   border: 1px solid var(--border);
13   max-width: 500px;
14   width: 100%;
15 }
16 .iconWrapper {
17   margin-bottom: 2rem;
18   display: flex;
19   justify-content: center;
20 }
21 .title {
22   font-size: 2rem;
23   font-weight: 900;
24   margin-bottom: 1rem;
25   letter-spacing: -0.02em;
26 }
27 .subtitle {
28   color: var(--muted);
29   margin-bottom: 3rem;
30   line-height: 1.6;
31 }
32 .homeButton {
33   background-color: var(--primary);
34   color: var(--primary-foreground);
35   padding: 1rem 2.5rem;
36   border-radius: 9999px;
37   font-weight: 800;
38   text-transform: uppercase;
39   letter-spacing: 0.05em;
40   transition: transform 0.2s;
41   display: inline-block;
42 }
43 .homeButton:hover {
44   transform: translateY(-2px);
45 }
46
47
48
49
50
51
52
```

frontend/src/app/success/page.tsx

```

1  "use client";
2  import React, { useEffect } from "react";
4  import { useCart } from "@/context/CartContext";
5  import Link from "next/link";
6  import styles from "../page.module.css";
8  export default function SuccessPage() {
9    const { clearCart } = useCart();
10   useEffect(() => {
11     // Clear the cart on successful payment landing
12     clearCart();
13   }, [clearCart]);
14   return (
15     <div className={`container ${styles.successPage}`}>
16       <div className={styles.successCard}>
17         <div className={styles.iconWrapper}>
18           <svg viewBox="0 0 24 24" width="64" height="64" fill="none" stroke="#C9FF3B"
19           strokeWidth="3" strokeLinecap="round" strokeLinejoin="round">
20             <path d="M22 11.08V12a10 10 0 1 1-5.93-9.14"></path>
21             <polyline points="22 4 12 14.01 9 11.01"></polyline>
22           </svg>
23         </div>
24         <h1 className={styles.title}>PAYMENT SUCCESSFUL!</h1>
25         <p className={styles.subtitle}>Your gear is on the way. Check your email for order
26         details.</p>
27         <Link href="/products" className={styles.homeButton}>
28           Continue Shopping
29         </Link>
30       </div>
31     </div>
32   );
33 }
34

```

frontend/src/components/FloatingTshirts.tsx

```

1  "use client";
2  import React, { useEffect, useState } from 'react';
3  import Image from 'next/image';
4  import FloatingTshirts = () => {
5    const [mousePos, setMousePos] = useState({ x: 0, y: 0 });
6    useEffect(() => {
7      const handleMouseMove = (e: MouseEvent) => {
8        // Normalize mouse position to -1 to 1
9        const x = (e.clientX / window.innerWidth) * 2 - 1;
10       const y = (e.clientY / window.innerHeight) * 2 - 1;
11       setMousePos({ x, y });
12     };
13     window.addEventListener('mousemove', handleMouseMove);
14     return () => window.removeEventListener('mousemove', handleMouseMove);
15   }, []);
16   const tshirts = [
17     { id: 1, top: '15%', left: '10%', size: 350, delay: '0s', depth: 0.5 },
18     { id: 2, top: '40%', left: '75%', size: 300, delay: '2s', depth: 0.8 },
19     { id: 3, top: '70%', left: '20%', size: 400, delay: '4s', depth: 0.3 },
20   ];
21   return (
22     <div style={{
23       position: 'fixed',
24       inset: 0,
25       zIndex: -1,
26       overflow: 'hidden',
27       pointerEvents: 'none',
28       perspective: '1000px'
29     }}>
30       {tshirts.map((t) => (
31         <div
32           key={t.id}
33           style={{
34             position: 'absolute',
35             top: t.top,
36             left: t.left,
37             width: t.size,
38             height: t.size,
39             opacity: 0.15,
40             filter: 'blur(2px)',
41             transition: 'transform 0.1s ease-out',
42             transform: `
43               translate3d(
44                 ${mousePos.x * 30 * t.depth}px,
45                 ${mousePos.y * 30 * t.depth}px,
46                 0
47               )
48               rotateY(${mousePos.x * 15}deg)
49               rotateX(${ -mousePos.y * 15}deg)
50             `
51           }}
52         >
53           <Image
54             src="/assets/tshirt.png"
55             alt="Floating T-shirt"
56             fill
57             sizes="400px"
58             style={{ objectFit: 'contain', animation: `float ${10 + t.id * 2}s infinite ease-in-out ${t.delay}` }}
59           />
60         </div>
61       ))}
62       <style jsx>{`
63         @keyframes float {
64           0%, 100% { transform: translateY(0) rotate(0deg); }
65           50% { transform: translateY(-40px) rotate(5deg); }
66         }
67       `}</style>
68     </div>
69   );
70 };
71 export default FloatingTshirts;
72

```


frontend/src/components/Footer.module.css

```

1  .footer {
2    background-color: var(--card);
3    border-top: 1px solid var(--border);
4    padding-top: 4rem;
5    margin-top: auto;
6  }
7
8  .container {
9    display: grid;
10   grid-template-columns: 1fr;
11   gap: 3rem;
12   padding-bottom: 3rem;
13 }
14
15 @media (min-width: 768px) {
16   .container {
17     grid-template-columns: 1fr 2fr;
18   }
19 }
20
21 .logo {
22   font-size: 1.5rem;
23   font-weight: 800;
24   color: var(--foreground);
25   margin-bottom: 1rem;
26 }
27
28 .tagline {
29   color: var(--muted);
30   line-height: 1.6;
31 }
32
33 .links {
34   display: grid;
35   grid-template-columns: repeat(auto-fit, minmax(120px, 1fr));
36   gap: 2rem;
37 }
38
39 .linkGroup h3 {
40   font-size: 1rem;
41   font-weight: 600;
42   margin-bottom: 1.5rem;
43   color: var(--foreground);
44 }
45
46 .linkGroup a {
47   display: block;
48   color: var(--muted);
49   margin-bottom: 0.75rem;
50   font-size: 0.875rem;
51 }
52
53 .linkGroup a:hover {
54   color: var(--primary);
55 }
56
57 .bottom {
58   border-top: 1px solid var(--border);
59   padding: 1.5rem 0;
60   text-align: center;
61   color: var(--muted);
62   font-size: 0.875rem;
63 }
64

```

frontend/src/components/Footer.tsx

```

1  import React from "react";
2  import Link from "next/link";
3  import styles from "../Footer.module.css";
4  export default function Footer() {
5    return (
6      <footer className={styles.footer}>
7        <div className={`container ${styles.container}`}>
8          <div className={styles.brand}>
9            <h2 className={styles.logo}>TERRA FIT</h2>
10           <p className={styles.tagline}>Premium activewear for the modern athlete.</p>
11         </div>
12         <div className={styles.links}>
13           <div className={styles.linkGroup}>
14             <h3>Shop</h3>
15             <Link href="/products?category=Shoes">Shoes</Link>
16             <Link href="/products?category=Apparel">Apparel</Link>
17             <Link href="/products">All Gear</Link>
18           </div>
19           <div className={styles.linkGroup}>
20             <h3>Support</h3>
21             <Link href="/faq">FAQ</Link>
22           </div>
23           <div className={styles.linkGroup}>
24             <h3>Contact</h3>
25             <Link href="/contact" className={styles.contactLink}>Email</Link>
26             <a href="https://wa.me/919567232977" target="_blank" rel="noopener noreferrer"
27               className={styles.contactLink}>WhatsApp</a>
28             <a href="https://www.instagram.com/sooryah__h/?__pwa=1#" target="_blank"
29               rel="noopener noreferrer" className={styles.contactLink}>Instagram</a>
30           </div>
31         </div>
32         <div className={styles.bottom}>
33           <p>&copy; {new Date().getFullYear()} Terra Fit. All rights reserved.</p>
34         </div>
35       </footer>
36     );
37   }
38 }

```

frontend/src/components/GalaxyBackground.tsx

```

1  "use client";
2  import React, { useEffect, useRef } from 'react';
3  const GalaxyBackground: React.FC = () => {
4    const canvasRef = useRef<HTMLCanvasElement>(null);
5    useEffect(() => {
6      const canvas = canvasRef.current;
7      if (!canvas) return;
8      const ctx = canvas.getContext('2d');
9      if (!ctx) return;
10     let animationFrameId: number;
11     let particles: Particle[] = [];
12     let mouse = { x: -1000, y: -1000 };
13     const resize = () => {
14       canvas.width = window.innerWidth;
15       canvas.height = window.innerHeight;
16       initParticles();
17     };
18     class Particle {
19       x: number;
20       y: number;
21       baseX: number;
22       baseY: number;
23       size: number;
24       color: string;
25       density: number;
26       angle: number;
27       velocity: number;
28       constructor(x: number, y: number) {
29         this.x = x;
30         this.y = y;
31         this.baseX = x;
32         this.baseY = y;
33         this.size = Math.random() * 2 + 0.5;
34         this.density = (Math.random() * 30) + 1;
35         this.angle = Math.random() * Math.PI * 2;
36         this.velocity = Math.random() * 0.02 + 0.005;
37         // Galaxy colors: blues, purples, cyans
38         const colors = ['#00d2ff', '#3a7bd5', '#bb67ff', '#c9ff3b', '#ffffff'];
39         this.color = colors[Math.floor(Math.random() * colors.length)];
40       }
41       draw() {
42         if (!ctx) return;
43         ctx.fillStyle = this.color;
44         ctx.beginPath();
45         ctx.arc(this.x, this.y, this.size, 0, Math.PI * 2);
46         ctx.closePath();
47         ctx.fill();
48       }
49       update(time: number) {
50         // Organic Wave Movement (layered sine functions)
51         const waveX = Math.sin(time * 0.001 + this.angle) * 20;
52         const waveY = Math.cos(time * 0.0005 + this.angle) * 50;
53
54         // Target position based on waves
55         let targetX = this.baseX + waveX;
56         let targetY = this.baseY + waveY;
57         // Mouse Interaction (Repel)
58         let dx = mouse.x - this.x;
59         let dy = mouse.y - this.y;
60         let distance = Math.sqrt(dx * dx + dy * dy);
61         let forceDirectionX = dx / distance;
62         let forceDirectionY = dy / distance;
63         let maxDistance = 150;
64         let force = (maxDistance - distance) / maxDistance;
65         let directionX = forceDirectionX * force * this.density;
66         let directionY = forceDirectionY * force * this.density;
67         if (distance < maxDistance) {
68           this.x -= directionX;
69           this.y -= directionY;
70         } else {
71           // Slowly return to base wave position
72           if (this.x !== targetX) {
73             let dx = this.x - targetX;
74             this.x -= dx / 20;
75           }
76           if (this.y !== targetY) {
77             let dy = this.y - targetY;
78             this.y -= dy / 20;
79           }
80         }
81       }
82     }
83     initParticles();
84   });
85   function initParticles() {
86     for (let i = 0; i < 100; i++) {
87       particles.push(new Particle(Math.random() * 1000, Math.random() * 1000));
88     }
89   }
90 }
91

```

frontend/src/components/GalaxyBackground.tsx (continued)

```

95   }
96   const initParticles = () => {
97     particles = [];
98     const numberOfParticles = (canvas.width * canvas.height) / 1500;
99     for (let i = 0; i < numberOfParticles; i++) {
100       const x = Math.random() * canvas.width;
101       const y = Math.random() * canvas.height;
102       particles.push(new Particle(x, y));
103     }
104   };
105   const animate = (time: number) => {
106     ctx.fillStyle = 'rgba(9, 9, 11, 0.2)'; // Fading trail effect for motion blur
107     ctx.fillRect(0, 0, canvas.width, canvas.height);
108     // Apply hue rotation for "living" feel
109     canvas.style.filter = `hue-rotate(${time * 0.01}deg)`;
110     particles.forEach(particle => {
111       particle.update(time);
112       particle.draw();
113     });
114     animationFrameId = requestAnimationFrame(animate);
115   };
116   const handleMouseMove = (e: MouseEvent) => {
117     mouse.x = e.clientX;
118     mouse.y = e.clientY;
119   };
120   window.addEventListener('resize', resize);
121   window.addEventListener('mousemove', handleMouseMove);
122
123   resize();
124   animate(0);
125   return () => {
126     window.removeEventListener('resize', resize);
127     window.removeEventListener('mousemove', handleMouseMove);
128     cancelAnimationFrame(animationFrameId);
129   };
130 }, []);
131 return (
132   <canvas
133     ref={canvasRef}
134     style={{
135       position: 'fixed',
136       top: 0,
137       left: 0,
138       width: '100%',
139       height: '100%',
140       zIndex: -1,
141       background: '#090911',
142       pointerEvents: 'none' // Allow clicking through to the site
143     }}
144   />
145 );
146 };
147 export default GalaxyBackground;
148

```

frontend/src/components/Navbar.module.css

```

1  .header {
2    position: sticky;
3    top: 0;
4    z-index: 50;
5    background-color: rgba(15, 16, 20, 0.8);
6    backdrop-filter: blur(12px);
7    border-bottom: 1px solid var(--border);
8  }
9  .navContainer {
10   display: flex;
11   align-items: center;
12   justify-content: space-between;
13   height: 4rem;
14 }
15 .logo {
16   font-size: 1.5rem;
17   font-weight: 800;
18   letter-spacing: -0.05em;
19   color: var(--primary);
20   text-transform: uppercase;
21   text-shadow: var(--neon-glow);
22 }
23 .navLinks {
24   display: none;
25   gap: 2rem;
26 }
27 @media (min-width: 768px) {
28   .navLinks {
29     display: flex;
30   }
31 }
32 .link {
33   font-size: 0.875rem;
34   font-weight: 600;
35   color: var(--muted);
36   text-transform: uppercase;
37   letter-spacing: 0.1em;
38   transition: all 0.3s ease;
39 }
40 .link:hover {
41   color: var(--primary);
42   text-shadow: var(--neon-glow);
43 }
44 .cartContainer {
45   display: flex;
46   align-items: center;
47   gap: 1.5rem;
48 }
49 .loginLink {
50   font-size: 0.875rem;
51   font-weight: 600;
52   color: var(--foreground);
53   text-transform: uppercase;
54   letter-spacing: 0.05em;
55   padding: 0.5rem 1rem;
56   border: 1px solid var(--border);
57   border-radius: 9999px;
58   transition: all 0.2s ease;
59 }
60 .loginLink:hover {
61   background-color: var(--primary);
62   color: var(--primary-foreground);
63   border-color: var(--primary);
64 }
65 .userMenu {
66   display: flex;
67   align-items: center;
68   gap: 0.75rem;
69 }
70 .userName {
71   font-size: 0.875rem;
72   font-weight: 600;
73   color: var(--primary);
74   text-shadow: 0 0 8px rgba(201, 255, 59, 0.4);
75   letter-spacing: 0.03em;
76 }
77 .logoutButton {
78   font-size: 0.8rem;
79   font-weight: 600;
80   color: var(--muted);
81   text-transform: uppercase;
82 }

```

frontend/src/components/Navbar.module.css (continued)

```

94     letter-spacing: 0.05em;
95     padding: 0.4rem 0.9rem;
96     border: 1px solid var(--border);
97     border-radius: 9999px;
98     background: none;
99     cursor: pointer;
100    transition: all 0.2s ease;
101  }
102  .logoutButton:hover {
103    color: #ef4444;
104    border-color: #ef4444;
105    box-shadow: 0 0 10px rgba(239, 68, 68, 0.2);
106  }
107  .cartButton {
108    position: relative;
109    display: flex;
110    align-items: center;
111    justify-content: center;
112    width: 2.5rem;
113    height: 2.5rem;
114    color: var(--foreground);
115  }
116  .cartButton:hover {
117    color: var(--primary);
118  }
119  .cartBadge {
120    position: absolute;
121    top: 0;
122    right: -4px;
123    background-color: var(--primary);
124    color: var(--primary-foreground);
125    font-size: 0.75rem;
126    font-weight: 700;
127    width: 1.25rem;
128    height: 1.25rem;
129    display: flex;
130    align-items: center;
131    justify-content: center;
132    border-radius: 9999px;
133  }
134  .searchContainer {
135    display: none;
136    flex: 1;
137    max-width: 400px;
138    margin: 0 2rem;
139  }
140  @media (min-width: 1024px) {
141    .searchContainer {
142      display: block;
143    }
144  }
145  .searchWrapper {
146    position: relative;
147    display: flex;
148    align-items: center;
149    background: rgba(255, 255, 255, 0.05);
150    backdrop-filter: blur(10px);
151    border-radius: 999px;
152    padding: 0.5rem 1rem;
153    border: 1px solid rgba(255, 255, 255, 0.1);
154    transition: all 0.3s cubic-bezier(0.25, 0.8, 0.25, 1);
155  }
156  .searchInput {
157    background: none;
158    border: none;
159    color: #fff;
160    width: 100%;
161    padding-left: 2rem;
162    font-size: 0.9rem;
163    font-family: inherit;
164    outline: none;
165    position: relative;
166    z-index: 10;
167  }
168  .searchInput::placeholder {
169    color: rgba(255, 255, 255, 0.3);
170  }
171  .searchIcon {
172    position: absolute;
173    left: 0.8rem;
174    color: rgba(255, 255, 255, 0.4);

```

frontend/src/components/Navbar.module.css (continued)

```

185     transition: all 0.3s;
186   }
187   .searchBorder {
188     position: absolute;
189     inset: -1px;
190     border-radius: 999px;
191     padding: 1px;
192     background: linear-gradient(90deg, var(--primary), #3a7bd5, #bb67ff, var(--primary));
193     background-size: 300% 100%;
194     -webkit-mask:
195       linear-gradient(#fff 0 0) content-box,
196       linear-gradient(#fff 0 0);
197     -webkit-mask-composite: xor;
198     mask-composite: exclude;
199     opacity: 0;
200     transition: opacity 0.3s;
201     animation: borderRotate 4s linear infinite;
202     pointer-events: none;
203   }
204 }
205 .searchWrapper:focus-within {
206   background: rgba(255, 255, 255, 0.08);
207   border-color: transparent;
208   transform: translateY(-1px);
209   box-shadow: 0 10px 30px rgba(0, 0, 0, 0.5);
210 }
211 .searchWrapper:focus-within .searchBorder {
212   opacity: 1;
213 }
214 .searchWrapper:focus-within .searchIcon {
215   color: var(--primary);
216   filter: drop-shadow(0 0 5px var(--primary));
217 }
218 @keyframes borderRotate {
219   0% { background-position: 0% 50%; }
220   100% { background-position: 300% 50%; }
221 }

```

frontend/src/components/Navbar.tsx

```

1  "use client";
2  import React, { useEffect, useState } from "react";
3  import Link from "next/link";
4  import { useRouter } from "next/navigation";
5  import { useCart } from "@context/CartContext";
6  import styles from "../Navbar.module.css";
7  export default function Navbar() {
8      const { cartCount } = useCart();
9      const router = useRouter();
10     const [user, setUser] = useState<{ name: string } | null>(null);
11     const [searchQuery, setSearchQuery] = useState("");
12     const handleSearch = (e: React.KeyboardEvent<HTMLInputElement>) => {
13         if (e.key === "Enter" && searchQuery.trim()) {
14             router.push(`/products?search=${encodeURIComponent(searchQuery.trim())}`);
15         }
16     };
17     useEffect(() => {
18         // Check localStorage for logged-in user on mount
19         const stored = localStorage.getItem("user");
20         if (stored) {
21             try {
22                 setUser(JSON.parse(stored));
23             } catch {
24                 setUser(null);
25             }
26         }
27         // Listen for storage changes (e.g. login from another tab)
28         const handleStorage = () => {
29             const s = localStorage.getItem("user");
30             setUser(s ? JSON.parse(s) : null);
31         };
32         window.addEventListener("storage", handleStorage);
33         return () => window.removeEventListener("storage", handleStorage);
34     }, []);
35     const handleLogout = () => {
36         localStorage.removeItem("token");
37         localStorage.removeItem("user");
38         setUser(null);
39         router.push("/");
40     };
41     return (
42         <header className={styles.header}>
43             <div className={`container ${styles.navContainer}`}>
44                 <Link href="/" className={styles.logo}>
45                     TERRA FIT
46                 </Link>
47                 <div className={styles.searchContainer}>
48                     <div className={styles.searchWrapper}>
49                         <input
50                             type="text"
51                             placeholder="Search drops..."
52                             className={styles.searchInput}
53                             value={searchQuery}
54                             onChange={(e) => setSearchQuery(e.target.value)}
55                             onKeyDown={handleSearch}
56                         />
57                         <div className={styles.searchBorder}></div>
58                         <svg className={styles.searchIcon} xmlns="http://www.w3.org/2000/svg" width="18"
59                             height="18" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"
60                             strokeLinecap="round" strokeLinejoin="round">
61                             <circle cx="11" cy="11" r="8"/><line x1="21" y1="21" x2="16.65" y2="16.65"/>
62                         </svg>
63                     </div>
64                 </div>
65                 <nav className={styles.navLinks}>
66                     <Link href="/products?category=Shoes" className={styles.link}>SHOES</Link>
67                     <Link href="/products?category=Apparel" className={styles.link}>APPAREL</Link>
68                     <Link href="/products" className={styles.link}>ALL GEAR</Link>
69                 </nav>
70                 <div className={styles.cartContainer}>
71                     {user ? (
72                         <div className={styles.userMenu}>
73                             <span className={styles.userName}>?? {user.name.split(" ")[0]}</span>
74                             <button onClick={handleLogout} className={styles.logoutButton}>
75                                 Logout
76                             </button>
77                         </div>
78                     ) : (
79                         <Link href="/login" className={styles.loginLink}>
80                             Login
81                         </Link>
82                     )}
83                 </div>
84             </div>
85         </header>
86     );
87 }

```


frontend/src/components/Navbar.tsx (continued)

```

88     })
89     <Link href="/cart" className={styles.cartButton}>
90       <svg
91         xmlns="http://www.w3.org/2000/svg"
92         width="24"
93         height="24"
94         viewBox="0 0 24 24"
95         fill="none"
96         stroke="currentColor"
97         strokeWidth="2"
98         strokeLinecap="round"
99         strokeLinejoin="round"
100       >
101         <circle cx="8" cy="21" r="1" />
102         <circle cx="19" cy="21" r="1" />
103         <path d="M2.05 2.05h2l2.66 12.42a2 2 0 0 2 1.58h9.78a2 2 0 0 0
104           1.95-1.57l1.65-7.43H5.12" />
105       </svg>
106       {cartCount > 0 && <span className={styles.cartBadge}>{cartCount}</span>}
107     </Link>
108   </div>
109 </header>
110 );
111 }
112

```

frontend/src/components/ProductCard.module.css

```

1  .card {
2    display: flex;
3    flex-direction: column;
4    background-color: rgba(18, 18, 20, 0.7);
5    border: 1px solid rgba(255, 255, 255, 0.05);
6    border-radius: 16px;
7    overflow: hidden;
8    transition: all 0.4s cubic-bezier(0.25, 0.8, 0.25, 1);
9    height: 100%;
10   backdrop-filter: blur(10px);
11 }
12 .card:hover {
13   transform: translateY(-8px) scale(1.02);
14   border-color: rgba(201, 255, 59, 0.5);
15   box-shadow: 0 15px 35px -10px rgba(0, 0, 0, 0.8), 0 0 20px rgba(201, 255, 59, 0.15);
16 }
17 .imageLink {
18   position: relative;
19   width: 100%;
20   aspect-ratio: 1 / 1;
21   overflow: hidden;
22   display: block;
23 }
24 .imageContainer {
25   position: relative;
26   width: 100%;
27   height: 100%;
28   background-color: #000;
29 }
30 .image {
31   object-fit: cover;
32   transition: transform 0.6s cubic-bezier(0.25, 0.8, 0.25, 1), filter 0.6s;
33   filter: contrast(1.1) brightness(0.9) grayscale(20%);
34 }
35 .card:hover .image {
36   transform: scale(1.1);
37   filter: contrast(1.2) brightness(1) grayscale(0%);
38 }
39 .content {
40   padding: 1.5rem;
41   display: flex;
42   flex-direction: column;
43   flex-grow: 1;
44   background: linear-gradient(to top, rgba(9, 9, 11, 0.9) 0%, transparent 100%);
45 }
46 .category {
47   font-size: 0.75rem;
48   font-weight: 700;
49   text-transform: uppercase;
50   letter-spacing: 0.1em;
51   color: var(--primary);
52   margin-bottom: 0.5rem;
53   text-shadow: 0 0 10px rgba(201, 255, 59, 0.4);
54 }
55 .titleLink {
56   text-decoration: none;
57   color: inherit;
58   margin-bottom: 0.75rem;
59   display: block;
60 }
61 .title {
62   font-size: 1.25rem;
63   font-weight: 800;
64   line-height: 1.2;
65   transition: color 0.3s;
66   text-transform: uppercase;
67   letter-spacing: -0.02em;
68 }
69 .card:hover .title {
70   color: var(--primary);
71   text-shadow: 0 0 10px rgba(201, 255, 59, 0.3);
72 }
73 .price {
74   font-size: 1.125rem;
75   font-weight: 600;
76   color: var(--foreground);
77   margin-top: auto;
78   opacity: 0.9;
79 }
80
81
82
83
84
85
86
87
88
89
90
91

```

frontend/src/components/ProductCard.tsx

```

1  import React from "react";
2  import Link from "next/link";
3  import { Product } from "@/data/products";
4  import styles from "./ProductCard.module.css";
5  import Image from "next/image";
6  export default function ProductCard({ product }: { product: Product }) {
7    return (
8      <div className={styles.card}>
9        <Link href={` /products/${product.id}`} className={styles.imageLink}>
10          <div className={styles.imageContainer}>
11            <Image
12              src={product.image}
13              alt={product.name}
14              fill
15              className={styles.image}
16              sizes="(max-width: 768px) 100vw, (max-width: 1200px) 50vw, 33vw"
17            />
18          </div>
19        </Link>
20        <div className={styles.content}>
21          <div className={styles.category}>{product.category}</div>
22          <Link href={` /products/${product.id}`} className={styles.titleLink}>
23            <h3 className={styles.title}>{product.name}</h3>
24          </Link>
25          <p className={styles.price}>?{product.price.toFixed(2)}</p>
26        </div>
27      </div>
28    );
29  }
30
31

```

frontend/src/components/WaveBackground.tsx

```
1 import React from 'react';
2 const WaveBackground = () => {
3   return (
4     <div className="waveBackground">
5       <div className="wave wave1"></div>
6       <div className="wave wave2"></div>
7       <div className="wave wave3"></div>
8     </div>
9   );
10 };
11 export default WaveBackground;
```

frontend/src/context/CartContext.tsx

```

1  "use client";
2  import React, { createContext, useContext, useState, useEffect, ReactNode } from "react";
3  export interface CartItem {
4    id: string;
5    name: string;
6    price: number;
7    image: string;
8    quantity: number;
9    size?: string;
10 }
11
12 interface CartContextType {
13   cart: CartItem[];
14   addToCart: (item: CartItem) => void;
15   updateQuantity: (id: string, size: string | undefined, quantity: number) => void;
16   removeFromCart: (id: string, size: string | undefined) => void;
17   clearCart: () => void;
18   cartTotal: number;
19   cartCount: number;
20 }
21
22 const CartContext = createContext<CartContextType | undefined>(undefined);
23 export function CartProvider({ children }: { children: ReactNode }) {
24   const [cart, setCart] = useState<CartItem[]>([]);
25   const [isMounted, setIsMounted] = useState(false);
26   useEffect(() => {
27     setIsMounted(true);
28     const savedCart = localStorage.getItem("terrafit_cart");
29     if (savedCart) {
30       try {
31         setCart(JSON.parse(savedCart));
32       } catch (e) {
33         console.error("Failed to parse cart from local storage", e);
34       }
35     }
36   }, []);
37   useEffect(() => {
38     if (isMounted) {
39       localStorage.setItem("terrafit_cart", JSON.stringify(cart));
40     }
41   }, [cart, isMounted]);
42   const addToCart = (newItem: CartItem) => {
43     setCart((prev) => {
44       const existingItemIndex = prev.findIndex(
45         (item) => item.id === newItem.id && item.size === newItem.size
46       );
47       if (existingItemIndex >= 0) {
48         const updated = [...prev];
49         updated[existingItemIndex].quantity += newItem.quantity;
50         return updated;
51       }
52       return [...prev, newItem];
53     });
54   };
55   const updateQuantity = (id: string, size: string | undefined, quantity: number) => {
56     setCart((prev) =>
57       prev.map((item) =>
58         item.id === id && item.size === size ? { ...item, quantity } : item
59       )
60     );
61   };
62   const removeFromCart = (id: string, size: string | undefined) => {
63     setCart((prev) => prev.filter((item) => !(item.id === id && item.size === size)));
64   };
65   const clearCart = () => setCart([]);
66   const cartTotal = cart.reduce((total, item) => total + item.price * item.quantity, 0);
67   const cartCount = cart.reduce((count, item) => count + item.quantity, 0);
68   return (
69     <CartContext.Provider
70       value={{ cart, addToCart, updateQuantity, removeFromCart, clearCart, cartTotal,
71         cartCount }}
72     >
73       {children}
74     </CartContext.Provider>
75   );
76 }
77 export function useCart() {
78   const context = useContext(CartContext);
79   if (context === undefined) {
80     throw new Error("useCart must be used within a CartProvider");
81   }
82   return context;
83 }

```

frontend/src/data/products.ts

```

1  export interface Product {
2      id: string;
3      name: string;
4      price: number;
5      category: "Men's" | "Women's" | string;
6      image: string;
7      description: string;
8      sizes?: string[];
9  }
10 export const mockProducts: Product[] = [
11     {
12         id: "s1",
13         name: "Void-Runner X1",
14         price: 8999,
15         category: "Shoes",
16         image: "https://images.unsplash.com/photo-1542291026-7eec264c27ff?
17 q=80&w=1000&auto=format&fit=crop",
18         description: "Ultra-lightweight runners featuring a neon-green outsole for maximum
19 aesthetic. Pairs perfectly with our performance T-shirts.",
20         sizes: ["UK 7", "UK 8", "UK 9", "UK 10", "UK 11"],
21     },
22     {
23         id: "s2",
24         name: "Aero-Glow Trainers",
25         price: 7999,
26         category: "Shoes",
27         image: "https://images.unsplash.com/photo-1543163521-1bf539c55dd2?
28 q=80&w=1000&auto=format&fit=crop",
29         description: "High-intensity training shoes with dynamic reactive cushioning. Best worn
30 with our reactive T-shirts.",
31         sizes: ["UK 4", "UK 5", "UK 6", "UK 7", "UK 8"],
32     },
33     {
34         id: "s3",
35         name: "Nike Air Max 1 Premium ?Escape?",
36         price: 18000,
37         category: "Shoes",
38         image: "/images/products/Nike-Air-Max-1-Premium-Escape-.jpg",
39         description: "Premium leather and mesh upper with classic Air Max cushioning. A great match
40 for any T-shirt.",
41         sizes: ["UK 7", "UK 8", "UK 9", "UK 10"],
42     },
43     {
44         id: "s4",
45         name: "Shoetopia Brown Leather Ankle Boots",
46         price: 1200,
47         category: "Shoes",
48         image: "/images/products/Shoetopia-Brown-Leather-Ankle-Boots-Side-Zip-Block-Heel-.jpg",
49         description: "Stylish brown leather ankle boots with side zip and block heel.",
50         sizes: ["UK 5", "UK 6", "UK 7", "UK 8"],
51     },
52     {
53         id: "s5",
54         name: "Nike Air Max 90 Ultra 2.0 Flyknit ?Rough Green & Dark Grey?",
55         price: 16500,
56         category: "Shoes",
57         image: "/images/products/Nike-Air-Max-90-Ultra-2.0-Flyknit-Rough-Green-Dark-Grey-.jpg",
58         description: "Lightweight Flyknit upper with the iconic Air Max 90 silhouette.",
59         sizes: ["UK 8", "UK 9", "UK 10", "UK 11"],
60     },
61     {
62         id: "s6",
63         name: "Nike Air Force 1 Low ?Easter Multi Pastel? IB4493?252",
64         price: 12500,
65         category: "Shoes",
66         image: "/images/products/Nike-Air-Force-1-Low-Easter-Multi-Pastel-IB4493-252-.jpg",
67         description: "Vibrant pastel colors on the classic Air Force 1 Low silhouette.",
68         sizes: ["UK 6", "UK 7", "UK 8", "UK 9"],
69     },
70     {
71         id: "s7",
72         name: "Nike Fly.By Mid 3 Basketball Shoes Black/White",
73         price: 5500,
74         category: "Shoes",
75         image: "/images/products/Nike-Fly.By-Mid-3-Basketball-Shoes-BlackWhite-.jpg",
76         description: "High-performance basketball shoes with excellent ankle support.",
77         sizes: ["UK 8", "UK 9", "UK 10", "UK 11", "UK 12"],
78     },
79     {
80         id: "s8",
81         name: "Nike Air Max 1 Essential White/Grey/Green",

```

frontend/src/data/products.ts (continued)

```

78     price: 11900,
79     category: "Shoes",
80     image: "/images/products/Nike-Air-Max-1-Essential-WhiteGreyGreen-.jpg",
81     description: "Classic Air Max 1 in a clean white, grey, and green colorway.",
82     sizes: ["UK 7", "UK 8", "UK 9", "UK 10"],
83   },
84   {
85     id: "s9",
86     name: "Converse Chuck Taylor All Star High Top Red Canvas",
87     price: 5500,
88     category: "Shoes",
89     image: "/images/products/Converse-Chuck-Taylor-All-Star-High-Top-Red-Canvas-.jpg",
90     description: "The iconic high-top sneaker in classic red canvas.",
91     sizes: ["UK 4", "UK 5", "UK 6", "UK 7", "UK 8", "UK 9", "UK 10"],
92   },
93   {
94     id: "s10",
95     name: "Nike Air Force 1 '07 Leather 'Black/White Panda' Special Edition",
96     price: 10200,
97     category: "Shoes",
98     image: "/images/products/Nike-Air-Force-1-07-Leather-BlackWhite-Panda-Special-Edition.jpg",
99     description: "Special edition Panda colorway for the legendary Air Force 1.",
100    sizes: ["UK 7", "UK 8", "UK 9", "UK 10", "UK 11"],
101  },
102  {
103    id: "s11",
104    name: "Off-White x Nike Air Force 1 Low 'Lemonade' DD1876-700",
105    price: 85000,
106    category: "Shoes",
107    image: "/images/products/Off-White-x-Nike-Air-Force-1-Low-Lemonade-DD1876-700-.jpg",
108    description: "Exclusive collaboration between Off-White and Nike in a bold Lemonade
colorway.",
109    sizes: ["UK 8", "UK 9", "UK 10"],
110  },
111  {
112    id: "s12",
113    name: "New Balance 327 'Deep Olive Green' MS327WG",
114    price: 12500,
115    category: "Shoes",
116    image: "/images/products/New-Balance-327-Deep-Olive-Green-MS327WG-.jpg",
117    description: "70s-inspired lifestyle sneaker with a modern twist in Deep Olive Green.",
118    sizes: ["UK 7", "UK 8", "UK 9", "UK 10"],
119  },
120  {
121    id: "s13",
122    name: "Nike Air Max Plus Black Mesh Customizable",
123    price: 14500,
124    category: "Shoes",
125    image: "/images/products/Nike-Air-Max-Plus-Black-Mesh-Customizable-.jpg",
126    description: "Tuned Air experience with a breathable black mesh upper.",
127    sizes: ["UK 7", "UK 8", "UK 9", "UK 10", "UK 11"],
128  },
129  {
130    id: "a1",
131    name: "Cyber-Mesh Neon Jacket",
132    price: 15999,
133    category: "Apparel",
134    image: "https://images.unsplash.com/photo-1591047139829-d91aecb6caea?
q=80&w=1000&auto=format&fit=crop",
135    description: "A futuristic lightweight jacket with reflective neon trims and mesh
breathability.",
136    sizes: ["S", "M", "L", "XL"],
137  },
138  {
139    id: "a2",
140    name: "Pulse Reactive Joggers",
141    price: 3999,
142    category: "Apparel",
143    image: "https://images.unsplash.com/photo-1483985988355-763728e1935b?
q=80&w=1000&auto=format&fit=crop",
144    description: "High-performance joggers designed for dynamic movement.",
145    sizes: ["M", "L", "XL"],
146  },
147  {
148    id: "a4",
149    name: "Urban Ink Black T-shirt",
150    price: 2499,
151    category: "Apparel",
152    image: "/images/products/ryan-grice-VKDzcs8kD8E-unsplash.jpg",
153    description: "A premium heavyweight cotton T-shirt with a minimalist urban aesthetic.
Perfect for street style.",

```

frontend/src/data/products.ts (continued)

```

154     sizes: ["S", "M", "L", "XL"],
155   },
156   {
157     id: "a5",
158     name: "Striker Pro Red Jersey T-shirt",
159     price: 3499,
160     category: "Apparel",
161     image: "/images/products/mohamed-elwaid-88gDjedDgkA-unsplash.jpg",
162     description: "High-performance sports jersey T-shirt with bold red and black stripes. Breathable and reactive.",
163     sizes: ["M", "L", "XL"],
164   },
165   {
166     id: "a6",
167     name: "Obsidian Urban Button-Down T-shirt",
168     price: 4999,
169     category: "Apparel",
170     image: "/images/products/marcel-j-uWrCdB5sM-unsplash.jpg",
171     description: "Sleek obsidian black button-down shirt-style T-shirt. Versatile for both casual and semi-formal wear.",
172     sizes: ["S", "M", "L", "XL"],
173   },
174   {
175     id: "a7",
176     name: "Street Graphics T-shirt",
177     price: 2199,
178     category: "Apparel",
179     image: "/images/products/bandar-baant-cxQqh5FQt6g-unsplash.jpg",
180     description: "Express your urban identity with this graphic T-shirt featuring underground street art designs.",
181     sizes: ["S", "M", "L", "XL"],
182   },
183   {
184     id: "a8",
185     name: "On Air Always Extra T-shirt",
186     price: 2299,
187     category: "Apparel",
188     image: "/images/products/bandar-baant-ex0SV3fS-QY-unsplash.jpg",
189     description: "The 'On Air Always Extra' signature T-shirt. A bold statement piece for the modern hypebeast.",
190     sizes: ["S", "M", "L", "XL"],
191   },
192   {
193     id: "a9",
194     name: "Concrete Basics Gray T-shirt",
195     price: 1899,
196     category: "Apparel",
197     image: "/images/products/taylor-dG4Eb_oC5iM-unsplash.jpg",
198     description: "Ultra-soft gray marl T-shirt. An essential base layer for any high-end streetwear outfit.",
199     sizes: ["S", "M", "L", "XL"],
200   },
201   {
202     id: "a10",
203     name: "Arch Logo Purple Crewneck T-shirt",
204     price: 3199,
205     category: "Apparel",
206     image: "/images/products/kevin-gil-musngi-7JmhXPtW5Co-unsplash.jpg",
207     description: "Vibrant purple crewneck T-shirt featuring the iconic embroidered Arch brand logo.",
208     sizes: ["S", "M", "L", "XL"],
209   },
210   {
211     id: "a11",
212     name: "Metro Gray Urban T-shirt",
213     price: 1999,
214     category: "Apparel",
215     image: "/images/products/arrul-lin-sYhUhse5uT8-unsplash.jpg",
216     description: "A refined gray urban T-shirt with a modern silhouette and premium fabric finish.",
217     sizes: ["S", "M", "L", "XL"],
218   },
219 ];
220 export async function getProducts(): Promise<Product[]> {
221   const apiUrl = process.env.NEXT_PUBLIC_API_URL || "http://localhost:5000";
222
223   try {
224     const res = await fetch(`${apiUrl}/api/products`, {
225       cache: 'no-store'
226     });
227   }
228 }

```


frontend/src/data/products.ts (continued)

```

229     if (!res.ok) {
230       console.warn(`?? Backend returned ${res.status}. Falling back to mock data.`);
231       return mockProducts;
232     }
233
234     const data = await res.json();
235
236     if (data && data.length > 0) {
237       return data.map((item: any) => ({
238         id: item._id?.toString() || item.id,
239         name: item.name || 'Unnamed Product',
240         price: item.price || 0,
241         image: item.image || 'https://images.unsplash.com/photo-1591047139829-d91aecb6caea?q=80&w=800&auto=format&fit=crop',
242         category: item.category === 'Men' || item.category === 'Mens' ? "Men's" :
243           item.category === 'Women' || item.category === 'Womens' ? "Women's" :
244           item.category === 'Shoes' ? "Shoes" :
245           item.category === 'Watches' ? "Watches" :
246           item.category === 'Apparel' ? "Apparel" : item.category || "Apparel",
247         description: item.description || 'Premium aesthetic clothing.',
248         sizes: Array.isArray(item.sizes) ? item.sizes :
249           (typeof item.sizes === 'string' ? (() => {
250             try { return JSON.parse(item.sizes); } catch(e) { return ["S", "M", "L"]; }
251           })() : ["S", "M", "L"]),
252       }));
253     }
254
255     return mockProducts;
256   } catch (error) {
257     console.error(`? Failed to load products from backend:`, error);
258     return mockProducts;
259   }
260 }
261
262 export async function getProductById(id: string): Promise<Product | undefined> {
263   const products = await getProducts();
264   return products.find(p => p.id === id);
265 }
266

```

frontend/tsconfig.json

```
1  {
2    "compilerOptions": {
3      "target": "ES2017",
4      "lib": ["dom", "dom.iterable", "esnext"],
5      "allowJs": true,
6      "skipLibCheck": true,
7      "strict": true,
8      "noEmit": true,
9      "esModuleInterop": true,
10     "module": "esnext",
11     "moduleResolution": "bundler",
12     "resolveJsonModule": true,
13     "isolatedModules": true,
14     "jsx": "react-jsx",
15     "incremental": true,
16     "plugins": [
17       {
18         "name": "next"
19       }
20     ],
21     "paths": {
22       "@/*": [".src/*"]
23     }
24   },
25   "include": [
26     "next-env.d.ts",
27     "**/*.ts",
28     "**/*.tsx",
29     ".next/types/**/*.ts",
30     ".next/dev/types/**/*.ts",
31     "**/*.mts"
32   ],
33   "exclude": ["node_modules"]
34 }
35
```

README.md

```

1  # Terra Fit ? Premium Clothing Store
2  A full-stack eCommerce web app for Men's & Women's streetwear with neon aesthetics.
3  ## Tech Stack
4  - **Frontend:** Next.js 16, React, TypeScript, CSS Modules
5  - **Backend:** Node.js, Express, MongoDB (Mongoose)
6  - **Auth:** JWT + bcrypt
7  - **Payments:** Razorpay
8  ## Project Structure
9  \
10 \
11 TerraFitBackend/
12   ??? backend/      ? Express API server
13   ?   ??? models/    ? MongoDB schemas (User, Product)
14   ?   ??? routes/    ? API routes (auth, products, orders)
15   ?   ??? server.js  ? Entry point
16   ??? frontend/     ? Next.js app
17     ??? src/
18       ??? app/       ? Pages (home, products, cart, checkout, login, register)
19       ??? components/ ? Navbar, Footer, ProductCard
20       ??? context/    ? CartContext (localStorage)
21       ??? data/       ? Product data + API fetch
22     ...
23 ## Running Locally
24 ### Backend
25 \ bash
26 cd backend
27 npm install
28 npm start
29 \
30 ### Frontend
31 \ bash
32 cd frontend
33 npm install
34 npm run dev
35 \
36 Open [http://localhost:3000](http://localhost:3000)
37
38
39
40
41
42
43
44
45

```