

Soowan's Algorithm - Python

Required .csv Files:

- **peaks_pre0316.csv** → to automatically synchronize clapping peaks
- **peaks_post0316.csv** → to automatically synchronize clapping peaks
- **bootcamp.csv** → to rename 'BC#' to 'BC#-Exercise' files
- **power.csv** → to rename 'Power1' & 'Power2' to 'PowerR' or 'PowerL' files

Objective 1

OBJECTIVE 1 → CLEAN (BB & BC & SCA)

MANUAL CLEAN: FOR PARTICIPANT → ALL GAMES (BB & BC & SCA)

1. Data File Name → Before Clean

- /Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/OP_0601_P28
 - OP (Bootle Blast): 20230601-Power1-Data.csv
 - OP (Boot Camp): 20230601-BC1-Data.csv
 - OP (Clinical): 20230601-Single1-Data.csv
- /Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/MA_0601_P28
 - MA (Bootle Blast): 20230601-Power1.csv
 - MA (Boot Camp): 20230601-BC1.csv
 - MA (Clinical): 20230601-Single.csv

2. Python Script → Clean Bootle Blast (BB) & Boot Camp (BC) & Clinical (SCA) Files

- OB1_clean_pre0316.py
 - (OB1_clean_pre0316_fun.py)
- OB1_clean_post0316.py
 - (OB1_clean_post0316_fun.py)

3. Data File Name → After Clean

- /Users/soowan/Downloads/
 - OP (Bootle Blast): 20230601-P28-PowerR-Data-OP-CLEAN.csv
 - OP (Boot Camp): 20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv
 - OP (Clinical): 20230601-P28-Single1-Data-OP-CLEAN.csv
 - MA (Bootle Blast): 20230601-P28-PowerR-MA-CLEAN.csv
 - MA (Boot Camp): 20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv
 - MA (Clinical): 20230601-P28-Single1-MA-CLEAN.csv

AUTOMATIC CLEAN: FOR PARTICIPANT → ALL GAMES (BB & BC & SCA)

1. Data File Name → Before Clean

- /Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/OP_0601_P28
 - OP (Bootle Blast): 20230601-Power1-Data.csv
 - OP (Boot Camp): 20230601-BC1-Data.csv
 - OP (Clinical): 20230601-Single1-Data.csv
- /Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/MA_0601_P28
 - MA (Bootle Blast): 20230601-Power1.csv
 - MA (Boot Camp): 20230601-BC1.csv
 - MA (Clinical): 20230601-Single.csv

2. Python Script → Clean Bootle Blast (BB) & Boot Camp (BC) & Clinical (SCA) Files

- OB1_clean_pre0316_auto.py
 - (OB1_clean_pre0316_fun_auto.py)
- OB1_clean_post0316_auto.py
 - (OB1_clean_post0316_fun_auto.py)

3. Data File Name → After Clean

- */Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/Auto_Clean_0601_P28*
 - **OP (Bootle Blast):** *20230601-P28-PowerR-Data-OP-CLEAN.csv*
 - **OP (Boot Camp):** *20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv*
 - **OP (Clinical):** *20230601-P28-Single1-Data-OP-CLEAN.csv*
 - **MA (Bootle Blast):** *20230601-P28-PowerR-MA-CLEAN.csv*
 - **MA (Boot Camp):** *20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv*
 - **MA (Clinical):** *20230601-P28-Single1-MA-CLEAN.csv*

OBJECTIVE 1 → ANALYZE (BB vs BC)

MANUAL ANALYSIS: FOR PARTICIPANT → ALL GAMES (BB vs BC)

1. Data File Name → Before Analysis

- */Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/Clean_0601_P28*
 - OP (Bootle Blast): *20230601-P28-PowerR-Data-OP-CLEAN.csv*
 - OP (Boot Camp): *20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv*
 - MA (Bootle Blast): *20230601-P28-PowerR-MA-CLEAN.csv*
 - MA (Boot Camp): *20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv*

2. Python Script → Analysis with Bootle Blast (BB) Files

- **OB1_autoanalysis_1.py**
 - (OB1_autoanalysis_1_functions.py)
- **OB1_autoanalysis_2.py**
 - (OB1_autoanalysis_2_functions.py)
- **OB1_autoanalysis_3.py**
 - (OB1_autoanalysis_3_functions.py)
- **OB1_autoanalysis_4.py**
 - (OB1_autoanalysis_4_functions.py)
- **OB1_autoanalysis_5.py**
 - (OB1_autoanalysis_5_functions.py)

3. Python Script → Analysis with Boot Camp (BC) Files

- **OB1_autoanalysis_1_bootcamp.py**
 - (OB1_autoanalysis_1_functions.py)
- **OB1_autoanalysis_2_bootcamp.py**
 - (OB1_autoanalysis_2_functions.py)
- **OB1_autoanalysis_3_bootcamp.py**
 - (OB1_autoanalysis_3_functions.py)

4. Data File Name → After Analysis

- */Users/soowan/Downloads/*
- **OP+MA (Bootle Blast):**
 - *20230601-P28-PowerR-Joint_z.csv*
 - *20230601-P28-PowerR-Joint_r.csv*
 - *20230601-P28-PowerR-Joint_p.csv*
 - *20230601-P28-PowerR-cov.csv*
 - *20230601-P28-PowerR-angle.csv*
 - *20230601-P28-PowerR-reach.csv*
 - *20230601-P28-PowerR-speed.csv*
- **OP+MA (Boot Camp):**
 - *20230601-P28-BC1-SeatStarJump-Joint_z.csv*
 - *20230601-P28-BC1-SeatStarJump-Joint_r.csv*
 - *20230601-P28-BC1-SeatStarJump-Joint_p.csv*
 - *20230601-P28-BC1-SeatStarJump-cov.csv*

- 20230601-P28-BC1-SeatStarJump-angle.csv

AUTOMATIC ANALYSIS: FOR GAME → ALL PARTICIPANTS (BB vs BC)

1. Data File Name → Before Analysis

- /Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/Clean_0601_P28
 - OP (Bootle Blast): 20230601-P28-PowerR-Data-OP-CLEAN.csv
 - OP (Boot Camp): 20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv
 - MA (Bootle Blast): 20230601-P28-PowerR-MA-CLEAN.csv
 - MA (Boot Camp): 20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv

2. Python Script → Analysis with Bootle Blast (BB) Files

- OB1_1_analysis.py
 - (OB1_1_functions.py)
- OB1_2_analysis.py
 - (OB1_2_functions.py)
- OB1_3_analysis.py
 - (OB1_3_functions.py)
- OB1_4_analysis.py
 - (OB1_4_functions.py)
- OB1_5_analysis.py
 - (OB1_5_functions.py)

3. Python Script → Analysis with Boot Camp (BC) Files

- OB1_1_analysis_bootcamp.py
 - (OB1_1_functions.py)
- OB1_2_analysis_bootcamp.py
 - (OB1_2_functions.py)
- OB1_3_analysis_bootcamp.py
 - (OB1_3_functions.py)

4. Data File Name → After Analysis

- OP+MA (Bootle Blast):
 - /Users/soowan/Documents/PEARL/Data/Data_OB1/1_Coordinate/PowerR
 - 20230601-P28-PowerR-Joint_z.csv
 - 20230601-P28-PowerR-Joint_r.csv
 - 20230601-P28-PowerR-Joint_p_val.csv
 - /Users/soowan/Documents/PEARL/Data/Data_OB1/2_Segment/PowerR
 - 20230601-P28-PowerR-cov.csv
 - /Users/soowan/Documents/PEARL/Data/Data_OB1/3_Angle/PowerR
 - 20230601-P28-PowerR-angle.csv
 - /Users/soowan/Documents/PEARL/Data/Data_OB1/4_Reach/PowerR
 - 20230601-P28-PowerR-reach.csv
 - /Users/soowan/Documents/PEARL/Data/Data_OB1/5_Speed/PowerR
 - 20230601-P28-PowerR-speed.csv
- OP+MA (Boot Camp):
 - /Users/soowan/Documents/PEARL/Data/Data_OB1/1_Coordinate/BC_Boot_Camp/SeatStarJump

- 20230601-P28-BC1-SeatStarJump-Joint_z.csv
- 20230601-P28-BC1-SeatStarJump-Joint_r.csv
- 20230601-P28-BC1-SeatStarJump-Joint_p_val.csv
- /Users/soowan/Documents/PEARL/Data/Data_OB1/2_Segment/BC_Boot_Camp/SeatStarJump
 - 20230601-P28-BC1-SeatStarJump-cov.csv
- /Users/soowan/Documents/PEARL/Data/Data_OB1/3_Angle/BC_Boot_Camp/SeatStarJump
 - 20230601-P28-BC1-SeatStarJump-angle.csv
- OP+MA (Boot Camp GROUPED): Strength, Cardio, Seated, Static
- /Users/soowan/Documents/PEARL/Data/Data_OB1/3_Angle/BC_Strength
 - 20230601-STRENGTH-angle.csv
- /Users/soowan/Documents/PEARL/Data/Data_OB1/3_Angle/BC_Cardio
 - 20230601-CARDIO-angle.csv
- /Users/soowan/Documents/PEARL/Data/Data_OB1/3_Angle/BC_Seated
 - 20230601-SEATED-angle.csv
- /Users/soowan/Documents/PEARL/Data/Data_OB1/3_Angle/BC_Static
 - 20230601-STATIC-angle.csv

Objective 2

OBJECTIVE 2 → RENAMERAW (BC & SCA)

AUTOMATIC RENAMERAW: FOR PARTICIPANT → ALL GAMES (BC & SCA)

1. Data File Name → Before RenameRaw

- */Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/OP_0601_P28*
 - **OP (Boot Camp): 20230601-BC1-Data.csv**
 - **OP (Clinical): 20230601-Single1-Data.csv**
- */Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/MA_0601_P28*
 - **MA (Boot Camp): 20230601-BC1.csv**
 - **MA (Clinical): 20230601-Single.csv**

2. Python Script → Clean **Boot Camp (BC) & Clinical (SCA)** Files

- **OB2_rename_raw_auto.py**

3. Data File Name → After RenameRaw

- */Users/soowan/Documents/PEARL/Data/Data_OB2/Raw_BC_Count*
 - **OP (Boot Camp): 20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv**
 - **MA (Boot Camp): 20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Raw_BC_Timer*
 - **OP (Boot Camp): 20230516-P27-BC9-SeatClfStr-Data-OP-CLEAN.csv**
 - **MA (Boot Camp): 20230516-P27-BC9-SeatClfStr-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Raw_SCA_SLS/SingleL*
 - **OP (Clinical): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-SLS-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Raw_SCA_SLS/SingleR*
 - **OP (Clinical): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-SLS-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Raw_SCA_STS/Five*
 - **OP (Clinical): 20230601-P28-BC-StS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-StS-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Raw_SCA_STS/Thirty*
 - **OP (Clinical): 20230601-P28-BC-StS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-StS-MA-CLEAN.csv**

OBJECTIVE 2 → CLEAN (BC & SCA)

AUTOMATIC CLEAN: FOR PARTICIPANT → ALL GAMES (BC & SCA)

1. Data File Name → Before Clean

- */Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/OP_0601_P28*
 - **OP (Boot Camp): 20230601-BC1-Data.csv**
 - **OP (Clinical): 20230601-Single1-Data.csv**
- */Users/soowan/Documents/PEARL/Data/Data_0551/2023_0601_P28/MA_0601_P28*
 - **MA (Boot Camp): 20230601-BC1.csv**
 - **MA (Clinical): 20230601-Single.csv**

2. Python Script → Clean Boot Camp (BC) & Clinical (SCA) Files

- **OB2_clean_raw_auto.py**

3. Data File Name → After Clean

- */Users/soowan/Documents/PEARL/Data/Data_OB2/Clean_BC_Count*
 - **OP (Boot Camp): 20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv**
 - **MA (Boot Camp): 20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Clean_BC_Timer*
 - **OP (Boot Camp): 20230516-P27-BC9-SeatClfStr-Data-OP-CLEAN.csv**
 - **MA (Boot Camp): 20230516-P27-BC9-SeatClfStr-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Clean_SCA_SLS/SingleL*
 - **OP (Clinical): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-SLS-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Clean_SCA_SLS/SingleR*
 - **OP (Clinical): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-SLS-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Clean_SCA_STS/Five*
 - **OP (Clinical): 20230601-P28-BC-StS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-StS-MA-CLEAN.csv**
- */Users/soowan/Documents/PEARL/Data/Data_OB2/Clean_SCA_STS/Thirty*
 - **OP (Clinical): 20230601-P28-BC-StS-Data-OP-CLEAN.csv**
 - **MA (Clinical): 20230601-P28-BC-StS-MA-CLEAN.csv**

OBJECTIVE 2 → ANALYZE BC (Count vs Timer)

AUTOMATIC ANALYSIS: FOR GAME → ALL PARTICIPANTS (Count vs Timer)

1. Data File Name → Before Ajmal's Analysis

*****Manually Copy/Paste Data Files to Use with Ajmal's Algorithm*****

- **OB2_copy_before_ajmal.py**
 - /Users/soowan/Documents/PEARL/Data/Data_OB2/**Raw_BC_Timer** OR **Clean_BC_Timer**
 - OP (Boot Camp): 20230314-P02-BC2-Run-Data-OP-CLEAN.csv
 - MA (Boot Camp): 20230314-P02-BC2-Run-MA-CLEAN.csv
 - /Users/soowan/Documents/PEARL/Data/Data_OB2/**Raw_BC_Count** OR **Clean_BC_Count**
 - OP (Boot Camp): 20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv
 - MA (Boot Camp): 20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv
- **Copy To...**
 - /Users/soowan/Documents/PEARL/Data/Data_OB2/**OB2_Raw** OR **OB2_Clean**
 - OP (Boot Camp): 20230601-P28-BC1-SeatStarJump-Data-OP-CLEAN.csv
 - MA (Boot Camp): 20230601-P28-BC1-SeatStarJump-MA-CLEAN.csv

2. Unity Script → Ajmal's Analysis

3. Data File Name → After Ajmal's Analysis + Before Soowan's Analysis

*****Manually Copy/Paste Data Files to Use with Soowan's Algorithm*****

- **OB2_copy_before_sooowan.py**
 - /Users/soowan/Library/Application Support/Holland Bloorview/BBLogVisualizer/Saves/001/Logs
 - **OP-P02-20230603-162511-ExerRep-Run.csv**
 - **MA-P02-20230603-161951-ExerRep-Run.csv**
 - **OP-P28-20230603-162511-ExerRep-SeatStarJump.csv**
 - **MA-P28-20230603-161951-ExerRep-SeatStarJump.csv**
- **Copy To...**
 - /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Ajmal/Timer**
 - **OP-P02-20230603-162511-ExerRep-Run.csv**
 - **MA-P02-20230603-161951-ExerRep-Run.csv**
 - /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Ajmal/Count**
 - **OP-P28-20230603-162511-ExerRep-SeatStarJump.csv**
 - **MA-P28-20230603-161951-ExerRep-SeatStarJump.csv**

4. Python Script → Soowan's Analysis

- a. **OB2_analysis_timer.py**
- b. **OB2_analysis_count.py**

5. Data File Name → After Soowan's Analysis

- a. **OP+MA (Timer):**
- b. /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Sooowan/Timer**
 - i. 2023-**SeatClfStr-TIMER.csv**
 - ii. 2023-**Run-TIMER.csv**
 - iii. 2023-**ForStep-TIMER.csv**
 - iv. 2023-**CalfStr-TIMER.csv**
 - v. 2023-**TdemStnce-TIMER.csv**

c. OP+MA **(Count):**

d. */Users/soowan/Documents/PEARL/Data/Data_OB2/Results_Soowan/Count*

i. *2023-Sqt-COUNT.csv*

ii. *Etc.*

OBJECTIVE 2 → ANALYZE SCA (Count vs Timer)

AUTOMATIC ANALYSIS: FOR GAME → ALL PARTICIPANTS (Count vs Timer)

1. Data File Name → Before Ajmal's Analysis

*****Manually Copy/Paste Data Files to Use with Ajmal's Algorithm*****

- **OB2_copy_before_ajmal.py**

- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Raw_SCA_SLS/SingleR** OR **Clean_SCA_SLS**
 - **OP (Clinical): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Clinical):20230601-P28-BC-SLS-MA-CLEAN.csv**
- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Raw_SCA_SLS/SingleL** OR **Clean_SCA_SLS**
 - **OP (Clinical): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Clinical):20230601-P28-BC-SLS-MA-CLEAN.csv**
- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Raw_SCA_STS/Five** OR **Clean_SCA_STS**
 - **OP (Clinical): 20230601-P28-BC-StS-Data-OP-CLEAN.csv**
 - **MA (Clinical):20230601-P28-BC-StS-MA-CLEAN.csv**
- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Raw_SCA_STS/Thirty** OR **Clean_SCA_STS**
 - **OP (Clinical): 20230601-P28-BC-StS-Data-OP-CLEAN.csv**
 - **MA (Clinical):20230601-P28-BC-StS-MA-CLEAN.csv**

- **Copy To...**

- /Users/soowan/Documents/PEARL/Data/Data_OB2/**OB2_Raw** OR **OB2_Clean**
 - **OP (Boot Camp): 20230601-P28-BC-SLS-Data-OP-CLEAN.csv**
 - **MA (Boot Camp): 20230601-P28-BC-SLS-MA-CLEAN.csv**

2. Unity Script → Ajmal's Analysis

3. Data File Name → After Ajmal's Analysis + Before Soowan's Analysis

*****Manually Copy/Paste Data Files to Use with Soowan's Algorithm*****

- **OB2_move_before_soowan.py**

- /Users/soowan/Library/Application Support/Holland Bloorview/BBLogVisualizer/Saves/001/Logs
 - **OP-P02-20230603-162511-ExerRep-SLS.csv**
 - **MA-P02-20230603-161951-ExerRep-SLS.csv**
 - **OP-P28-20230603-162511-ExerRep-StS.csv**
 - **MA-P28-20230603-161951-ExerRep-StS.csv**

- **Move To...**

- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Ajmal/SLS/SingleR**
 - **OP-P28-20230603-162511-ExerRep-SLS.csv**
 - **MA-P28-20230603-161951-ExerRep-SLS.csv**
- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Ajmal/SLS/SingleL**
 - **OP-P28-20230603-162511-ExerRep-SLS.csv**
 - **MA-P28-20230603-161951-ExerRep-SLS.csv**
- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Ajmal/STS/Five**
 - **OP-P28-20230603-162511-ExerRep-StS.csv**
 - **MA-P28-20230603-161951-ExerRep-StS.csv**
- /Users/soowan/Documents/PEARL/Data/Data_OB2/**Results_Ajmal/STS/Thirty**
 - **OP-P28-20230603-162511-ExerRep-StS.csv**

- **MA-P28-20230603-161951-ExerRep-StS.csv**

4. Python Script → Soowan's Analysis

a. OB2_analysis_SLS.py

b. OB2_analysis_STS.py

5. Data File Name →After Soowan's Analysis

a. OP+MA (SLS):

b. /Users/soowan/Documents/PEARL/Data/Data_OB2/Results_Soowan/SLS/SingleR

i. 2023-STs-Right-TIMER.csv

c. /Users/soowan/Documents/PEARL/Data/Data_OB2/Results_Soowan/SLS/SingleL

i. 2023-STs-Left-TIMER.csv

d. OP+MA (STS):

e. /Users/soowan/Documents/PEARL/Data/Data_OB2/Results_Soowan/STS/Five

i. 2023-StS-Five-COUNT.csv

f. /Users/soowan/Documents/PEARL/Data/Data_OB2/Results_Soowan/STS/Thirty

i. 2023-StS-Thirty-COUNT.csv