

Cryogenics: A Comprehensive Review of Historical Origins, Principles, Technologies, and Modern Applications (2025)

Introduction

Cryogenics, the science and engineering of achieving and harnessing extremely low temperatures, stands at the intersection of physics, engineering, chemistry, mathematics, and myriad applications-including medicine, quantum technology, energy, and space exploration. While "cold" is a relative term in science, cryogenics delves into the transformation of matter and physical systems below $-150\text{ }^{\circ}\text{C}$ (123 K , $-238\text{ }^{\circ}\text{F}$) and extends down to almost absolute zero, a temperature domain where quantum, structural, and material phenomena redefine many conventional physical laws.

This report presents an in-depth analysis of the origins, scientific principles, engineering methodologies, and applications of cryogenics as of 2025. We will explore notable historic milestones, review fundamental physics and governing mathematical equations, analyze key engineering challenges and solutions, and highlight current and emerging applications across a spectrum of industries.

1. Historical Origins of Cryogenics

1.1 Early Curiosity and Foundational Experiments

The origins of cryogenics can be traced back to the early 19th century. In 1823, Michael Faraday performed pioneering experiments on the liquefaction of gases. By applying pressure and cooling, Faraday was able to condense gases such as chlorine into a liquid state within sealed environments, a striking demonstration of how physical states of matter could be manipulated by temperature and pressure. Faraday further documented the conditions for liquefaction and solidification of various gases (e.g., ammonia, carbonic acid), and his meticulous notes on vapor pressure, apparatus design, and process safety established the bedrock for later developments [2].

Simultaneously, other scientists across Europe achieved similar breakthroughs, such as the first successful liquefaction of ammonia gas by Guyton de Morveau in 1799, and subsequent solidification experiments by Stromeyer. Faraday's advocacy for rigorous methodology and reproducibility set critical scientific standards for the emerging field.

1.2 The 19th and 20th Century Milestones

Significant progress was made in the late 19th century when, in 1877, Louis Paul Cailletet (France) and Raoul Pictet (Switzerland) independently liquefied oxygen. Soon after, advances enabled the liquefaction of other "permanent gases"-hydrogen in 1884, and helium in 1908 by Heike Kamerlingh Onnes at Leiden. Onnes' experiments not only pushed the boundaries of

achievable low temperatures (down to 4.2 K, or -269 °C) but also led directly to the discovery of superconductivity in metals, a quantum phenomenon with major technological significance^{[4][5]}. Throughout the 20th century, cryogenics underwent a technological revolution:

- James Dewar's invention of the vacuum insulated flask (Dewar flask) in 1892 enabled practical storage and manipulation of liquid gases.
- The Claude and Joule-Thompson (JT) cooling cycles were developed to liquefy air and other gases, facilitating industrial and scientific use.
- Innovations during the "space age" (1950s-1970s) included large-scale production and utilization of cryogenic fuels-specifically, liquid hydrogen and oxygen for rocket propulsion in space exploration.
- The field expanded into medical cryogenics, organ preservation, and imaging technologies.
- By the late 20th and early 21st century, advances in quantum computing, new superconductors, and high-performance cryocoolers transformed research, industry, and technology applications^{[6][5]}.

1.3 Key Historical Timelines in Cryogenic Liquids

The table below summarizes the normal boiling points of common cryogenic fluids and key years of their first liquefaction:

Substance	Boiling Point (K)	Boiling Point (°C)	Year Liquefied
Oxygen	90.2	-183	1877
Nitrogen	77.3	-196	1883
Hydrogen	20.4	-253	1884
Helium	4.2	-269	1908

*Sources: Faraday (1823-1845), Kamerlingh Onnes (1908), historical reviews.^{[3][1]}

2. Definitions and Temperature Ranges in Cryogenics

2.1 What is "Cryogenic"?

Cryogenics refers to the domain encompassing temperatures below -150 °C (123 K) and extending toward absolute zero (-273.15 °C, 0 K). This temperature range is distinct because it is well below the freezing point of water and also below the "boiling points" of most familiar gases, which must be cooled and compressed to exist as liquids. For clarity, the cryogenic range is typically partitioned as follows^{[8][3]}:

- **Cryogenic Range:** < -150 °C (123 K)
- **Common Cryogenic Points:**
 - Liquid Nitrogen (LN2): -196 °C (77 K)

- Liquid Oxygen (LO₂): -183 °C (90 K)
- Liquid Hydrogen (LH₂): -253 °C (20 K)
- Liquid Helium (LHe): -269 °C (4.2 K)

2.2 Characteristic Properties

At cryogenic temperatures, the kinetic energy of molecules is drastically reduced, freezing out most vibrational, rotational, and translational modes. As a result:

- **Thermal conductivity, electronic resistivity, mechanical strength, and ductility of materials** change dramatically.
- Many gases become liquids or solids, and certain materials exhibit **quantum phenomena** such as superconductivity (zero electrical resistance) and superfluidity (flow without viscosity) ^[3].

3. Thermodynamics and Heat Transfer in Cryogenic Systems

3.1 Thermodynamic Principles

Cryogenic system design is fundamentally rooted in classical and statistical thermodynamics.

The **First Law of Thermodynamics** (energy conservation) governs energy balances:

$$Q + W = \Delta U + \Delta K$$

Where Q is heat transferred, W is work done, ΔU is the change in internal energy, and ΔK is the change in kinetic energy.

Second Law of Thermodynamics (entropy) places strict efficiency limits on cooling and liquefaction:

- **Carnot Efficiency for Refrigerators:**
 - Coefficient of Performance (COP) = $Q_{\text{cold}}/W = T_{\text{cold}}/(T_{\text{hot}} - T_{\text{cold}})$

At cryogenic temperatures (much less than ambient), the theoretical work required for refrigeration increases dramatically:

- For instance, removing 1 watt at 4 K typically requires 200-300 W input power due to Carnot and real-world losses.

3.2 Cryogenic Refrigeration Cycles

Practical cryogenic systems employ specialized cycles, notably:

- **Claude Cycle:** widely used for large-scale air and helium liquefaction, incorporating pre-cooling with liquid nitrogen and JT expansion.
- **Joule-Thomson (JT) Cycle:** used for helium and hydrogen, leveraging the JT effect (temperature drops upon rapid expansion below the inversion temperature).
- **Brayton and Stirling Cycles:** employed in standalone "cryocoolers" for laboratory or aerospace use.

3.3 Heat Transfer and Insulation

The dominant heat transfer mechanisms at cryogenic temperatures include:

- **Conduction:** through support structures, wiring, and any physical contact.
- **Radiation:** blackbody radiation from ambient temperature objects; even small amounts of radiative heat load can be major at low temperatures.
- **Molecular Gas Conduction:** residual gases in the vacuum space of insulated vessels can transfer significant heat.

Extensive insulation using **vacuum jackets, multi-layer insulation (MLI), and radiation shields** is necessary to minimize parasitic heat leaks and keep the system cold^[3].

4. Fluid Mechanics and Properties of Cryogenic Fluids

4.1 General Properties

Cryogenic fluids differ from room-temperature fluids in several aspects:

- **Low viscosity** (e.g., liquid nitrogen, oxygen, helium).
- **Large expansion ratios**-a small volume of liquid vaporizes to produce a huge volume of gas (e.g., 1 L LN₂ → ~700 L N₂ gas at room temp and pressure)^[10].
- **Thermodynamic instability:** many cryogenics rapidly evaporate unless adequately insulated.
- **Density, surface tension, and specific heat** can be highly temperature-dependent^[3].

4.2 Cryogenic Fluid Flow Phenomena

At low temperatures, fluid flow must contend with:

- **Two-phase flow:** liquid and gas phases co-exist, especially in transfer lines and storage tanks.
 - **Rapid pressure changes** can cause “geysering” or violent phase transitions.
 - **Hydrodynamic instabilities:** capillary effects dominate, especially in zero-gravity space systems.
-

5. Cryogenic Equipment and Infrastructure

5.1 Dewar Flasks and Cryostats

Dewar flasks-invented by James Dewar in 1892-remain the basic vessels for storing, transporting, or handling cryogenic liquids. These flasks have double walls with evacuated (vacuum) annular space, sometimes augmented with MLI or perlite insulation, and are built with robust safety features (pressure relief valves, venting systems) to handle inevitable boiling and vaporization^{[10][13]}.

Cryostats are specialized cryogenic vessels that maintain experimental samples, superconducting cavities, or qubits at stable ultra-low temperatures using designed heat paths, active cooling, and often with integrated sensors, heaters, and control systems.

5.2 Cryogenic Transfer and Distribution

Infrastructure for large-scale cryogenic systems includes:

- **Vacuum-jacketed piping** for liquid transfer (e.g., LN₂, LHe, LNG).
- **Cryogenic pumps and valves** designed for extremely low temperatures and thermal cycling.
- **Cold boxes**: modular assemblies with integrated heat exchangers for liquefaction.
- **Expansion joints and flexible connections**: to accommodate large thermal contractions.
- **Automated gas venting and overpressure safety controls**^[14].

5.3 Cryocoolers

Modern cryogenic "refrigerators" come in several forms (see Table below), suitable for different applications:

Type	Working Principle	Min. Temperature	Capacity	Applications
Gifford-McMahon (GM)	Stirling-type expansion	<3 K	Large heat loads	Superconducting magnets, detectors
Pulse Tube Refrigerators	Thermodynamic expansion	<4 K	Low vibration	Detectors, quantum systems
Stirling Refrigerators	Stirling cycle	~40 K	Moderate	CCD cooling, test setups
Joule-Thomson (JT)	JT expansion	70-293 K	Flexible	Small instruments, optics

*Source: IRLabs, Arctic-Tek, various manufacturers^[16].

6. Safety Protocols and Industry Standards in Cryogenics

6.1 Key Hazards

Cryogenic fluids and systems present significant hazards:

- **Overpressure and explosion**: Resulting from rapid vaporization if containment is breached or venting fails.
- **Asphyxiation**: Expanding cryogenic gases, especially nitrogen or helium, can displace oxygen in confined spaces silently and without warning, posing a serious risk of suffocation.

- **Cold burns/frostbite:** Direct contact with cryogenic materials causes immediate skin damage akin to burns.
- **Material embrittlement:** Exposure to cryogenic temperatures can cause many materials (especially certain steels, polymers, and elastomers) to become brittle and fail catastrophically.
- **Combustion risks:** Liquid oxygen and hydrogen are highly reactive; in some cases, oxygen condensation can ignite materials typically considered “inert”^[8].

6.2 Safety Standards

Industry and regulatory codes (NFPA, ASME, CGA) mandate:

- **Systematic hazard analysis** for every cryogenic installation.
- **Use of pressure relief valves**, redundancy in venting for all storage vessels^{[6][17]}.
- **Ventilation requirements** for areas where asphyxiant gases may accumulate.
- **Engineering controls:** choice of compatible, tested materials; overdesign of vessel pressures, passive safety devices; and robust system monitoring.
- **Personnel PPE and training:** specialized gloves, face shields, oxygen monitors, and routine procedural training.

7. Mathematical Modeling and Simulation in Cryogenic Engineering

7.1 Modeling Dynamics

Mathematical models in cryogenic engineering incorporate:

- **Conservation laws:** mass, momentum, energy; adapted for multiphase flows (liquid/gas).
- **Thermodynamic cycle analysis:** efficiency, capacity, and transient behavior (chilldown, boil-off).
- **Heat transfer equations:** conduction, convection, and radiative terms featuring strongly temperature-dependent material coefficients.

In practice, models involve:

- **Orifice flow equations:** (for choked and unchoked flows), e.g., mass flow rate correlates with pressure differential, discharge coefficient, and fluid properties.
- **Control-volume approaches:** for simulating pressure, liquid level, and two-phase flow in storage and distribution systems^{[18][19]}.

7.2 Simulation Software and Experimental Validation

Analysis tools include dedicated CFD packages, nodal codes, and NIST’s REFPROP property database for accurate fluid properties^[11].

Validation is critical, often involving comparison with:

- Hot tests in rocket engines.
- Flow rates and pressure data in lab scale and industrial systems.
- Space mission data (for propellant sloshing, chilldown, etc.)^[20].

7.3 Typical Modeling Application: Cryogenic Rocket Engines

In rocket engine modeling:

- The engine is represented as interconnected volumes, each governed by fluid flow and energy equations.
- Complex models account for start sequences, ignition timing, thrust and mixture regulation, and heat exchange.
- The output is pressure, temperature, flow rates, heat transfer, and system dynamics through startup, steady-state, and shutdown^[18].

8. Engineering Principles for Cryogenic System Design

8.1 Structural and Thermal Design

Cryogenic system engineering must accommodate:

- **Extensive thermal contraction:** metals like stainless steel, invar, and aluminum contract differently, with implications for mechanical joint integrity.
- **Material selection and testing:** only certain metals and alloys retain ductility and strength at low temperatures (e.g., austenitic stainless steels, OFHC copper, high-purity aluminum, G10 fiberglass composites)^[22].
- **Corrosion, outgassing, and compatibility management:** designs must keep materials non-reactive in contact with liquid oxygen/hydrogen and minimize outgassing in vacuum environments.

8.2 Cryogenic Infrastructure

- **Piping and valving:** large-scale systems use high-grade vacuum-jacketed piping for minimal heat ingress.
- **Expansion joints and supports:** compensate for shrinkage and thermal movement.
- **Cold box and transfer line technology:** integrates heat exchangers, flow control, MLI and vapor shielding.

8.3 Key Engineering Practices

- **Redundancy in venting and pressure relief** to guard against system upsets.
- **Rigorous leak testing** (helium leak-check, pressure proofing).

- **Pressure/thermal cycling** durability: e.g., NASA KSC cryogenic piping is designed to withstand 7,000 cycles over lifespan.
- **Environmental controls:** to prevent condensation, corrosion, icing, and maintain system cleanliness^{[3][17]}.

9. Fundamental Physics: Superconductivity and Superfluidity

9.1 Superconductivity

Superconductivity-the phenomenon of zero electrical resistance in certain materials below a critical temperature (T_c)-is one of the most celebrated outcomes of cryogenics:

- **Type I superconductors:** pure elements, e.g., Pb, Hg, (T_c : a few K)
- **Type II superconductors:** alloys, NbTi, Nb₃Sn, and HTS (High-Temperature Superconductors, e.g., YBCO: $T_c > 90$ K)
- **Recent breakthroughs (2025):** Discovery of a copper-free nickel oxide superconductor, functioning at 40 K under ambient pressure, broadens the class of materials capable of high T_c values, and opens pathways for new, energy-efficient electronics^[24].

Table: Critical Temperatures (T_c) of Select Superconductors

Material	T_c (K)	Magnetic Field Limit (T)
NbTi	9.3	13
Nb ₃ Sn	18.0	23
YBCO (HTS)	93	120
(Sm-Eu-Ca)NiO ₂	40	[New, NUS, 2025]

9.2 Superfluidity

Liquid helium exhibits **superfluidity** below the lambda point (2.17 K for He-4), where it flows without viscosity, climbs container walls, and displays quantum mechanical behaviors that contradict classical fluid dynamics. This property is foundational for high-performance cooling and is a unique research subject in condensed matter physics.

10. Materials Science at Cryogenic Temperatures

10.1 Mechanical, Thermal, and Electrical Properties

Extreme cold affects all key material properties:

- **Mechanical strength:** Typically increases (e.g., yield strength, modulus), but ductility can decrease sharply, especially in BCC metals and some polymers.

- **Thermal conductivity:** Increases in pure metals at low T, decreases in alloys and insulators (typical laws: $\propto T^3$ for phonon scattering).
 - **Electrical resistivity:** Drops in pure metals, with a transition to zero in superconductors.
 - **Thermal contraction:** Must be accounted for in multi-material assemblies.
- Key material selections:** OFHC copper, high-purity aluminum, austenitic 300-series stainless steel for structural, conductive, or pressure-bearing roles^[21].

10.2 Materials for Insulation and Structural Use

- **MLI (Multi-Layer Insulation):** Alternating layers of low-emissivity foil and spacer material minimize radiative transfer.
- **Expanded perlite, glass bubbles, aerogel:** Used as powder insulation or for structural support with minimal thermal bridging.
- **G10 (fiberglass/epoxy):** Preferred for structural support with low thermal conductivity.

11. Modern Applications of Cryogenics (2025)

11.1 Medical Applications

Organ and Tissue Preservation

Cryopreservation ensures long-term storage of biological materials (blood, gametes, stem cells, tissues, and increasingly, organs). Techniques include:

- **Vitrification:** Ultra-rapid cooling using high concentrations of cryoprotectants prevents ice crystal formation, preserving viability.
- **Slow freezing:** Stepwise cooling with moderate cryoprotectants; commonly used in cell banking.
- **Innovations (2023-2025):** Development of new, less toxic cryoprotectants (e.g., proline/glycerol mixtures), nanowarming using magnetic nanoparticles, and isochoric systems for organ storage^[26].

Table: Cryopreservation Methods in Medicine

Technique	Principle	Typical Use	Major Challenge
Slow Freezing	Osmotic dehydration	Cells, small tissues	Ice crystal formation
Vitrification	Avoid ice, glassy state	Embryos, oocytes, organs	High CPA toxicity, warming
Isochoric	Fixed volume freezing	Organs	Equipment complexity
Nanowarming	Rapid heating via nanoparticles	Large tissues	Homogeneous warming

Cryosurgery

Use of cryogenic probes (e.g., LN₂, argon, CO₂) to ablate tumors, warts, and targeted tissues via freeze-thaw cycles with minimal bleeding. Cryosurgical methods are used for a range of cancers and benign growths.

Imaging and Research

- MRI scanners rely on superconductor magnets cooled with LHe.
- Cryoelectro-microscopy (cryo-EM) and tissue sample preservation.

11.2 Space Exploration and Cryogenic Propulsion

Propellants and Storage

- **Liquid hydrogen (LH₂) and oxygen (LO₂)** are primary fuels for heavy-lift launch systems.
- Densified (supercooled) cryogenic propellants improve storage efficiency and extend orbital lifetimes^[20].

In-Space Cryogenic Fluid Management (CFM)

- NASA's Artemis program and commercial ventures are developing robust systems for in-space cryogen storage, transfer, and manipulation under microgravity (autogeneous pressurization, advanced insulation, vapor cooling)^[20].
- Zero boil-off technologies and multi-layer insulation (MLI) demonstrated in projects such as SHIIVER and eCryo.
- Cryoprobes for sample return and lunar resource utilization (ISRU).

Rocket Engines

- Mathematically-modeled cryogenic engines (e.g., GSLV upper stages) deploy sophisticated control, thermal management, and high-energy density propellants^[18].

11.3 Cryogenics in Quantum Computing and Cryoelectronics

- **Quantum computers** (IBM, Google, Intel) use superconducting and silicon spin qubits that require cryogenic environments (10-15 mK)-achieved by dilution refrigerators.
- **Cryogenic chips:** In 2025, University of Sydney demonstrated a scalable control chip operating at -273 °C (mK), consuming <10 μW, essential for controlling millions of qubits^[28].
- **Cryogenic electronics:** Integration of classical and quantum circuits at low T reduces physical connections, improves fidelity, and scales up quantum architectures.

11.4 Industrial and Materials Processing

- **Cryogenic machining:** LN₂, LCO₂, or hybrid refrigerants increase tool life, reduce wear, and produce cleaner parts-key in aerospace manufacture (Inconel, Ti-6Al-4V, superalloys)^[30].

- **Cryogenic grinding and welding:** Used in pharmaceuticals for fine powders and in clean, distortion-free welds.

11.5 Energy Applications: LNG and Hydrogen

- **LNG (Liquefied Natural Gas):** Cryogenics allows methane to be transported efficiently at -162 °C, contracting its volume 600×. Used for energy storage, shipping, peak shaving, and as a cleaner alternative to coal and oil^[14].
- **Hydrogen economy:** Green/blue hydrogen is stored and transported as LH2, leveraging high-specific impulse and energy density. Essential for decarbonizing heavy industry, marine shipping, and future power grids.

Metric	LNG	Pipeline Gas	Trends/Notes
Energy Density (MJ/m3)	23.9	37.5	Lower for LNG
Transport Cost (USD/MMBtu)	3.5	1.5	LNG higher
Infrastructure Cost (USD million)	~1,000	~5,000	LNG less capital
Carbon Footprint (gCO2e/kWh)	0.7	0.5	Both low vs. coal
Flexibility (Score 1-10)	8	3	LNG more adaptable

*Sources: EIA, IEA, European Commission, Reuters^[31].

11.6 Emerging Advancements and Innovations

- **High-temperature superconductors (HTS):** New classes, such as copper-free nickel oxides, demonstrate superconductivity at higher, more practical temperatures, opening new pathways for power transmission and electronics^[24].
- **Cryogenic coolers:** Free-piston Stirling, Gifford-McMahon, and pulse tube AI-controlled systems offer increasingly efficient, vibration-free, and maintenance-light solutions for diverse industries^[16].
- **Environment and sustainability:** Modern cryogenics incorporates closed-cycle systems, energy-efficient insulation, and vapor-cooling intercepts to reduce greenhouse gas footprints for MRI, quantum compute, and energy storage applications^[15].

12. Sustainability and Environmental Impact

While cryogenics enables low-emission alternatives (LNG, hydrogen), its infrastructure must manage energy use and minimize losses under strict environmental standards. Key sustainability features include:

- **Energy optimization:** advanced insulation, thermal intercepts, and heat recovery reduce total refrigeration loads and associated electricity demand.

- **Methane leak prevention and vapor recovery:** essential for LNG and hydrogen facilities, given methane's high GWP.
- **Recyclability and lifecycle management:** modern best practices ensure that gases and refrigerants are reused, materials are selected for durability and energy recovery, and system maintenance minimizes environmental release^[31].

Conclusion

Cryogenics has evolved from a 19th-century scientific curiosity to a linchpin of modern technology and industry, underpinned by robust physics, sophisticated engineering design, and an ever-expanding array of applications. From Faraday's liquefaction of gases to today's quantum computers, MRI systems, reusable space launchers, and global LNG transport, its technologies have revolutionized how we manipulate the cold, control matter, and explore the universe's frontiers.

Emerging challenges-scaling quantum computers, enabling hydrogen energy, green manufacturing, and long-duration space missions-will continue to drive innovation in cryogenic science and engineering. As of 2025, advances in material science, modeling, refrigeration, and system integration are yielding more efficient, sustainable, and accessible cryogenic solutions, ensuring that the field remains at the heart of scientific exploration and industrial progress.

References (31)

1. *The Liquefaction of Gases - Wikisource, the free online library.*
https://en.wikisource.org/wiki/The_Liquefaction_of_Gases
2. *CRYOGENICS FOR SUPERCONDUCTORS: REFRIGERATION, DELIVERY, AND*
<https://ntrs.nasa.gov/api/citations/20110016210/downloads/20110016210.pdf>
3. *Liquid nitrogen - Wikipedia.* https://en.wikipedia.org/wiki/Liquid_nitrogen
4. *DESIGN OF CRYOGENIC GROUND SYSTEMS AND GROUND SUPPORT EQUIPMENT,.*
https://standards.nasa.gov/sites/default/files/standards/KSC/D/0/KSC-STD-Z-0009_REV_E.pdf
5. *Chapter II.7 Cryogenics for superconducting devices.*
<https://cds.cern.ch/record/2929323/files/document.pdf>
6. *Scientific Books Collection - Archive.org.*
https://archive.org/download/diary182061/The%20Liquefaction%20of%20Gases_text.pdf
7. *NIST Safety Suborder: Cryogen Safety.* <https://www.nist.gov/document/final-nist-s-7101-52cryogen-safety062223pdf>
8. *Cryogenic storage dewar - Wikipedia.* https://en.wikipedia.org/wiki/Cryogenic_storage_dewar
9. *Modelling and Simulation of the CLS Cryogenic System.*
<https://www.cs.usask.ca/~spiteri/Chidambaranathan2013.pdf>
10. *Fives Energy .* <https://www.fivesgroup.com/energy-cryogenics/liquefied-natural-gas>
11. *Cryocooler Solutions - IR Labs.* <https://www.irlabs.com/cryostats/cryocoolers/>

12. *Elements of Cryogenics System Design - Fermilab.*
https://uspas.fnal.gov/materials/10MIT/Lecture_5.2.pdf
13. *Mathematical modelling of a cryogenic engine - Springer.*
<https://link.springer.com/content/pdf/10.1007/s12572-015-0117-2.pdf>
14. *Comprehensive Performance Evaluation of Densified Liquid Hydrogen*
<https://www.mdpi.com/1996-1073/15/4/1365>
15. *Cryogenic Fluid Management for the Artemis Program and Beyond.*
<https://ntrs.nasa.gov/api/citations/20205008641/downloads/ASCEND-CFM%20Technologies%20for%20Artemis%20%26%20Beyond-Hansen%20Final%20A.pdf>
16. *Material Properties at Low Temperature - arXiv.org.* <https://arxiv.org/pdf/1501.07100>
17. *Chapter 2 Low-Temperature Materials Properties.*
https://www.jlab.org/sites/default/files/magnet-group/materials/low_temperature_materials_properties.pdf
18. *Cryogenic Machining - Aerospace Manufacturing and Design.*
<https://www.aerospacemanufacturinganddesign.com/article/amd0713-cryogenic-machining/>
19. *Thermophysical Properties of Fluid Systems - NIST Chemistry WebBook.*
<https://webbook.nist.gov/chemistry/fluid/>
20. *Copper-free high-temperature superconducting oxide.*
<https://www.science.nus.edu.sg/blog/2025/03/copper-free-high-temperature-superconducting-oxide/>
21. *Current State and Challenges of Tissue and Organ ... - MDPI.* <https://www.mdpi.com/1422-0067/25/20/11124>
22. *What Is Cryogenic Quantum Computing and Why It Matters.* <https://www.spinquanta.com/news-detail/what-is-cryogenic-quantum-computing-and-why-it-matters>
23. *Cryogenics in Energy Storage 03: LNG (Liquified Natural Gas).*
<https://www.teosteam.com/post/cryogenics-in-energy-storage-03-lng-liquified-natural-gas>
24. *The Ultimate Guide to Choosing a Cryo Cooler - Blog.* <https://www.arctic-tek.com/blog/ultimate-guide-choosing-cryo-cooler>