

DSMB Report

Project Title: STAAR Study
PI: Marjorie Solomon, PhD & MBA

2nd DSMB Meeting: 04/22/2019

Date of report: 04/18/2019

Data as of: 04/02/2019

Prepared by: Soo Park, BAS
Junior Specialist
UC Davis MIND Institute

Section 1. Recruitment and Participant Status (as of 4/2/2019)

Figure 1. Enrollment and Accrual of Study Participants





Figure 2. Overall Study Status



Section 2. Demographics (as of 4/2/2019)

Figure 3. Gender of Study Participants




Figure 4. Ethnicity of Study Participants by Study Groups




Figure 5. Race of Study Participants by Study Group




Table 1. Age Descriptive of Study Participants by Study Group

| | | Group A | Group B | Group C |
|-----|---------|---------|---------|---------|
| Age | Mean | 10.25 | 10 | 10 |
| | Median | 10 | 9.5 | 10 |
| | SD | 1.5 | 1.41 | 2 |
| | Minimum | 9 | 9 | 8 |
| | Maximum | 12 | 12 | 12 |

Table 2. Group Difference Test Result

| | Gender | Ethnicity | Race | Age |
|--------------------------|--------|-----------|------|------|
| Group Difference P-Value | 1 | 0.42 | 0.73 | 0.97 |

* Group Difference was determined by Fisher's Exact test for categorical variables and ANOVA test for age.

Section 2. Safety Assessments for All Participants

The AE data are available for 11 participants as of 4/2/2019. The following statistics were based on the AE data obtained from those 11 participants randomized to treatment groups. Participants had 1.82 events on average with SD= 2.23.

Table 4. Incidence of Adverse Events by Standardized AE Category

| Standardized AE Category | Total Participants* | Total %** | Total Events*** |
|-----------------------------|---------------------|-----------|-----------------|
| Anxiety | 2 | 18.2 | 4 [#] |
| Diarrhea | 1 | 9.1 | 2 [#] |
| Disruptive Behavior | 1 | 9.1 | 2 [#] |
| Dysgeusia | 1 | 9.1 | 2 [#] |
| Ear Infection | 1 | 9.1 | 1 |
| Fever | 1 | 9.1 | 1 |
| listlessness | 1 | 9.1 | 1 |
| Mouthing | 1 | 9.1 | 1 |
| Rash | 1 | 9.1 | 1 |
| Sleep Disturbance | 1 | 9.1 | 1 |
| Sprain | 1 | 9.1 | 2 [#] |
| Tics | 1 | 9.1 | 1 |
| Upper Respiratory Infection | 1 | 9.1 | 1 |

* Number of participants experiencing an adverse event (participant is to be counted only once for each adverse event)

** % of total number of participants with AE data available to date (total N=11) in the study

*** Total number of events overall

Indicate recurrence of same adverse event

**Table 5. Incidence of Adverse Events by Standardized AE Category,
Stratified by Treatment Group**

| | Group A (n=4) | | | Group B (n=4) | | | Group C (n=3) | | |
|-------------------------------------|-------------------------------------|----------------------|---------------------------------|-------------------------------------|----------------------|---------------------------------|-------------------------------------|----------------------|---------------------------------|
| Standardized AE Category | Total Partici pants* | Total %** | Total Events *** | Total Partici pants* | Total %** | Total Events *** | Total Partici pants* | Total %** | Total Events *** |
| Anxiety | 1 | 9.1 | 2 [#] | 0 | 0 | 0 | 1 | 9.1 | 2 [#] |
| Diarrhea | 1 | 9.1 | 2 [#] | 0 | 0 | 0 | 0 | | 0 |
| Disruptive Behavior | 1 | 9.1 | 2 [#] | 0 | 0 | 0 | 0 | | 0 |
| Dysgeusia | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9.1 | 2 [#] |
| Ear Infection | 1 | 9.1 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Fever | 1 | 9.01 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Listlessness | 1 | 9.1 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Mouthing | 1 | 9.1 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Rash | 1 | 9.1 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Sleep Disturbance | 1 | 9.1 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Sprain | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9.1 | 2 [#] |
| Tics | 1 | 9.1 | 1 | 0 | 0 | 0 | 0 | | 0 |
| Upper Respiratory Infection | 0 | 0 | 0 | 1 | 9.1 | 1 | 0 | | 0 |

* *Number of participants experiencing an adverse event (participant is to be counted only once for each adverse event)*

** *% of total number of participants with AE data available to date (total N=11 per group) in the study*

*** *Total number of events overall*

Indicate recurrence of same adverse event

Table 6. Severity of Adverse Events by Treatment Group

| | Total Number of Participants * (%**) with | | | | |
|-----------------|---|------------|----------------|---------------|--------------------------|
| Treatment Group | NO AE | Mild Event | Moderate Event | Serious Event | Group Difference p-value |
| Overall | 5 (45.5%) | 4 (36.4%) | 2 (18.2%) | 0 | 0.48 |
| Group A | 1 | 1 | 2 | 0 | |
| Group B | 3 | 1 | 0 | 0 | |
| Group C | 1 | 2 | 0 | 0 | |

* Number of **participants** experiencing a certain severity of an adverse event where each participant is counted only once at the highest level of severity for the event

** % of participants experiencing a certain severity of an adverse event

| | Total Number of Adverse Events* (%**) | | | |
|-----------------|---------------------------------------|----------|---------|--------------------------|
| Treatment Group | Mild | Moderate | Serious | Group Difference p-value |
| Overall | 16 (80%) | 4 (20%) | 0 | 0.41 |
| Group A | 9 | 4 | 0 | |
| Group B | 1 | 0 | 0 | |
| Group C | 6 | 0 | 0 | |

* Total number of **events** experiencing a certain severity of an adverse event

** % of events experiencing a certain severity of an adverse event

Appendix

Listing 1: Adverse Events *

| Participant ID | Adverse Event | Severity | Frequency | Action Taken | Outcome** | Relationship to Study Medication*** |
|----------------|-----------------------------|----------|-----------|--------------|-----------|-------------------------------------|
| 003X | Diarrhea | 1 | 1 | 1 | 1 | 2 |
| 003X | Diarrhea | 1 | 1 | 1 | 1 | 1 |
| 005X | Anxiety | 1 | 1 | 1 | 1 | 1 |
| 005X | Anxiety | 1 | 1 | 1 | 1 | 1 |
| 005X | Sprain | 1 | 3 | 1 | 1 | 1 |
| 005X | Sprain | 1 | 3 | 1 | 1 | 2 |
| 006X | Upper respiratory infection | 1 | 1 | 1 | 1 | 1 |
| 007V | Dysgeusia | 1 | 1 | 1 | 1 | 4 |
| 007V | Dysgeusia | 1 | 1 | 1 | 1 | 2 |
| 009V | Mouthing | 2 | 1 | 1 | 6 | 2 |
| 009V | Sleep disturbance | 1 | 1 | 1 | 1 | 1 |
| 009V | Disruptive Behavior | 1 | 1 | 1 | 1 | 1 |
| 009V | Fever | 2 | 1 | 1 | 3 | 1 |
| 009V | Ear infection | 2 | 1 | 1 | 3 | 1 |
| 009V | Disruptive Behavior | 1 | 1 | 1 | 1 | 2 |
| 011X | Anxiety | 1 | 1 | 1 | 1 | 1 |
| 011X | Tics | 1 | 1 | 1 | 3 | 4 |
| 011X | Listlessness | 1 | 1 | 1 | 1 | 2 |
| 011X | Anxiety | 2 | 2 | 4 | 1 | 2 |
| 011X | Rash | 1 | 3 | 1 | 3 | 1 |

* *This listing was sorted by Participant ID.*

| Severity | Frequency | Action taken with Study Drug | Outcome | Relationship to study drug |
|--|--|--|---|---|
| 1 = mild 2 = moderate 3 = severe | 1 = Intermittent 2 = Continuous 3 = Single | 1 = None 2 = Study Drug Temporarily Discontinued 3 = Dose Decrease 4 = Study Drug Permanently Discontinued 5 = Concomitant Medication/ Therapy 6 = Hospitalization/ Hospitalization Prolonged | 1 = Recovered 2 = Recovered with sequelae 3 = Recovering 4 = Not Recovered 5 = Fatal 6 = Unknown | 1 = Not Related 2 = Unlikely 3 = Possibly related (<50%) 4 = Probably related (>50%) 5 = Definitely related |

Listing 2: Demographics

| ID | Blinded Group (A, B, or C) | Age at Enrollment (years) | Gender | Race | Ethnicity | Status of Enrollment |
|-----------|-----------------------------------|----------------------------------|---------------|----------------------------------|---------------------|-----------------------------|
| 001V | B | 10 | F | Asian | Not Hispanic/Latino | Completed |
| 002X | A | 12 | M | White | Not Hispanic/Latino | Active |
| 003X | A | 9 | M | White | Not Hispanic/Latino | Active |
| 004V | B | 9 | M | White and Black/African American | Not Hispanic/Latino | Early Termination |
| 005X | C | 8 | M | White | Not Hispanic/Latino | Active |
| 006X | B | 12 | M | Black/African American | Not Hispanic/Latino | Active |
| 007V | C | 10 | M | White and Black/African American | Not Hispanic/Latino | Early Termination |
| 008X | B | 9 | M | White | Not Hispanic/Latino | Active |
| 009V | A | 9 | M | White and American Indian | Hispanic/Latino | Completed |
| 010X | C | 12 | M | White | Hispanic/Latino | Active |
| 011X | A | 11 | M | White and Asian | Hispanic/Latino | Early Termination |